



ae B 43

Botanischer Garten Olmütz (Austria).



Index
seminum horti botanici
Olomucensis (Olmütz).

T = Tubera aut bulbi.



Alsineae.

- Agrostemma Githago L.
- Arenaria grandiflora L.
- Dianthus barbatus L.
- deltoides L.
- Lychnis alpina L.
- coronaria Lam.
- flos cuculi L.
- Gypsophila paniculata L.
- Silene inflata Sm.
- Saxifraga L.
- viscosa Pers
- Spergula arvensis L.
- Vaccaria parviflora Moench
- Viscaria vulgaris Roehl

Amarantaceae.

- Amarantus caudatus L.

Aroideae.

- T. Arum cornutum
- T. Amorphophallus Rivieri
- T. Richardia albomaculata Hook.

1 P 05

Asclepiadeae.

Asclepias cornuti DC.
Vincetoxicum officinale Moench

Balsamineae.

Impatiens glanduligera Lindl

Bignoniaceae.

Incarvillea grandiflora Spr.

Boragineae.

Anchusa officinalis L.
Cerithe alpina Kit
 major L.
Cynoglossum officinale L.
Lithospermum officinale L.
Myosotis alpestris Koch

Campanulaceae.

Campanula barbata L.
 carpatica Jacq.
 glomerata L.
 latifolia L.
 media L.
 persicifolia L.
 rapunculoides L.
 thyrsiflora L.
 trachelium L.
 turbinata Schott
 urticifolia Schm.
Edraianthus tenuifolius DC. fil.
Michauxia campanuloides Juss.
Platycodon grandiflorum DC. var *Mariesii*

Chenopodiaceae.

Atriplex hortensis L.
 nitens Schk.

Beta maritima L.
 vulgaris L.
 " altissima L.
 " rubra L.
 Blitum capitatum L.
 Chenopodium foliosum Moench

Cistideae.

Helianthemum polifolium DC.

Compositae.

Alfredia cernua Cass
 Anacyclus pyrethrum DC.
 Anthemis tinctoria L.
 Aster alpinus L.
 Bidens andicola
 tripartita L.
 Calendula officinalis L.
 Centaurea cyanus L.
 suaveolens Willd
 Chamaepeuce triacantha
 Chrysanthemum segetum L.
 Coreopsis tinctoria De.
 Crupina vulgaris Pers.
 Eryngium Bourgati Gouan
 Gaillardia Lorenziana Hort
 Galinsoga parviflora Cav.
 T. Helianthus tuberosus L.
 Helminthia echioides Gaert
 Inula Helenium L.
 Lactuca scariola L.
 Madia sativa L.
 Mulgedium alpinum Cass.
 Onopordon Acanthium L.
 Rudbeckia laciniata L.
 purpurea L.
 Scolymus hispanicus L.
 Senecio Fuchsii Gm.
 Serratula tinctoria L.

Succisa pratensis Moench
 Tagetes patula L.
 Tragopogon porrifolius L.
 Xanthium italicum Moretti
 spinosum L.
 Zinnia elegans Jacq.

Convolvulaceae.

Convolvulus scamonia L.
 siculus L.
 Ipomoea purpurea Lam.

Crassulaceae.

Sempervivum arachnoideum L.
 montanum L.

Cruciferae.

Alliaria officinalis L.
 Alyssum montanum L.
 Wulfenianum Bernh.
 Arabis alpina L.
 Aubrietia graeca Boiss
 Barbaraea praecox R. Br.
 Berteroa incana DC.
 Bunias erucago L.
 Camelina sativa Crantz
 Cheiranthus Cheiri L.
 Eruca sativa DC.
 Erysimum cheiranthoides Gay
 Iberis amara L.
 Isatis tinctoria L.
 Lepidium campestre R. Br.
 ruderales L.
 sativum L.
 Lunaria annua L.
 Malcolmia maritima R. Br.
 Neslea paniculata Desv.
 Peltaria alliacea L.
 Sinapis alba L.

Sisymbrium officinale Scop.
Thlaspi arvense L.

Cucurbitaceae.

Bryonia alba L.
 dioica L.
Citrullus vulgaris Schrad.
Cucumis flexuosus L.
 melo L.
 sativus L.
Cucurbita melopepo L.
 pepo L.
 verrucosa L.
Cyclanthera explodens Naud.
 pedata Schrad.
Ecballium elaterium L.
Lagenaria vulgaris Ser.
Momordica charantia L.

Cyperaceae.

T. Cyperus esculentus L.

Dipsaceae.

Cephalaria alpina Röm. Schult.
Dipsacus fullonum L.
 laciniatus L.
 silvestris Huds
Scabiosa atropurpurea L.
 stellata L.

Euphorbiaceae.

Euphorbia chamaesyce L.
Ricinus communis L.

Gentianeae.

Gentiana asclepiadea L.

Geraniaceae.

Erodium gruinum L.

Globularieae.

Globularia Willkommii Nym.

Gramineae.

Agrostis alba L.

Andropogon halepensis Brot.
saccharatus Kunth.

Sorghum Brot.

Avena sativa var. orientalis Schreb.

Bromus secalinus L.

sterilis L.

Briza media L.

Coix lacrymae Jobi L.

Eleusine coracana Lam.

indica Gaert.

Eragrostis abyssinica L.

Gymnothrix japonica Kft.

Holcus lanatus L.

Hordeum distichum L.

hexastichum L.

jubatum DC.

Lolium temulentum L.

Melica ciliata L.

Panicum miliaceum L.

Phalaris canariensis L.

Phleum alpinum L.

Poa bulbosa L.

Stipa capillata L.

pennata L.

Triticum monococcum L.

Irideae.

Iris graminea L.

hispanica (Xiphium Hort)

sibirica L.

Labiatae.

Betonica officinalis L.

Brunella grandiflora Moench.

- Calamintha acinos Clairv.
 Clinopodium vulgare L.
 Dracocephalum austriacum L.
 moldavica L.
 Galeopsis tetrahit L,
 versicolor L.
 Lallelantia iberica F. et Mey.
 Leonurus cardiaca L.
 Marrubium vulgare L.
 Ocimum Basilicum L.
 Phlomis tuberosa L.
 Salvia Aethiopsis L.
 argentea L.
 austriaca L.
 coccinea L.
 glutinosa L.
 officinalis L.
 silvestris L.
 verticillata L.
 Satureia hortensis L.
 Stachys recta L.
 silvatica L.
 T. Sieboldi (affinis Fresen)
 Teucrium Botrys L.
 Euganeum Vis

Liliaceae.

- Allium ascalonicum L.
 fistulosum L.
 Victorialis L.
 Asparagus officinalis L.
 Lilium Martagon L.
 Polygonatum multiflorum All.
 officinale All.
 Veratrum nigrum L.

Lineae.

- Linum flavum L.
 perenne L.
 usitatissimum L.

Loasaceae.

Blumenbachia Hieronymi H. B.

Malvaceae.

Abutilon Avicennae Gaert

Althaea rosea L.

Hibiscus Trionum L.

Malva crispa L.

Nyctagineae.

Mirabilis Jalapa L.

Oenotheraeae.

Epilobium angustifolium L.

Oenothera biennis L.

Oxalidcae.

T. Oxalis Deppei Lodd

Papaveraceae.

Argemone mexicana L.

Eschscholtzia californica Lindl

Glaucium corniculatum Curt

flavum Crantz

Papaver alpinum L. nudicaule

Argemone L.

orientale L.

Rhoeas L.

somniferum L.

Papilionaceae.

Anthyllis vulneraria L.

Astragalus glycyphyllus L.

Biserrula Pelecinus L.

Cicer arietinum L.

Coronilla varia L.

Glycyrrhiza echinata L.

Lathyrus aphaca L.

Lens esculenta Moench

- Lupinus angustifolius L.
 luteus L.
 mutabilis L. Sweet
 Medicago turbinata Willd
 Onobrychis sativa Lam.
 Ornithopus sativus L.
 Pisum arvense L.
 sativum L.
 Scorpiurus vermiculatus L.
 Soja hispida Moench
 Tetragonolobus siliquosus L.
 Trifolium fragiferum L.
 hybridum L.
 incarnatum L.
 montanum L.
 rubens L.
 Vicia faba L.
 lutea L.
 narbonensis L.

Phytolaccaceae.

- Phytolacca decandra L.

Plantagineae.

- Plantago alpina L.
 coronopus L.
 cynops L.
 maritima L.

Plumbagineae.

- Armeria alpina Willd

Polemoniaceae.

- Collomia grandiflora Dougl
 Phlox Drummondii Hook
 Polemonium coeruleum L.

Polygoneae.

- Rheum officinale L.
 rhaponticum L.

Rumex Acetosa L.
 flexuosus Soland
 Hydrolapathum Huds
 maximus Schreb
 Patientia L.

Portulacaceae.

Claytonia cubensis
 Portulaca oleracea L.
 Tetragonia expansa Ait

Primulaceae.

Anagallis arvensis L.
 coerulea Schreb.

Ranunculaceae

Actaea spicata L.
 Adonis aestivalis L.
 Aquilegia corymbosa
 nevadensis
 vulgaris L.
 Delphinium consolida L.
 Helleborus viridis L.
 Myosurus minimus L.
 Nigella damascena L.
 sativa L.
 Pulsatilla vulgaris Mill
 Ranunculus aconitifolius L.
 arvensis L.
 sardous Crantz
 Thalictrum aquilegif. L.
 flavum L.
 minus L.
 Trollius europaeus L.

Rosaceae.

Agrimonia eupatoria L.
 Alchemilla alpina L.
 Crataegus coccinea L.

Dryas octopetala L.
Geum montanum L.
 rivale L.
Potentilla atrosanguinea Lodd.
 recta L.
 rupestris L.
 sanguisorbaefolia
Sanguisorba minor Scop.
 officinalis L.

Rubiaceae.

Asperula tinctoria L.
Galium cruciatum Scop.
 verum L.
Rubia tinctorum L.

Saxifrageae.

T. *Saxifraga granulata* L.

Scrophularieae.

Antirrhinum Orontium L.
Digitalis purpurea L.
Linaria alpina L.
 minor Desf.
Mimulus luteus L.
Nycteria capensis Benth.
Verbascum Blattaria L.
 Lychnitis L.
 speciosum Schrad.
Veronica fruticulosa L.
 saxatilis Jacq.

Solaneae.

Capsicum baccatum L.
Datura Metel L.
 Stramonium L.
Hyoscyamus albus L.
 niger L.

Nicotiana affinis Hort
macrophylla Spr.
Sanderae Hort
silvestris Moore
rustica L.

Physalis Alkekengi L.
Solanum Guineense Lam.
nigrum L.

Umbelliferae.

Archangelica officinalis Hoffm.
Astrantia major L.
Bupleurum rotundifolium L.
Chaerophyllum aromaticum L.
Selinum carvifolia L.

Urticaceae.

Cannabis sativa L.
Urtica pilulifera L.



Seminum messis hujus anni propter hibernacula plantarum aedificanda incompleta fuit.

E. Tuma,
 Obmann.

L. Frank,
 Professor.

Botanischer Garten, Olmütz.

A la Direction
du **Jardin botanique**

de *H. Louis Mo*

An den
Botanischen Garten
in
Olmütz
Austria.

Hortus botanicus Olmütz, Austria.

Supplementum indicis 1909.

Abutilon vesicarium Sweet	Dryas Drummondii Rich	Primula farinosa L
Acanthus spinosus L	Echium creticum L	Prunus Mahaleb L
Aechmea saxatile R Br	Erinus alpinus L	Rehmannia angulata Hemsley
Allium neapolitanum Cir	Erysinum odoratum Ehrh	Rheum palmatum L
Alyssum argenteum Witm.	Gratiola officinalis L	Rhodiola rosea L
Amorpha fruticosa B	Helianthus rigidus Desf	Rosa cinnamomea L
Anemone stellata L	Helichrysum bracteatum Andr.	" pomifera Herrm
Anoda hastata Cav	Heracleum Lehmannianum	" rubiginosa L
Anthericum Liliago L	Herniaria glabra L	Salsola Kali L
Arabis pumila Jacq	Hieracium Jacquini Vill	Salvia Sclarea L
Arenaria serpyllifolia L	Jasione perennis Lam	Sanvitalia procumbens Lam
Asclepias tuberosa L	Impatiens tricornis Lindl	Scrophularia vernalis
Asperula azurea Spach	Kochia scoparia f. tri- chophila Stapf	Sedum atratum L
Astragalus australis Lam	Ligustrum vulgare L	" ibericum Stev
Berberis vulgaris L	Linaria organifolia Ait	Senecio erraticus Bert
Bromus arvensis L	Linum austriacum L	Seseli glaucum Jacq
Campanula alliariifolia Willd	Lonicera nigra L	Setaria italica P.B.
" americana L	Lopezia coronata Andr	Sicyos angulata L
" medium L	Lychnis coeli-rosa Desr	Silene Muscipula L
Cardamine chenopodiifolia Juss.	Nahonia aquifolium Nutt	" viridiflora L
Carex canescens L	Malus floribunda Sieb	" viscosa Pers
" hordeistichos Will	Palvastrum peruvian. Gray	t sisyrinchium Bermudi- ana L
Cassia occidentalis L	Medicago scutellata Mill	Stachys lenata Jacq
Catananche coerulea L	Pespulus germanica L	statice superba Regl
cephalaria pilosa Gren	Kolucella laevis L	Symphandra Hofmanni Pant.
cerastium chloraefolium F.M.	Oenothera Lamarckiana Ser	Thlaspi ceratocarpum Murr
" lanatum Lam	Onobrychis caput galli Lam	Torenia asiatica L
Chelone barbata Cav	Onosma stellulatum W.K.	Trifolium alpestre L
cydonia vulgaris Pers	Potentilla fruticosa L	" Thalii Vill
Desmodium canadense Dc	" nepalensis Hook	Tunica velutina Guss
Didiscus cceruleus Hook		

- Ar. Aristolochia Clematitis L
 Bals. Impatiens tricornis L
 Borag. Lycopsis arvensis L
 Symphytum asperrimum M.B
 " off. L.
 Camp. Camp. Alliariifolia Willd
 - Medium L
 Phyteuma Scheuchzeri All
 Capr. Lonicera nigra L
 Caryoph. Arenaria serpyllifolia L
 cerastium lanatum Lam.
 gypsophila fastigiata L
 Herniaria glabra L
 Kohlrauschia velutina Rchb.
 Lychnis Coronaria Desr.
 Silene Armeria L
 - muscipula L
 - noctiflora L
 - viscosa Pers
 Spergularia rubra Presl
 Celastr. Evonymus eur. L
 Chen. Atriplex tataricum L
 Chenop. Botrys L
 Kochia arenaria Roth
 Kochia scoparia trichophila Stapf
 Salsola Kali L
 Comp. Achillea atrata L
 " setacea W.K.
 Ammobium alatum R.Br.
 Artemisia vulgaris L.
 Bellidiasstr. Michellii Cass
 Bidens chilensis D C
 Catananche coerulea L
 Centaurea jacea L
 " phrygia L
 " pseudophrygia Mey
 Chrysanth. balsamita L
 " Parthenium Bernh
 Crepis Jacquini Tsch
 " rhoeadifolia M.B
 Echinops horridus Desf
 Erigeron acer L
 Filago arvensis L
 Hedypnois cretica Willd
 Helianthus rigidus Desf
 Helichrysum arenarium D C
 " bracteatum Willd
 Hieracium bupeuroides Gm
 " glabratum Hoppe
 " humile Host
 " pratense Tsch
 " saxatile Rchb.
 Senecio viscosus L
 " erraticus Bert
 Tussilago Farfara L
 Conv. Cuscuta epilinum L
 Crass. Sedum acre L
 " atratum L
 " roseum Scop
 Cruc. Alyssum argenteum Vitm
 " calycinum L
 Arabis pumila Jacq.
 Sinapis arvensis L
 Malcolmia maritima Br
 Thlaspi praecox Wulf
 " montanum L
 Cucurb. Cucumis flexuosus L
 sicyos angulata L
 Cyper. Carex atrata L
 " canescens L
 " hordeistichos Vill
 " secalina Wahlb.
 Cyperus alternifolius L
 " fuscus L
 Scirpus maritimus L
 Dips. Cephalaria pilosa Gren
 Scabiosa lucida Vill
 " graminifolia L
 Euphorb. Euph. exigua L
 - falcata L
 Fum. Corydalis solida Sm
 Gent. gentiana pneumonanthe L
 Gram. Bromus arvensis L
 " mollis L
 " patulus M.K.
 " squarrosus L.
 " tectorum L
 Crypsis alopecuroides Schrad
 Cynosurus echinatus L
 Eragrostis major Host
 " minor Host
 Koeleria cristata Pers
 Phleum alpinum L
 " pratense L
 Festuca elatior L
 " spectabilis Jan
 " varia Hanke
 " vaginata W.K.
 Irid. Gladiolus imbricatus L
 Iris spuria L
 Sisyrinchium angustifolium Mill
~~Lab. Lavandula stoechas~~
 Mollucella laevis L
 Salvia patens Cav
 " sclarea L
 Phymus angustifolius Pers
 " vulgaris L
 Lil. Allium angulosum L
 " montanum Schm
 Fritillaria Meleagris L
 Majanthem. bifol. DC
 Muscari racemosum Mill
 Polygonat. verticill. All
 Veratrum Lobelianum Bernh
 Lin. Linum austriacum
 Radiola linoides Roth
 Malv. Lavatera trimestris L
 Oen. Epilobium Fleischeri Hochst
 Eucharidium concinum Fisch
 Lopezia coronata Andr
 Papav. Papaver orientale L
 Pap. Astragalus alpinus L
 " australis Lam
 " sulcatus L
 Baptisia australis R Br
 Lupinus arboreus Sims
 Medicago hispida Gartn
 " lupulina L
 Melilotus dentatus Pers
 Ononis Natrrix Lam
 Onobrychis caput galli Lam
 Trifolium angustifol. L
 " alpestre L
 " pannonicum Jacq
 " Thalii Vill
 Vicia pisiformis L

Supplementum seminum pro 1912

Ergänzungs-Liste für 1911

Acanthaceae.
 Thunbergia alata Bojer

Amarantaceae.
 Gomphrena globosa L

Amaryllideae.
 Amaryllis formosissima L

Bignoniaceae.
 Eccremocarpus scaber R. et. P.
 Incarvillea grandiflora Spr.

Campanulaceae.
 Campanula alliariifolia Willd
 " medium L
 " rotundifolia
 Phyteuma Scheuchzeri All
 Symphyandra Hofmanni Pant.

Caryophylleae.
 Cerastium lanatum Lam.
 Lychnis coeli rosa Desv.
 Silene aenea L
 " muscipula L
 " noctiflora L
 " viscosa Pers

Chenopodiaceae.
 Atriplex tartaricum L
 Chenopodium botrys L
 Kochia arenaria Roth
 Salsola Kali L

Compositae.
 Achillea macrophylla L
 " setacea W. et. K.
 Anacyclus pyrethrum DC
 Bellidiastrum Michellii Cass
 Crepis paludosa Mönch
 " Jacquini Tsch
 " grandiflora Tsch
 " biennis L
 Carduus defloratus L
 Catananche coerulea L
 Centaurea jacea L
 " pseudophrygia Mey
 Cnicus benedictus L
 Cosmos bipinatus Cav
 Eupatorium aromaticum L
 Filago arvensis L
 Helichrysum arenarium DC
 Hieracium bupleuroides Gmel
 " glaucum All
 " glabratum

Hieracium humile Jacq
 " murorum L
 " saxatile Jacq
 " setigerum Fsch

Crassulaceae.
 Sedum dasyphyllum L

Cruciferae.
 Aethionema saxatile R. Br.
 Camelina microcarpa Andr.
 Draba affinis Host
 Lepidium Draba L
 Malcolmia maritima R. Br.
 Rhabbanus Rhabbanistrum L
 Sisymbrium Sophia L
 Thlaspi ceratocarpum Murr

Cucurbitaceae.
 Cucurbita Pepo L
 " verrucosa L
 Luffa acutangula Ser

Cuscutaceae.
 Cuscuta epilinum Weib

Cyperaceae.
 Carex atrata L
 " hordeistichos Vill
 Scirpus maritimus L

Dipsaceae.
 Cephalaria pilosa Gren
 Scabiosa graminifolia L

Gentianeae.
 Gentiana Pneumonanthe L

Geraniaceae.
 Erodium cicutarium L'Herit
 Geranium dissectum L

Gramineae.
 Avena versicolor Vill
 Bromus mollis L
 " patulus M. u. K.
 " tectorum L
 Festuca vaginata W. u. K.
 Corynephorus canescens P. B.
 Eragrostis major Host
 Koeleria cristata Pers
 Phleum alpinum L
 Poa alpina L
 " pratensis L
 Zizania aquatica L

Irideae.
 Gladiolus communis L
 " imbricatus L
 Iris spuria L
 Sisyrinchium Bermudianum Tournef.

Juncaceae.
 Luzula campestris DC.
 " multiflora Dsf.

Labiatae.
 Molucella laevis L
 Thymus angustifolius Pers

Liliaceae.
 Anthericum Liliago L
 Allium montanum Schmidt
 Bowiea volubilis Harvey
 Eremurus robustus Rgl
 " turkestanicus Rgl
 Fritillaria Meleagris L
 Muscari comosum Mill
 Ornithogalum nutans L
 Polygonatum verticillatum All
 Veratrum album L

Lineae.
 Linum austriacum L
 " grandiflorum Desf.

Malvaceae.
 Anoda hastata Cav
 Lavatera trimestris L

Oenotheraeae.
 Lythrum virgatum L
 Lopezia coronata Andr

Papilionaceae.
 Astragalus echinatus
 " falcatus Lam
 Medicago hispida macrocarpa
 " scorpioides

Plantagineae.
 Plantago arenaria W. u. K
 " argentea Chaix
 " coronopus L

Plumbagineae.
 Acantholimon glumaceum Bois
 Statice serbica Nym

Polemoniaceae.

Phlox Drummondii Hook

Primulaceae.

~~Androsace~~ Laggeri Huet
" ~~chamaejasme~~ Hst
Primula elatior Jacq
" pannonica Kern
" ~~rosea~~ Royle
~~Samolus~~ Valerandi L.

Ranunculaceae.

Anemone hortensis L
Ranunculus Steveni Andr

Rosaceae.

Dryas Drummondii Rich
Potentilla minima Schleich
" nivea L

Potentilla pulcherrima Lehm.
" villosa Pall
Sibbaldia cuneata Hornem

Saxifragineae.

Bergenia cordifolia A. Br.
" crassifolia Engl
Saxifraga crustata Vest
" cuneifolia L
" moschata Wulf
" Rocheliana Sternb
" sancta Grsb
" umbrosa L

Scrophularineae.

Erinus alpinus L
Gratiola officinalis L
Linaria macrocana hort
" minor Desf
Scrophularia vernalis L

Veronica latifolia L
" spicata L

Solaneae.

Scopolia carniolica Jaquin
Solanum Lycopersicum L

Tropaeolaceae.

Tropaeolum majus L
" peregrinum

Umbelliferae.

Anethum graveolens L
Bupleurum longifolium L
Daucus Carota L
Seseli annuum L
" glaucum Mneh

Valerianeae.

Valeriana montana L

Supplementum seminum pro

1914

Ergänzungs-Liste für

1914

Acanthaceae.	Hieracium humile Jacq	Irideae.
Thunbergia alata Bojer	" murorum L	Gladiolus communis L
Amarantaceae.	" saxatile Jacq	" imbricatus L
Gomphrena globosa L	" setigerum Fsch	Iris spuria L
Amaryllideae.	Crassulaceae.	Sisyrinchium Bermudianum Tournef.
Amaryllis formosissima L	Sedum dasyphyllum L	Juncaceae.
Bignoniaceae.	Cruciferae.	Luzula campestris DC.
Eccremocarpus scaber R. et. P.	Aethionema saxatile R. Br.	" multiflora Dsf.
Incarvillea grandiflora Spr.	Camelina microcarpa Andr.	Labiatae.
Campanulaceae.	Draba affinis Host	Molucella laevis L
Campanula alliariifolia Willd	Lepidium Draba L	Thymus angustifolius Pers
" medium L	Malcolmia maritima R. Br.	Liliaceae.
" rotundifolia	Rhaphanus Rhaphanistrum L	Anthericum Liliago L
Phyteuma Scheuchzeri All	Sisymbrium Sophia L	Allium montanum Schmidt
Symphyandra Hofmanni Pant.	Thlaspi ceratocarpum Murr	Bowiea volubilis Harvey
Caryophylleae.	Cucurbitaceae.	Eremurus robustus Rgl
Cerastium lanatum Lam.	Cucurbita Pepo L	" turkestanicus Rgl
Lychnis coeli rosa Desv.	" verrucosa L	Fritillaria Meleagris L
Silene armeria L	Luffa acutangula Ser	Muscari comosum Mill
" muscipula L	Cuscutaceae.	Ornithogalum nutans L
" noctiflora L	Cuscuta epilinum Weih	Polygonatum verticillatum All
" viscosa Pers	Cyperaceae.	Veratrum album L.
Chenopodiaceae.	Carex atrata L	Lineae.
Atriplex tartaricum L	" hordeistichos Vill	Linum austriacum L
Chenopodium botrys L	Scirpus maritimus L	" grandiflorum Desf.
Kochia arenaria Roth	Dipsaceae.	Malvaceae.
Salsola Kali L	Cephalaria pilosa Gren	Anoda hastata Cav
Compositae.	Scabiosa graminifolia L	Lavatera trimestris L
Achillea macrophylla L	Gentianeae.	Oenotheraeae.
" setacea W. et. K.	Gentiana Pneumonanthe L	Lythrum virgatum L
Anacyclus pyrethrum DC	Geraniaceae.	Lopezia coronata Andr
Bellidiastrum Michellii Cass	Erodium cicutarium L'Herit	Papilionaceae.
Crepis paludosa Mönch	Geranium dissectum L	Astragalus echinatus
" Jacquini Tsch	Gramineae.	" falcatus Lam
" grandiflora Tsch	Avena versicolor Vill	Medicago hispida macrocarpa
" biennis L	Bromus mollis L	" scorpioides
Carduus defloratus L	" patulus M. u. K.	Plantagineae.
Catananche coerulea L	" tectorum L	Plantago arenaria W. u. K
Centaurea jacea L	Festuca vaginata W. u. K.	" argentea Chaix
" pseudophrygia Mey	Corynephorus canescens P. B.	" coronopus L
Cnicus benedictus L	Eragrostis major Host	Plumbagineae.
Cosmos bipinatus Cav	Koeleria cristata Pers	Acantholimon glumaceum Bois
Eupatorium aromaticum L	Phleum alpinum L	Statice serbica Nym
Filago arvensis L	Poa alpina L	
Helichrysum arenarium DC	" pratensis L	
Hieracium bupleuroides Gmel	Zizania aquatica L	
" glaucum All		
" glabratum		

Polemoniaceae.

Phlox Drummondii Hook

Primulaceae.

Androsace Laggeri Huet
" chamaejasme Hst
Primula elatior Jacq
" pannonica Kern
" rosea Royle
Samolus Valerandi L.

Ranunculaceae.

Anemone hortensis L
Ranunculus Steveni Andrz

Rosaceae.

Dryas Drummondii Rich.
Potentilla minima Schleich
" nivea L

Potentilla pulcherrima Lehm.
" villosa Pall
Sibbaldia cuneata Hornem

Saxifragineae.

Bergenia cordifolia A. Br.
" crassifolia Engl
Saxifraga crustata Vest
" cuneifolia L
" moschata Wulf
" Rocheliana Sternb
" sancta Grsb
" umbrosa L

Scrophularineae.

Erinus alpinus L
Gratiola officinalis L
Linaria macrocana hort
" minor Desf
Scrophularia vernalis L

Veronica latifolia L
" spicata L

Solaneae.

Scopolia carniolica Jaquin
Solanum Lycopersicum L

Tropaeolaceae.

Tropaeolum majus L
" peregrinum

Umbelliferae.

Anethum graveolens L
Bupleurum longifolium L
Daucus Carota L
Seseli ~~annuum~~ L
" glaucum Mneh

Valerianeae.

Valeriana montana L

Caryophylleae.

- 76 a *Agrostemma Githago* L
- 77 p *Alsine juniperina* Wahlenb.
- 78 p — *verna* Bartl
- 79 p *Arenaria ciliata* L
- 80 p — *grandiflora* All
- 81 a *Cerastium arvense* L
- 82 p *Cucubalus baccifer* L
- 83 p *Dianthus alpinus* L
- 84 p — *Armeria* L
- 85 p — *barbatus* L
- 86 p — *caesius* Sm.
- 87 p — *carthusianorum* L
- 88 p — *deltoides* L
- 89 p — *plumarius* L
- 90 p — *speciosus* Rehb.
- 91 p — *superbus* L
- 92 p *Drypis spinosa* L
- 93 a *Gypsophila muralis* L
- 94 p — *paniculata* L
- 95 p — *repens* L fl. alb.
et ros.
- 96 p *Heliosperma alpestre* (Jacq.)
- 97 p — *quadrifidum* (L)
- 98 p *Lychnis alpina* L
- 99 b — *coronaria* Lam
- 100 p — *flos cuculi* L
- 101 p — *flos Jovis* Lam
- 102 p *Malachium aquaticum* L
- 103 b *Melandrium album* Gareke
- 104 p — *rubrum* Gareke
- 105 p *Moehringia muscosa* L
- 106 p *Saponaria ozymoides* L
- 107 p — *officinalis* L
- 108 p *Silene acaulis* L
- 109 a — *gallica* L
- 110 p? — *nemoralis* W. et K.
- 111 p — *nutans* L
- 112 p — *Otites* Sm.
- 113 p — *pumilio*
- 114 p — *saxifraga* L
- 115 p — *vulgaris* Gareke
- 116 a *Spergula arvensis* L
- 117 p *Stellaria holostea* L
- 118 p *Tunica saxifraga* Scop.
- 119 a *Vaccaria parviflora* Mönch
- 120 p *Viscaria vulgaris* Röhl

Chenopodiaceae.

- 121 a *Atriplex hortensis* L
- 122 a — *nitens* Schk.
- 123 b *Beta maritima* L
- 124 b — *vulgaris* Cicla L
- 125 b — — *rapa altissima* L
- 126 b — — — *rubra* L
- 127 a *Chenopodium album* L
- 128 a — *ambrosioides* L
- 129 p — *Bonus Henricus* L
- 130 a — *capitatum* Asch
- 131 a — *ficifolium* Sm.
- 132 a — *foliosum* Mönch

- 133 a *Chenopodium Quinoa* Willd
- 134 a *Kochia scoparia* Schrad
- 135 b *Spinacia oleracea* L

Cistaceae.

- 136 p *Helianthemum polifolium* Koch
- 137 p — *vulgare* Gärtn

Compositae.

- 138 p *Achillea ageratifolia* Hook
- 139 p — *argentea* Vis
- 140 p — *Clavennae* L
- 141 p — *Clusiana* Tsch
- 142 p — *Millefolium* L f. sude-
tica Opiz
- 143 p — *nobilis* L
- 144 p — *pannonica* Scheele
- 145 p — *Ptarmica* L
- 146 p — *tanacetifolia* All.
- 147 p *Achyrophorus maculatus* Scop.
- 148 p — *uniflorus* Bl. et
Fing
- 149 p *Alfredia cernua* Cass.
- 150 a *Ambrosia trifida* L
- 151 a *Anacyclus officinarum* Hayne
- 152 p *Antennaria dioica* L
- 153 p *Anthemis nobilis* L
- 154 p — *tinctoria* L
- 155 p *Arnica montana* L
- 156 p *Aronicum scorpioides* Koch
- 157 p *Artemisia Absinthium* L
- 158 p — *Dracunculus* L
- 159 p — *maritima* L
- 160 p — *Mutellina* L
- 161 p — *spicata* Wulf
- 162 p *Aster alpinus* L
- 163 p — *Amellus* L
- 164 p — *Tripolium* L
- 165 a *Bidens andicola* hort
- 166 a — *bipinnata* L
- 167 a — *cernua* L
- 168 a — *leucantha* Willd
- 169 a — *tripartita* L
- 170 p *Bupthalmum salicifolium* L
- 171 p *Cacalia suaveolens* L
- 172 a *Calendula officinalis* L
- 173 b *Carduus nutans* L
- 174 p *Carlina acaulis* L
- 175 a *Carthamus tinctorius* L
- 176 b *Contaurea Calcitrapa* L
- 177 a — *cyanus* L
- 178 p — *macrocephala* M. B
- 179 p — *montana* L
- 180 p — *rhenana* Bor
- 181 p — *Scabiosa* L
- 182 a — *solstitialis* L
- 183 a — *suaveolens* Willd
- 184 p *Chamaepeuce diacantha* DC

- 185 p *Chondrilla juncea* L
- 186 p *Chrysanthemum cinerariifol.*
Bocc
- 187 a *Chrysanthemum segetum* L
- 188 a *Cichorium Endivia* L
- 189 p — *Intybus* L
- 190 p *Cirsium acaule* All
- 191 p — *canum* M. B.
- 192 p — *eriphorum* Scop
- 193 p — *erisithales* Scop
- 194 p — *ferox* DC
- 195 p — *heterophyllum* All
- 196 p — *oleraceum* Scop
- 197 p — *spinosissimum* Scop
- 198 a *Coreopsis tinctoria* Nutt
- 199 p *Crepis aurea* Cass
- 200 p — *blattarioides* Vill
- 201 p — *praemorsa* Tsch
- 202 a *Crupina vulgaris* Cass
- 203 b *Cynara Scolymus* L
- 204 a *Dimorphoteca pluvialis* Mönch
- 205 p *Doronicum austriacum* Jacq
- 206 p — *caucasicum* M. B.
- 207 p — *Halleri* Tsch
- 208 p *Echinops Ritro* L
- 209 p — *sphaerocephalus* L
- 210 p *Erechtites hieracifolia* Raf
- 211 p *Erigeron aurantiacus* Rgl
- 212 a — *canadensis* L
- 213 p — *uniflorus* L
- 214 p *Eupatorium cannabinum* L
- 215 p *Gaillardia aristata* Pursh
- 216 p — — *var grandiflora*
- 217 a *Galinsoga parviflora* Cav
- 218 p *Gnaphalium norvegicum* Gunn
- 219 a — *silvaticum* L
- 220 p *Grindelia squarrosa* Dunal
- 221 a *Guizotia oleifera* DC
- 222 a *Helianthus annuus* L
- 223 T p — *tuberosus* L
- 224 a *Helichrysum angustifolium* DC
- 225 a *Helminthia echioides* Gärt
- 226 p *Hieracium alpinum* L
- 227 p — *aurantiacum* L
- 228 p — *intybaceum* Jacq
- 229 p — *magyaricum* N. P.
- 230 p — *pilosella* L
- 231 p — *sabaudum* L
- 232 p — *staticifolium* Vill
- 233 p — *umbellatum* L
- 234 p — *villosum* L
- 235 p *Inula Helenium* L
- 236 p — *hirta* L
- 237 p — *salicina* L
- 238 p *Kentrophyllum lanatum* DC
- 239 a *Lactuca angustana* All
- 240 p — *perennis* L
- 241 a — *scariola* L
- 242 b — *virosa* L
- 243 a *Lampsana communis* L
- 244 b *Lappa tomentosa* Lam
- 245 p *Leontopodium alpinum* Cass
- 246 p *Ligularia sibirica* Cass
- 247 a *Madia sativa* Mol
- 248 a *Matriocaria chamomilla* L
- 249 p *Mulgedium alpinum* Cass

- 250 b Onopordon Acanthium L
- 251 b — illyricum L
- 252 p Petasites niveus Bmg.
- 253 p — officinalis Mönch
- 254 p Picris hieracioides L
- 255 p Podospermum Jacquianum
- 256 p Prenanthes purpurea L [Koch]
- 257 p Pulicaria dysenterica Gaert
- 258 p Pyrethrum caucasicum Willd
- 259 p — Parthenium Sm
- 260 p — roseum Bieb
- 261 p Rudbeckia laciniata L
- 262 p — purpurea L
- 263 a Sanvitalia procumbens L
- 264 a Scolymus hispanicus L
- 265 p Scorzonera hispanica L
- 266 p — humilis L
- 267 p — purpurea L
- 268 p Senecio abrotanifolius L
- 269 p — Fuchsii Gm
- 270 p — sudeticus DC
- 271 p Serratula tinctoria L
- 272 p Silphium laciniatum L
- 273 p — perfoliatum L
- 274 a Silybum Marianum Gärt.
- 275 p Solidago canadensis L
- 276 p — virga aurea L
- 277 a Spilanthus oleracea Jacq
- 278 a Tagetes patula L
- 279 p Tanacetum Balsamita L
- 280 p — corymbosum Schultz
- 281 p — vulgare L
- 282 b Tragopogon porrifolius L
- 283 b — pratensis v. orientalis L
- 284 a Xanthium italicum Mor
- 285 a — spinosum L
- 286 a — Strumarium L
- 287 a Xeranthemum annuum L
- 288 a Zinnia elegans Jacq

Convolvulaceae.

- 289 a Convolvulus Scammonia L
- 290 p — sepium L
- 291 a Cuscuta europaea L
- 292 p Exogonium purga Wend
- 293 p Ipomoea Batatas Lam
- 294 a — purpurea Lam
- 295 a Quamoelit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
- 297 p — reflexum L
- 298 p — villosum L
- 299 p Sempervivum arachnoideum L
- 300 — hirtum L
- 301 — montanum L
- 302 — tectorum L

Cruciferae.

- 303 a Alliaria officinalis L
- 304 p Alyssum montanum L
- 305 p — saxatile L
- 306 p — Wulfenianum Willd =
= transsilvanicum Schk
- 307 a Anastatica hierochuntica L
- 308 p Arabis alpina L
- 309 b — bellidifolia Jacq
- 310 b — hirsuta Scop
- 311 p — procurrens W. et K
- 312 b — Turrita L
- 313 p Aubrietia graeca Boiss
- 314 p Barbarea praecox R Br
- 315 p — vulgaris R Br
- 316 b Berteroa incana DC
- 317 p Biscutella laevigata L
- 318 a Brassica nigra Koch
- 319 a — Napus L oleifera annua
Koch

- 320 a — — L oleifera hie-
malis Doel
- 321 b — — rapifera Metzger
- 322 b — oleracea L acephala DC
- 323 b — — botrytis L
- 324 b — — capitata L
- 325 b — — gemmifera DC
- 326 b — — gongylodes L
- 327 b — — sabauda L
- 328 a — Rapa oleif. annua Koch
- 329 b — — hiemalis Mart
- 330 b — — rapifera Metzger
- 331 a Bunias Erucago L
- 332 p — orientalis L
- 333 a Camelina sativa Crantz
- 334 p Cardamine amara L
- 335 a — impatiens L
- 336 p — resedifolia L
- 337 p — trifolia L
- 338 b Cheiranthus Cheiri L
- 339 Tp Cochlearia Armoracia L
- 340 b — officinalis L
- 341 p Crambe maritima L
- 342 p Dentaria bulbifera L
- 343 p — enneaphyllos L
- 344 p — glandulosa W et K
- 345 p Diplotaxis tenuifolia DC
- 346 p Draba aizoides L
- 347 p — stellata Jacq
- 348 a Eruca sativa Mill
- 349 p Erysimum canescens Roth
- 350 b — cheiranthoides L
- 351 b—p — odoratum Ehrh

- 352 b—p Hesperis matronalis L
- 353 b — tristis L
- 354 a Iberis amara L
- 355 a — umbellata L
- 356 b Isatis tinctoria L
- 357 p Kerneria saxatilis Rehb
- 358 b Lepidium campestre R. Br
- 359 a — ruderale L
- 360 a — sativum L
- 361 a Lunaria biennis Mönch
- 362 p — rediviva L
- 363 a Mathiola incana L
- 364 p Nasturtium officinale L
- 365 a Neslea paniculata Desv.
- 366 p Peltaria alliacea L
- 367 p Petrocallis pyrenaica R. Br
- 368 a Raphanus sativus L oleiferus
- 369 p Roripa amphibia Scop
- 370 a Sinapis alba L
- 371 a Sisymbrium officinale Scop
- 372 p — strictissimum L
- 373 a Thlaspi arvense L
- 374 p — rotundifolium L
- 375 b Turritis glabra L

Cucurbitaceae.

- 376 p Bryonia alba L
- 377 p — dioica L
- 378 a Citrullus vulgaris Schrad
- 379 a Cucumis Melo L
- 380 a — sativus L
- 381 a Cucurbita Melopepo L
- 382 a Cyclanthera explodens Naud
- 383 a — pedata Schrad
- 384 a Ecballium Elaterium Rich
- 385 a Lagenaria vulgaris Ser
- 386 a Luffa cylindrica Roem
- 387 a Momordica charantia L

Cyperaceae.

- 388 p Carex ampullacea Good
- 389 p — flava L
- 390 p — hirta L
- 391 p — humilis Leysser
- 392 p — muricata L
- 393 p — panicea L
- 394 p — paradoxa Willd
- 395 p — pulicaris L
- 396 p — rupestris All
- 397 Tp Cyperus esculentus L
- 398 a — flavescens L
- 399 p Eriophorum polystachyum L
- 400 p Rhynchospora alba Vahl

437 p *Gentiana germanica* Willd
 438 p — *verna* L
 439 p *Swertia perennis* L

Dipsaceae.

401 p *Cephalaria alpina* Schrad
 402 b *Dipsacus fullonum* Mill
 403 b — *laciniatus* L
 404 b — *silvestris* Mill
 405 p *Knautia arvensis* Coult
 406 a *Scabiosa atropurpurea* L
 407 p — *caucasica* M. B
 408 p — *ochrolenca* L
 409 p — *stellata* L
 410 p — *suaveolens* Desf.
 411 p *Succisa pratensis* Mönch

Euphorbiaceae.

412 p *Euphorbia amygdaloides* L
 413 a — *chamaesyce* L
 414 p — *dulcis* L
 415 p — *epithymoides* L
 416 p — *fragifera* Jan
 417 b — *lathyris* L
 418 p — *Myrsinites* L
 419 p — *palustris* L
 420 p — *Paralias* L
 421 p — *verrucosa* Lam
 422 p — *villosa* W. et K
 423 p — *Wulfeni* Hoppe
 424 p — *Mercurialis perennis* L
 425 a — *Ricinus communis* L

Fumariaceae.

426 p *Adlumia cirrhosa* Raf
 427 p *Corydalis cava* Wahlb
 428 p — *lutea* DC
 429 T p *Dicentra spectabilis* Borkh.
 430 a *Fumaria officinalis* L
 431 a *Hypecoum procumbens* L

Gentianeae.

432 a *Erythraea centaurium* Pers
 433 p *Gentiana acaulis* L
 434 p — *asclepiadea* L
 435 p — *bavarica* L
 436 p — *cruciata* L

Geraniaceae.

440 a *Erodium gruinum* L
 441 p *Geranium argenteum* L
 442 p — *macrorhizum* L
 443 p — *phaeum* L
 444 p — *pratense* L
 445 p — *sanguineum* L
 446 p — *silvaticum* L

Globulariaceae.

447 p *Globularia cordifolia* L
 448 p — *nudicaulis* L
 449 p — *vulgaris* L

Gramineae.

450 p *Agrostis alba* L
 451 p — *canina* L
 452 p *Aira caespitosa* L
 453 a *Andropogon ceruus* Kth
 454 p — *Gryllus* L
 455 a — *halepensis* Brot
 456 p — *Ischaemum* L
 457 a — *Sorghum Brot niger*
 Körn
 458 a — *saccharatus* Kth
 459 a *Apera spica venti* P. B.
 460 p *Anthoxantum odoratum* L
 461 p *Arrhenatherum elatius* P. B.
 462 p *Avena pubescens* Huds
 463 a — *sativa* L
 464 a — *sterilis* L
 465 p *Bouteloua oligostachya* Torr
 466 p *Brachypodium pinnatum* P. B.
 467 p *Briza media* L
 468 a *Bromus briziformis* Fisch et Mey
 469 p — *erectus* Huds
 470 p — *inermis* Leyss
 471 a — *sterilis* L
 472 p *Calamagrostis lanceolata* Roth
 473 p *Catabrosa aquatica* P. B.
 474 a *Cenchrus tribuloides* L
 475 a *Coix lacryma Jobi* L
 476 a *Crypsis aculeata* Ait
 477 p *Cynodon dactylon* Pers
 478 p *Cynosurus cristatus* L
 479 a *Eleusine coracana* Gärtn
 480 a — *indica* Gärtn
 481 p *Elymus arenarius* L
 482 a *Eragrostis abessinica* Link
 483 p *Festuca pratensis* L
 484 p — *rubra* L
 485 p — *scoparia* Hackel v. *crinum*
 ursi Ram

486 p *Festuca sulcata* Hackel
 487 p *Holcus lanatus* L
 488 a *Hordeum distichum* L
 489 a — *hexastichum* L
 490 p — *jubatum* L
 491 a — *zeocriton* L
 492 a *Lagurus ovatus* L
 493 p *Lolium multiflorum* Lam
 494 p — *perenne* L
 495 a — *temulentum* L
 496 p *Melica altissima* L
 497 a — *ciliata* L
 498 p *Molinia coerulea* Moench
 499 p *Nardus stricta* L
 500 a *Panicum italicum* v. *german.*
 501 a — *miliaceum* L [Lam
 502 a — *sanguinale* L
 503 a *Pennisetum villosum* R. Br
 504 p *Phalaris arundinacea* L
 505 a — *canariensis* L
 506 p *Phleum pratense* L *nodosum*
 507 p *Poa bulbosa* L *vivipara*
 508 p — *sudetica* Hänke
 509 p *Secale montanum* Guss
 510 p *Sesleria coerulea* Scop
 511 p — *auctumnalis* F. Schultz
 512 p *Stipa calamagrostis* Link
 513 p — *capillata* L
 514 p — *pennata* L
 515 p — *tenacissima* L
 516 a — *tortilis* Desf.
 517 a *Tragus racemosus* Desf.
 518 p *Trisetum flavescens* Beauv
 519 a *Triticum monococcum* L
 520 a — (*Aegilops*) *ovatum* Gren
 521 a — — *ventricosum* Ces
 522 a — *sativum* X *ovatum* A. G.
 = *Aegilops triticoides* Req
 523 a — *spelta* L
 524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

525 p *Elodea canadensis* Rich
 526 p *Hydrocharis morsus ranae* L
 527 p *Potamogeton acutifolius* Link
 528 p — *crispus* L
 529 p — *pusillus* L

Hydrophyllaceae.

530 a Phacelia tanacetifolia Benth

Hypericaceae.

531 p Hypericum calycinum L
532 p — Coris L
533 p — montanum L
534 p — perforatum L

Irideae.

535 Tp Crocus sativus officinalis L
536 , Iris germanica L
537 , — graminea L
538 , — Pseudacorus L
539 , — pumila L
540 , — sibirica L
541 , — Xiphium L

Juncaceae.

542 p Juncus squarrosus L
543 p Luzula albida DC
544 p — silvatica Gaud

Labiatae.

545 b Ajuga chamaepitys Schreb
546 p — genevensis L
547 p — reptans L
548 p Ballota nigra L
549 p Betonica officinalis L
550 p Brunella grandiflora Jacq
551 p Calamintha acinos Clairv
552 p — alpina Lam
553 p — nepetoides Jord
554 p Clinopodium vulgare L
555 p Dracocephalum altaense Lam
556 p — austriacum L
557 a — Moldavica L
558 a Galeopsis tetrahit L
559 a — ochroleuca Lam
560 a — versicolor Curt
561 p Horminum pyrenaicum L
562 p Hyssopus officinalis L
563 p Lamium album L
564 p — Orvala L
565 a Lallelantia iberica Fisch. et
566 p Leonurus Cardiaca L [Mey
567 p Lycopus europaeus L
568 p Marrubium peregrinum L
569 p — vulgare L
570 p Melissa officinalis L
571 p Melittis melissophyllum L
572 p Mentha aquatica L
573 p — pulegium L
574 p — silvestris L
575 p Monarda digyma L
576 p — fistulosa L
577 p Nepeta cataria L
578 p — grandiflora M. B

579 p Nepeta macrantha Fisch.
580 a Ocimum Basilicum L
581 a Origanum Majorana L
582 p — vulgare L
583 p Phlomis tuberosa L
584 p Physostegia virginiana Benth
585 p Prasium majus L
586 p Salvia Aethiopsis L
587 b — argentea L
588 p — austriaca Jacq
589 p — azurea Lam
590 p — clandestina L
591 p — cleistogama de Bary
592 p — coccinea L
593 p — glutinosa L
594 p — grandiflora Etl
595 p — Horminum L
596 p? — nilotica Murr
597 p — officinalis L
598 p — pratensis L
599 p — silvestris L
600 p — splendens Sellow
601 p — verticillata L
602 a Satureja hortensis L
603 a — montana L
604 p Scutellaria galericulata L
605 p — macrantha Fisch
606 p Sideritis montana L
607 p Stachys alpina L
608 p — germanica L
609 p — recta L
610 Tp — Sieb. et Miq. = affinis Fres
611 p — silvatica L
612 a Teucrium Botrys L
613 p — Chamaedrys L
614 p — Enganeum Vis
615 p — flavum L
616 p — Scorodonia L

Lillaceae.

617 T Allium ampeloprasum L
618 T — ascalonicum L
619 T — fistulosum L
620 — flavum L
621 T — Porrum L
622 — sibiricum L
623 — Victoralis L
624 — vineale L
625 Asparagus officinalis L
626 Asphodelus albus Mill
627 — luteus L
628 T Colchicum autumnale L
629 T Convallaria majalis L
630 T Galtonia candicans Dec
631 T Lilium Martagon L
632 T — pardalinum Lindl
633 T — tigrinum L
634 T Leucojum vernum L

635 T Ornithogalum umbellatum L
636 Paradisia Liliastrum Bert
637 Paris quadrifolia L
638 Polygonatum multiflorum All
639 — officinale All
640 Streptopus amplexifolius De
641 Veratrum nigrum L

Lineae.

642 p Linum alpinum L
643 p — flavum L
644 p — perenne L
645 p — tenuifolium L
646 a — usitatissimum L
647 p — viscosum L

Loasaceae, Datisceae.

648 a Blumenbachia Hieronymi Urb
649 a Cajophora lateritia Presl
650 a Datisca cannabina L
651 a Loasa lateritia Gill

Malvaceae.

652 a Abutilon Avicennae Gärtn
653 p Althaea cannabina L
654 p — officinalis L
655 b — rosea L atropurp.
656 a Hibiscus esculentus L
657 a — palustris L
658 a — Trioletum L
659 p Kitaibelia vitifolia Willd
660 p Lavatera thuringiaca L
661 p Malva Alcea L
662 a — crispa L
663 p — moschata L
664 a — rotundifolia L
665 b — silvestris L

Oenotheraeae, Lythraceae.

666 p Circaea lutetiana L
667 a Clarkia elegans Dougl
668 a Cuphea viscosissima Jacq
669 p Epilobium augustifolium L
670 p — Dodonaei Vill
671 p — hirsutum L
672 p — roseum Schreb
673 p Lythrum Salicaria L
674 b Oenothera biennis L
675 p — fruticosa L
676 p — missouriensis Sims
677 p — pumila L
678 p — taraxacifolia Sweet

Oxalideae.

- 679 T p Oxalis Acetosella L
- 680 T p — caprina L
- 681 T p — corniculata
- 682 T p — tetraphylla Cav
- 683 T p — valdiviensis Barn.
- 684 T p — vespertilionis Zucc

Papaveraceae.

- 685 a Argemone grandiflora Sw
- 686 a — mexicana L
- 687 p Chelidonium majus L f. laciniata
- 688 a Eschscholtzia californica Cham
- 689 a Glaucium corniculatum Curt
- 690 a — flavum Crantz
- 691 a Hypecoum procumbens L
- 692 p Macleya cordata R. Br.
- 693 p Meconopsis cambrica L
- 694 p — nepalensis DC
- 695 p Papaver alpinum L fl. alb.
- 696 p — — nudicaule L
- 697 a — argemone L
- 698 p — caucasicum M. B
- 699 p — orientale L
- 700 a — Rhoas L
- 701 a — somniferum L
- 702 p Sanguinaria canadensis L

Papilionaceae.

- 703 p Anthyllis montana Jacq
- 704 p — vulneraria L
- 705 p Astragalus baeticus L
- 706 p — Cicer L
- 707 p — danicus Retz
- 708 p — glycyphyllos L
- 709 a Biserrula Pelecinus L
- 710 p Colophaca wolgarica Fisch
- 711 p Caragana arborescens Lam
- 712 a Cicer arietinum L
- 713 p Colutea arborescens L
- 714 p Coronilla Emerus L
- 715 p — scorpioides Koch
- 716 p — varia L
- 717 p Cytisus Laburnum L
- 718 p — leucanthus W. K.
- 719 p — nigricans L
- 720 p — purpureus Scop
- 721 p — ratisbonensis Schaff
- 722 a Dolichos Lablab L
- 723 p Dorycnium suffruticosum Jord
- 724 p Galega officinalis L
- 725 p Genista germanica L
- 726 p — radiata Scop
- 727 p — sagittalis L
- 728 p — tinctoria L
- 729 p Glycyrrhiza echinata L
- 730 p — glabra L
- 731 p Hedysarum obscurum L
- 732 p Hippocrepis comosa L
- 733 p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
- 735 p — montanus Bernh
- 736 a — Nissolia L
- 737 a — odoratus L
- 738 p — silvester L
- 739 p — tuberosus L
- 740 p — vernus Bernh
- 741 a Le. s esculenta Moench
- 742 p Lotus corniculatus L
- 743 a Lupinus angustifolius L
- 744 a — luteus L
- 745 p — perennis L
- 746 p — polyphyllus Lindl
- 747 a Medicago Echinus DC
- 748 p — falcata L
- 749 p — falcata × sativa =
media Pers
- 750 a — minima Desr
- 751 p — sativa L
- 752 a — turbinata Willd
- 753 b Melilotus officinalis Desr
- 754 p Onobrychis sativa Lam
- 755 p Ononis spinosa L
- 756 a Ornithopus sativus Brot
- 757 a Phaseolus multiflorus Willd
- 758 a Pisum arvense L
- 759 p Sarothamnus scoparius Koch
- 760 a Scorpiurus vermiculatus L
- 761 a Soja hispida Moench
- 762 p Spartium junceum L
- 763 p Tetragonolobus siliquosus L
- 764 a Trifolium arvense L
- 765 b — p Trifolium aureum Poll
- 766 p Trifolium badium Schreb.
- 767 p — fragiferum L
- 768 p — hybridum L
- 769 b — incarnatum L
- 770 p — medium L
- 771 a — minus Sm
- 772 p — montanum L
- 773 p — ochroleucum L
- 774 p — repens L
- 775 p — rubens L
- 776 b—p — spadiceum L
- 777 p — stellatum L
- 778 p — subterraneum L
- 779 a Trigonella coerulea Ser
- 780 a — foenum graecum L
- 781 p Ulex europaeus L
- 782 a Vicia Faba L
- 783 a — lutea L
- 784 a — narbonensis L
- 785 p — sepium L
- 786 a Vigna sinensis

Plantagineae.

- 787 p Plantago alpina L
- 788 p — lanceolata L
- 789 p — maritima L
- 790 a — Psyllium L

Plumbagineae.

- 791 p Armeria alpina Willd
- 792 p — vulgaris Willd
- 793 p Plumbago europaea L
- 794 p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
- 796 a Collomia coccinea Lehm
- 797 a — grandiflora Dougl
- 798 p Phlox paniculata L
- 799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
- 801 p Polygonum amphibium L
- 802 p — baldschuanicum Regl
- 803 p — Bistorta L
- 804 a — Convolvulus L
- 805 p — cuspidatum L et Z
- 806 a — hydropiper L
- 807 p — sachalinense Schmidt
- 808 a — tinctorium Ait
- 809 a — virginianum L
- 810 p — viviparum L
- 811 p Rheum officinale L
- 812 p — palmatum L
- 813 p — Rhaponticum L
- 814 p Rumex Acetosa L
- 815 p — alpinus L
- 816 p — crispus L
- 817 p — Hydrolapathum Huds
- 818 p — maximus Schreb
- 819 p — Patientia L
- 820 p — sanguineus J.
- 821 p — scutatus L

Primulaceae.

- 822 a Anagallis arvensis L
- 823 a — coerulea Schreb
- 824 p — grandiflora Andr
- 825 p Androsace lactea L
- 826 b — maxima L
- 827 p — sarmentosa Wall
(stolones)
- 828 p Cortusa Matthioli L
- 829 p Lysimachia nummularia L
- 830 p — punctata L
- 831 p Naumburgia thyrsiflora Rehb

- 973 a *Salpiglossis sinuata* R. P.
 974 a *Schizanthus pinnatus* R. P.
 975 p *Scrophularia nodosa* L
 976 a *Torenia Fournieri* Linden
 977 b *Verbascum Blattaria*
 978 p — *nigrum* L
 979 b — *Olympicum* Boiss
 980 b — *phlomoides* L
 981 b — *phoeniceum* L
 982 b — *speciosum* Schrad
 983 p *Veronica aphylla* L
 984 p — *Beccabunga* L
 985 p — *caucasica* Bieb
 986 p — *chamaedrys* L
 987 p — *crassifolia* Wierzb
 988 p — *fruticulosa* L
 989 p — *gentianoides* Vahl
 990 a — *hederaefolia* L
 991 p — *longifolia* L
 992 p — *lutea* Wettst.
 993 p — *maritima* L
 994 p — *officinalis* L
 995 p — *satureioides* Vis
 996 p — *saxatilis* Scop
 997 p — *Teucrium* L
 998 p — *urticifolia* L

Solaneae.

- 999 p *Atropa Belladonna* L
 1000 a *Capsicum annum* L
 1001 a — *baccatum* L
 1002 a *Datura Metel* L
 1003 a — *Stramonium* L
 1004 a — — *var Tatula* L
 1005 a *Hyoscyamus niger* L
 1006 a *Nicandra physaloides* Gaertn
 1007 a *Nicotiana affinis* Moore
 1008 a — *rustica* L
 1009 a — *silvestris* Speg
 1010 a — *Tabacum* L
 1011 p *Physalis Alkekengi* L
 1012 a — *peruviana* L
 1013 p *Solanum Dulcamara* L
 1014 a — *guineense* Lam
 1015 a — *Melongena* L

E. Tuma

Obmann.

- 1016 a *Solanum nigrum* L
 1017 a — *rostratum* Dunal

Thymeleae.

- 1018 p *Daphne Laureola* L
 1019 p — *Mezereum* L
 1020 p *Hippophaë rhamnoides* L
 1021 a *Passerina annua* (L)

Umbelliferae.

- 1022 a *Aethusa Cynapium* L
 1023 p *Angelica silvestris* L
 1024 a *Anthriscus Cerefolium* Hoffm
 1025 p *Archangelica officinalis* Hoffm
 1026 p *Astrantia major* L
 1027 p *Athamanta cretensis* L
 1028 p *Bupleurum falcatum* L
 1029 p — *ranunculoides* L
 1030 a — *rotundifolium* L
 1031 b *Carum Bulbocastanum* L
 1032 b — *carvi* L
 1033 p *Chaerophyllum aromaticum* L
 1034 p — *hirsutum* Koch
 1035 b — *temulum* L
 1036 p *Cicuta virosa*
 1037 b *Conium maculatum* L
 1038 a *Coriandrum sativum* L

- 1039 p *Eryngium alpinum*
 1040 p — *Bourgati* Gouan
 1041 p — *campestre* L
 1042 p — *giganteum* M. B
 1043 p — *planum* L
 1044 b *Falcaria vulgaris* Bernh
 1045 a *Foeniculum officinale* L
 1046 Tp *Haquetia Epipactis* De
 1047 p *Heracleum giganteum* Hort
 1048 p *Imperatoria Ostruthium* L
 1049 p *Laserpitium latifolium* L
 1050 p *Levisticum officinale* Koch
 1051 p *Libanotis montana* Crantz
 1052 p *Meum alhamanticum* Jacq
 1053 p — *Mutellina* Gaertn
 1054 a *Orlaya grandiflora* Hoffm
 1055 p *Peucedanum alsaticum* L
 1056 p — *Cervaria* Lap
 1057 p — *Oreoselinum* Moench
 1058 a *Pimpinella Anisum* L
 1059 p — *magna* L
 1060 p *Pleurospermum austriacum*
 Hoffm

- 1061 p *Sanicula europaea* L
 1062 p *Scandix pecten Veneris* L
 1063 p *Selinum Carvifolia* L
 1064 p *Silau pratensis* Bess
 1065 p *Siler trilobum* Crantz
 1066 p *Sium Sisarum* L
 1067 b *Torilis Anthriscus* Gm
 1068 b *Trinia vulgaris* DC

Urticaceae.

- 1069 a *Cannabis sativa* L
 1070 *Laportea canadensis* Gaud
 1071 p *Parietaria officinalis* L
 1072 p *Urtica cannabina* L
 1073 a — *pilulifera* L

Valerianeae.

- 1074 p *Centranthus ruber* DC
 1075 p *Valeriana officinalis* L
 1076 a *Valerianella olitoria* Moench

Verbenaceae.

- 1077 p *Verbena officinalis* L

Violaceae.

- 1078 p *Viola biflora* L
 1079 p — *lutea* Sm sudetica Koch
 1080 p — *mirabilis* L
 1081 p — *Riviniana* Rehb

Zygophylleae.

- 1082 a *Tribulus terrestris* L

Prof. L. Frank

Gartendirektor.

Caryophyllaeae.

- 76 a Agrostemma Githago L
- 77 p Alsine juniperina Wahlenb.
- 78 p — verna Bartl
- 79 p Arenaria ciliata L
- 80 p — grandiflora All
- 81 a Cerastium arvense L
- 82 p Cucubalus baccifer L
- ~~83 p Dianthus alpinus L~~
- 84 p — Armeria L
- 85 p — barbatus L
- ~~86 p — caesius Sm.~~
- 87 p — carthusianorum L
- 88 p — deltoides L
- 89 p — plumarius L
- 90 p — speciosus Kchb.
- 91 p — superbus L
- ~~92 p Drypis spinosa L~~
- 93 a Gypsophila muralis L
- 94 p — paniculata L
- 95 p — repens L fl. alb.
et ros.
- 96 p Heliosperma alpestre (Jacq.)
- 97 p — quadrifidum (L)
- 98 p Lychnis alpina L
- 99 b — coronaria Lam
- 100 p — flos cuculi L
- 101 p — flos Jovis Lam
- ~~102 p Malachium aquaticum L~~
- 103 b Melandrium album Garcke
- 104 p — rubrum Garcke
- 105 p Moehringia muscosa L
- 106 p Saponaria ocymoides L
- 107 p — officinalis L
- 108 p Silene acaulis L
- ~~109 p — W. et K.~~
- 110 p? — nemoralis W. et K.
- 111 p — nutans L
- 112 p — Otites Sm.
- 113 p — pumilio
- 114 p — saxifraga L
- 115 p — vulgaris Garcke
- 116 a Spergula arvensis L
- 117 p Stellaria holostea L
- 118 p Tunica saxifraga Scop.
- 119 a Vaccaria parviflora Mönch
- 120 p Viscaria vulgaris Röhl

Chenopodiaceae.

- 121 a Atriplex hortensis L
- 122 a — nitens Schk.
- 123 b Beta maritima L
- 124 b — vulgaris Ciela L
- 125 b — — rapa altissima L
- 126 b — — — rubra L
- 127 a Chenopodium album L
- ~~128 a — ambrosioides L~~
- 129 p — Bonus Henricus L
- 130 a — capitatum Asch
- 131 a — ficifolium Sm.
- 132 a — foliosum Mönch

- 133 a Chenopodium Quinoa Willd
- 134 a Kochia scoparia Schrad
- 135 b Spinacia oleracea L

Cistaceae.

- 136 p Helianthemum polifolium Koch
- 137 p — vulgare Gärtn

Compositae.

- 138 p Achillea ageratifolia Hook
- 139 p — argentea Vis
- 140 p — Clavennae L
- ~~141 p — Clusiana Tsch~~
- 142 p — Millefolium L f. sude-
tica Opiz
- 143 p — nobilis L
- ~~144 p — pannonica Scheele~~
- 145 p — Ptarmica L
- 146 p — tanacetifolia All.
- ~~147 p Achyrophorus maculatus Scop.~~
- ~~148 p — uniflorus Bl. et
Fing~~
- 149 p Alfredia cernua Cass.
- 150 a Ambrosia trifida L
- 151 a Anacyclus officinarum Hayne
- 152 p Antennaria dioica L
- 153 p Anthemis nobilis L

- 154 p — tinctoria L
- 155 p Arnica montana L
- ~~156 p Aronicum scorpioides Koch~~
- 157 p Artemisia Absinthium L
- 158 p — Dracunculus L
- ~~159 p — maritima L~~
- 160 p — Mutellina L
- 161 p — spicata Wulf
- 162 p Aster alpinus L
- 163 p — Amellus L
- 164 p — Tripolium L
- 165 a Bidens andicola hort
- 166 a — bipinnata L
- 167 a — cernua L
- 168 a — leucantha Willd
- 169 a — tripartita L
- 170 p Bupthalmum salicifolium L
- 171 p Cacalia suaveolens L
- 172 a Calendula officinalis L
- 173 b Carduus nutans L
- 174 p Carlina acaulis L
- 175 a Carthamus tinctorius L
- ~~176 b Contaurea Calcitrapa L~~
- 177 a — cyanus L
- 178 p — macrocephala M. B
- 179 p — montana L
- 180 p — rhenana Bor
- 181 p — Scabiosa L
- 182 a — solstitialis L
- 183 a — suaveolens Willd
- 184 p Chamaepeuce diacantha DC

- 185 p Chondrilla juncea L
- 186 p Chrysanthemum cinerariifol.
Boce
- 187 a Chrysanthemum segetum L
- 188 a Cichorium Endivia L
- 189 p — Intybus L
- 190 p Cirsium acaule All
- 191 p — canum M. B.
- 192 p — eriophorum Scop
- 193 p — erisithales Scop
- 194 p — ferox DC
- ~~195 p — heterophyllum All~~
- 196 p — oleraceum Scop
- 197 p — spinosissimum Scop
- 198 a Coreopsis tinctoria Nutt
- 199 p Crepis aurea Cass
- 200 p — blattarioides Vill
- ~~201 p — praemorsa Tsch~~
- 202 a Crupina vulgaris Cass
- 203 b Cynara Scolymus L
- 204 a Dimorphoteca pluvialis Mönch
- 205 p Doronicum austriacum Jacq
- 206 p — caucasicum M. B.
- 207 p — Halleri Tsch
- 208 p Echinops Ritro L
- 209 p — sphaerocephalus L
- ~~210 p Erechites hieracifolia Raf~~
- 211 p Erigeron aurantiacus Rgl
- 212 a — canadensis L
- 213 p — uniflorus L
- 214 p Eupatorium cannabinum L
- 215 p Gaillardia aristata Pursh
- 216 p — — var grandiflora
- 217 a Galinsoga parviflora Cav
- 218 p Gnaphalium norvegicum Gunn
- 219 a — silvaticum L
- 220 p Grindelia squarrosa Dunal
- 221 a Guizotia oleifera DC
- 222 a Helianthus annuus L
- 223 T p — tuberosus L
- 224 a Helicbrysum angustifolium DC
- 225 a Helminthia echioides Gärt
- 226 p Hieracium alpinum L
- 227 p — aurantiacum L
- 228 p — intybaceum Jacq
- 229 p — magyricum N. P.
- 230 p — pilosella L
- 231 p — sabaudum L
- 232 p — staticifolium Vill
- 233 p — umbellatum L
- 234 p — villosum L
- 235 p Inula Helenium L
- 236 p — hirta L
- 237 p — salicina L
- 238 p Kentrophyllum lanatum DC
- 239 a Lactuca angustana All
- 240 p — perennis L
- 241 a — scariola L
- 242 b — virosa L
- 243 a Lampsana communis L
- 244 b Lappa tomentosa Lam
- 245 p Leontopodium alpinum Cass
- 246 p Ligularia sibirica Cass
- 247 a Madia sativa Mol
- 248 a Matricaria chamomilla L
- 249 p Mulgedium alpinum Cass

- 250 b Onopordon Acanthium L
- 251 b — illyricum L
- 252 p Petasites niveus Bmg.
- 253 p — officinalis Mönch
- 254 p Pieris hieracioides L
- 255 p Podospermum Jacquianum
- 256 p Prenanthes purpurea L [Koch]
- 257 p Pulicaria dysenterica Gaert
- 258 p Pyrethrum caasicum Willd
- 259 p — Parthenium Sm
- 260 p — roseum Bieb
- 261 p Rudbeckia laciniata L
- 262 p — purpurea L
- 263 a Sanvitalia procumbens L
- 264 a Scolymus hispanicus L
- 265 p Scorzonera hispanica L
- 266 p — humilis L
- 267 p — purpurea L
- 268 p Senecio abrotanifolius L
- 269 p — Fuchsii Gm
- 270 p — sudeticus DC
- 271 p Serratula tinctoria L
- 272 p Silphium laciniatum L
- 273 p — perfoliatum L
- 274 a Silybum Marianum Gärt.
- 275 p Solidago canadensis L
- 276 p — virga aurea L
- 277 a Spilanthus oleracea Jacq
- 278 a Tagetes patula L
- 279 p Tanacetum Balsamita L
- 280 p — corymbosum Schultz
- 281 p — vulgare L
- 282 b Tragopogon porrifolius L

- 283 b ~~pratensis v. orientalis L~~
- 284 a Xanthium italicum Mor
- 285 a — spinosum L
- 286 a — Strumarium L
- 287 a Xeranthemum annuum L
- 288 a Zinnia elegans Jacq

Convolvulaceae.

- 289 a Convolvulus Scammonia L
- 290 p — sepium L
- 291 a Cuscuta europaea L
- 292 p Exogonium purga Wend
- 293 p Ipomoea Batatas Lam
- 294 a — purpurea Lam
- 295 a Quamoclit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
- 297 p — reflexum L
- 298 p — villosum L
- 299 p Sempervivum arachnoideum L
- 300 — hirtum L
- 301 — montanum L
- 302 — tectorum L

Cruciferae.

- 303 a Alliaria officinalis L
- 304 p Alyssum montanum L
- 305 p — saxatile L
- 306 p — Wulfenianum Willd =
= transsilvanicum Schk
- 307 a Anastatica hierochuntica L
- 308 p Arabis alpina L
- 309 b — bellidifolia Jacq
- 310 b — hirsuta Scop
- 311 p — procurrens W. et K
- 312 b — Turrita L
- 313 p Aubrietia graeca Boiss
- 314 p Barbarea praecox R Br
- 315 p — vulgaris R Br
- 316 b Berteroa incana DC
- 317 p Biscutella laevigata L
- 318 a Brassica nigra Koch
- 319 a — Napus L oleifera annua
Koch

~~320 a — oleifera annua L~~

- 321 b — — rapifera Metzger
- 322 b — oleracea L acephala DC
- 323 b — — botrytis L
- 324 b — — capitata L
- 325 b — — gemmifera DC
- 326 b — — gongylodes L
- 327 b — — sabauda L
- 328 a — Rapa oleif. annua Koch
- 329 b — — — hiemalis Mart
- 330 b — — rapifera Metzger
- 331 a Bunias Erucago L
- 332 p — orientalis L
- 333 a Camelina sativa Crantz
- 334 p Cardamine amara L
- 335 a — impatiens L
- 336 p — resedifolia L
- 337 p — trifolia L
- 338 b Cheiranthus Cheiri L
- 339 Tp Cochlearia Armoracia L
- 340 b — officinalis L
- 341 p Crambe maritima L
- 342 p Dentaria bulbifera L
- 343 p — enneaphyllos L
- 344 p — glandulosa W et K
- 345 p Diplotaxis tenuifolia DC
- 346 p Draba aizoides L
- 347 p — stellata Jacq
- 348 a Eruca sativa Mill
- 349 p Erysimum canescens Roth
- 350 b — cheiranthoides L
- 351 b-p — odoratum Ehrh

- 352 b-p Hesperis matronalis L
- 353 b — tristis L
- 354 a Iberis amara L
- 355 a — umbellata L
- 356 b Isatis tinctoria L
- 357 p Kerneria saxatilis Rehb
- 358 b Lepidium campestre R. Br
- 359 a — ruderales L
- 360 a — sativum L
- 361 a Lunaria biennis Mönch
- 362 p — rediviva L
- 363 a Mathiola incana L
- 364 p Nasturtium officinale L
- 365 a Neslea paniculata Desv.
- 366 p Peltaria alliacea L
- 367 p Petrocallis pyrenaica R. Br
- 368 a Raphanus sativus L oleiferus
- 369 p Roripa amphibia Scop
- 370 a Sinapis alba L
- 371 a Sisymbrium officinale Scop
- 372 p — strictissimum L
- 373 a Thlaspi arvense L
- 374 p — rotundifolium L
- 375 b Turritis glabra L

Cucurbitaceae.

- 376 p Bryonia alba L
- 377 p — dioica L
- 378 a Citrullus vulgaris Schrad
- 379 a Cucumis Melo L
- 380 a — sativus L
- 381 a Cucurbita Melopepo L
- 382 a Cyclanthera explodens Naud
- 383 a — pedata Schrad
- 384 a Ecballium Elaterium Rich
- 385 a Lagenaria vulgaris Ser
- 386 a Luffa cylindrica Roem
- 387 a Momordica charantia L

Cyperaceae.

- 388 p Carex ampullacea Good
- 389 p — flava L
- 390 p — hirta L
- 391 p — humilis Leysser
- 392 p — muricata L
- 393 p — panicea L
- 394 p — paradoxa Willd
- 395 p — pulicaris L
- 396 p — rupestris All
- 397 Tp Cyperus esculentus L
- 398 a — flavescens L
- 399 p Eriophorum polystachyum L
- 400 p Rhynchospora alba Vahl

- ~~437~~ p *Gentiana germanica* Willd
- ~~438~~ p — *verna* L
- 439 p *Swertia perennis* L

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
- 402 b *Dipsacus fullonum* Mill
- 403 b — *laciniatus* L
- 404 b — *silvestris* Mill
- 405 p *Knautia arvensis* Coult
- 406 a *Scabiosa atropurpurea* L
- 407 p — *caucasica* M. B
- 408 p — *ochrolenca* L
- ~~409~~ p — *stellata* L
- 410 p — *suaveolens* Desf.
- 411 p *Succisa pratensis* Mönch

Euphorbiaceae.

- 412 p *Euphorbia amygdaloides* L
- 413 a — *chamaesyce* L
- ~~414~~ p — *dulcis* L
- ~~415~~ p — *epithymoides* L
- ~~416~~ p — *fragifera* Jan
- 417 b — *lathyris* L
- 418 p — *Myrsinites* L
- ~~419~~ p — *palustris* L
- 420 p — *Paralias* L
- 421 p — *verrucosa* Lam
- 422 p — *villosa* W. et K
- 423 p — *Wulfeni* Hoppe
- 424 p — *Mercurialis perennis* L
- 425 a — *Ricinus communis* L

Fumariaceae.

- ~~426~~ p *Adlumia cirrhosa* Raf
- 427 p *Corydalis cava* Wahlb
- 428 p — *lutea* DC
- 429 T p *Dicentra spectabilis* Borkh.
- 430 a *Fumaria officinalis* L
- ~~431~~ a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
- ~~433~~ p *Gentiana acaulis* L
- 434 p — *asclepiadea* L
- ~~435~~ p — *bavarica* L
- 436 p — *cruciata* L

Geraniaceae.

- 440 a *Erodium gruinum* L
- ~~441~~ p *Geranium argenteum* L
- 442 p — *macrorbizum* L
- 443 p — *phaeum* L
- 444 p — *pratense* L
- 445 p — *sanguineum* L
- 446 p — *silvaticum* L

Globulariaceae.

- ~~447~~ p *Globularia cordifolia* L
- 448 p — *nudicaulis* L
- 449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
- 451 p — *canina* L
- 452 p *Aira caespitosa* L
- 453 a *Andropogon cernuus* Kth
- 454 p — *Gryllus* L
- ~~455~~ a — *halapensis* Brot
- 456 p — *Ischaemum* L
- 457 a — *Sorghum Brot niger* Körn
- 458 a — *saccharatus* Kth
- 459 a *Apera spica venti* P. B.
- 460 p *Anthoxantum odoratum* L
- 461 p *Arrhenatherum elatius* P. B.
- ~~462~~ p *Avena pubescens* Huds
- 463 a — *sativa* L
- 464 a — *sterilis* L
- 465 p *Bouteloua oligostachya* Torr
- 466 p *Brachypodium pinnatum* P. B.
- 467 p *Briza media* L
- 468 a *Bromus briziformis* Fisch et Mey
- ~~469~~ p — *erectus* Huds
- 470 p — *inermis* Leyss
- 471 a — *sterilis* L
- ~~472~~ p *Calamagrostis lanceolata* Roth
- 473 p *Catabrosa aquatica* P. B.
- 474 a *Cenchrus tribuloides* L
- 475 a *Coix lacryma Jobi* L
- 476 a *Crypsis aculeata* Ait
- 477 p *Cynodon dactylon* Pers
- 478 p *Cynosurus cristatus* L
- 479 a *Eleusine coracana* Gärtn
- 480 a — *indica* Gärtn
- 481 p *Elymus arenarius* L
- 482 a *Eragrostis abessinica* Link
- 483 p *Festuca pratensis* L
- 484 p — *rubra* L
- 485 p — *scoparia* Hackel v. *crinum ursi* Ram

- 486 p *Festuca sulcata* Hackel
- 487 p *Holcus lanatus* L
- 488 a *Hordeum distichum* L
- 489 a — *hexastichum* L
- 490 p — *jubatum* L
- 491 a — *zeocriton* L
- 492 a *Lagurus ovatus* L
- 493 p *Lolium multiflorum* Lam
- 494 p — *perenne* L
- 495 a — *temulentum* L
- 496 p *Melica altissima* L
- 497 a — *ciliata* L
- ~~498~~ p *Molinia coerulea* Moench
- 499 p *Nardus stricta* L
- 500 a *Panicum italicum* v. *german.*
- 501 a — *miliaceum* L [Lam
- 502 a — *sanguinale* L
- 503 a *Pennisetum villosum* R. Br
- 504 p *Phalaris arundinacea* L
- 505 a — *canariensis* L
- 506 p *Phleum pratense* L *nodosum*
- 507 p *Poa bulbosa* L *vivipara*
- 508 p — *sudetica* Hänke
- 509 p *Secale montanum* Guss
- 510 p *Sesleria coerulea* Scop
- 511 p — *auctumnalis* F. Schultz
- 512 p *Stupa calamagrostis* Link
- 513 p — *capillata* L
- 514 p — *pennata* L
- ~~515~~ p — *tenacissima* L
- 516 a — *tortilis* Desf.
- 517 a *Tragus racemosus* Desf.
- ~~518~~ p *Trisetum flavescens* Beauv
- ~~519~~ a *Triticum monococcum* L
- 520 a — (*Aegilops*) *ovatum* Gren
- 521 a — — *ventricosum* Ces
- 522 a — *sativum* × *ovatum* A. G. = *Aegilops triticoides* Req
- 523 a — *spelta* L
- 524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
- 526 p *Hydrocharis morsus ranae* L
- ~~527~~ p *Potamogeton acutifolius* Link
- 528 p — *crispus* L
- ~~529~~ p — *pusillus* L

Hydrophyllaceae.

530 a *Phacelia tanacetifolia* Benth

Hypericaceae.

531 p *Hypericum calycinum* L
532 p — *Coris* L
533 p — *montanum* L
534 p — *perforatum* L

Irideae.

535 Tp *Crocus sativus officinalis* L
536 „ *Jris germanica* L
537 „ — *graminea* L
538 „ — *Pseudacorus* L
539 „ — *pumila* L
540 „ — *sibirica* L
541 „ — *Xiphium* L

Juncaceae.

542 p *Juncus squarrosus* L
543 p *Luzula albida* DC
544 p — *silvatica* Gaud

Labiatae.

545 b *Ajuga chamaepitys* Schreb
546 p — *genevensis* L
547 p — *reptans* L
548 p *Ballota nigra* L
549 p *Betonica officinalis* L
550 p *Brunella grandiflora* Jacq
551 p *Calamintha acinos* Clairv
552 p — *alpina* Lam
553 p — *nepetoides* Jord
554 p *Clinopodium vulgare* L
555 p *Dracocephalum altaianse* Lam
556 p — *austriacum* L
557 a — *Moldavica* L
558 a *Galeopsis tetrahit* L
559 a — *ochroleuca* Lam
560 a — *versicolor* Curt
561 p *Horminum pyrenaicum* L
562 p *Hyssopus officinalis* L
563 p *Lamium album* L
564 p — *Orvala* L
565 a *Lallemantia iberica* Fisch. et
566 p *Leonurus Cardiac* L [Mey
567 p *Lycopus europaeus* L
568 p *Marrubium peregrinum* L
569 p — *vulgare* L
570 p *Melissa officinalis* L
571 p *Melittis melissophyllum* L
572 p *Mentha aquatica* L
573 p — *pulegium* L
574 p — *silvestris* L
575 p *Monarda digyma* L
576 p — *fistulosa* L
577 p *Nepeta cataria* L
578 p — *grandiflora* M. B

579 p *Nepeta macrantha* Fisch.
580 a *Ocymum Basilicum* L
581 a *Origanum Majorana* L
582 p — *vulgare* L
583 p *Phlomis tuberosa* L
584 p *Physostegia virginiana* Benth
585 p *Prasium majus* L
586 p *Salvia Aethiopsis* L
587 b — *argentea* L
588 p — *austriaca* Jacq
589 p — *azurea* Lam
590 p — *clandestina* L
591 p — *cleistogama* de Bary
592 p — *coccinea* L
593 p — *glutinosa* L
594 p — *grandiflora* Etl
595 p — *Horminum* L
596 p? — *nilotica* Murr
597 p — *officinalis* L
598 p — *pratensis* L
599 p — *silvestris* L
600 p — *splendens* Sellow
601 p — *verticillata* L
602 a *Satureja hortensis* L
603 a — *montana* L
604 p *Scutellaria galericulata* L
605 p — *macrantha* Fisch
606 p *Sideritis montana* L
607 p *Stachys alpina* L
608 p — *germanica* L
609 p — *recta* L
610 Tp — *Sieboldii* Miq = *affinis*
Fres

611 p — *silvatica* L
612 a *Teucrium Botrys* L
613 p — *Chamaedrys* L
614 p — *Euganeum* Vis
615 p — *flavum* L
616 p — *Scorodonia* L

Liliaceae.

617 T *Allium ampeloprasum* L
618 T — *ascalonicum* L
619 T — *fistulosum* L
620 — *flavum* L
621 T — *Porrum* L
622 — *sibiricum* L
623 — *Victorialis* L
624 — *vineale* L
625 *Asparagus officinalis* L
626 *Asphodelus albus* Mill
627 — *luteus* L
628 T *Colchicum autumnale* L
629 T *Convallaria majalis* L
630 T *Galtonia candicans* Dec
631 T *Lilium Martagon* L
632 T — *pardalinum* Lindl
633 T — *tigrinum* L
634 T *Leucojum vernum* L

635 T *Ornithogalum umbellatum* L
636 *Paradisica Liliastrum* Bert
637 *Paris quadrifolia* L
638 *Polygonatum multiflorum* All
639 — *officinale* All
640 *Streptopus amplexifolius* De
641 *Veratrum nigrum* L

Lineae.

642 p *Linum alpinum* L
643 p — *flavum* L
644 p — *perenne* L
645 p — *tenuifolium* L
646 a — *usitatissimum* L
647 p — *viscosum* L

Loasaceae, Datisceae.

648 a *Blumenbachia Hieronymi* Urb
649 a *Cajophora lateritia* Presl
650 a *Datisca cannabina* L
651 a *Loasa lateritia* Gill

Malvaceae.

652 a *Abutilon Avicennae* Gärtn
653 p *Althaea cannabina* L
654 p — *officinalis* L
655 b — *rosea* L atropurp.
656 a *Hibiscus esculentus* L
657 a — *palustris* L
658 a — *Trionum* L
659 p *Kitaibelia vitifolia* Willd
660 p *Lavatera thuringiaca* L
661 p *Malva Alcea* L
662 a — *crispa* L
663 p — *moschata* L
664 a — *rotundifolia* L
665 b — *silvestris* L

Oenotherae, Lythraceae.

666 p *Circaea lutetiana* L
667 a *Clarkia elegans* Dougl
668 a *Cuphea viscosissima* Jacq
669 p *Epilobium augustifolium* L
670 p — *Dodonaei* Vill
671 p — *hirsutum* L
672 p — *roseum* Schreb
673 p *Lythrum Salicaria* L
674 b *Oenothera biennis* L
675 p — *fruticosa* L
676 p — *missouriensis* Sims
677 p — *pumila* L
678 p — *taraxacifolia* Sweet

Oxalideae.

- 679 T p Oxalis Acetosella L
 680 T p — caprina L
 681 T p — corniculata
 682 T p — tetraphylla Cav
 683 T p — valdiviensis Barn.
 684 T p — vespertilionis Zucc

Papaveraceae.

- 685 a Argemone grandiflora Sw
 686 a — mexicana L
 687 p Chelidonium majus L f. laciniata
 688 a Eschscholtzia californica Cham
 689 a Glaucium corniculatum Curt
 690 a — flavum Crantz
 691 a Hypecoum procumbens L
 692 p Macleya cordata R. Br.
 693 p Meconopsis cambrica L
 694 p — nepalensis DC
 695 p Papaver alpinum L fl. alb.
 696 p — — nudicaule L
 697 a — argemone L
 698 p — caucasicum M. B
 699 p — orientale L
 700 a — Rhoas L
 701 a — somniferum L
 702 p Sanguinaria canadensis L

Papilionaceae.

- 703 p Anthyllis montana Jacq
 704 p — vulneraria L
 705 p Astragalus baeticus L
 706 p — Cicer L
 707 p — danicus Retz
 708 p — glycyphyllos L
 709 a Biserrula Pelecinus L
 710 p Colophaca wolgarica Fisch
 711 p Caragana arborescens Lam
 712 a Cicer arietinum L
 713 p Colutea arborescens L
 714 p Coronilla Emerus L
 715 p — scorpioides Koch
 716 p — varia L
 717 p Cytisus Laburnum L
 718 p — leucanthus W. K.
 719 p — nigricans L
 720 p — purpureus Scop
 721 p — ratisbonensis Schaff
 722 a Dolichos Lablab L
 723 p Doryenium suffruticosum Jord
 724 p Galega officinalis L
 725 p Genista germanica L
 726 p — radiata Scop
 727 p — sagittalis L
 728 p — tinctoria L
 729 p Glycyrrhiza echinata L
 730 p — glabra L
 731 p Hedysarum obscurum L
 732 p Hippocrepis comosa L
 733 p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
 735 p — montanus Bernh
 736 a — Nissolia L
 737 a — odoratus L
 738 p — silvester L
 739 p — tuberosus L
 740 p — vernus Bernh
 741 a Le. s esculenta Moench
 742 p Lotus corniculatus L
 743 a Lupinus angustifolius L
 744 a — luteus L
 745 p — perennis L
 746 p — polyphyllus Lindl
 747 a Medicago Echinus DC
 748 p — falcata L
 749 p — falcata × sativa =
 media Pers
 750 a — minima Desr
 751 p — sativa L
 752 a — turbinata Willd
 753 b Melilotus officinalis Desr
 754 p Onobrychis sativa Lam
 755 p Ononis spinosa L
 756 a Ornithopus sativus Brot
 757 a Phaseolus multiflorus Willd
 758 a Pisum arvense L
 759 p Sarothamnus scoparius Koch
 760 a Scorpiurus vermiculatus L
 761 a Soja hispida Moench
 762 p Spartium junceum L
 763 p Tetragonolobus siliquosus L
 764 a Trifolium arvense L
 765 b — p Trifolium aureum Poll
 766 p Trifolium badiatum Schreb.
 767 p — fragiferum L
 768 p — hybridum L
 769 b — incarnatum L
 770 p — medium L
 771 a — minus Sm
 772 p — montanum L
 773 p — ochroleucum L
 774 p — repens L
 775 p — rubens L
 776 b—p — spadiceum L
 777 p — stellatum L
 778 p — subterraneum L
 779 a Trigonella coerulea Ser
 780 a — foenum graecum L
 781 p Ulex europaeus L
 782 a Vicia Faba L
 783 a — lutea L
 784 a — narbonensis L
 785 p — sepium L
 786 a Vigna sinensis

Plantagineae.

- 787 p Plantago alpina L
 788 p — lanceolata L
 789 p — maritima L
 790 a — Psyllium L

Plumbagineae.

- 791 p Armeria alpina Willd
 792 p — vulgaris Willd
 793 p Plumbago europaea L
 794 p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
 796 a Collomia coccinea Lehm
 797 a — grandiflora Dougl
 798 p Phlox paniculata L
 799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
 801 p Polygonum amphibium L
 802 p — baldschuanicum Regl
 803 p — Bistorta L
 804 a — Convolvulus L
 805 p — cuspidatum L. et Z.
 806 a — hydropiper L
 807 p — sachalinense Schmidt
 808 a — tinctorium Ait
 809 a — virginianum L
 810 p — viviparum L
 811 p Rheum officinale L
 812 p — palmatum L
 813 p — Rhaponticum L
 814 p Rumex Acetosa L
 815 p — alpinus L
 816 p — crispus L
 817 p — Hydrolapathum Huds
 818 p — maximus Schreb
 819 p — Patientia L
 820 p — sanguineus L
 821 p — scutatus L

Primulaceae.

- 822 a Anagallis arvensis L
 823 a — coerulea Schreb
 824 p — grandiflora Andr
 825 p Androsace lactea L
 826 b — maxima L
 827 p — sarmentosa Wall
 (stolones)
 828 p Cortusa Matthioli L
 829 p Lysimachia nummularia L
 830 p — punctata L
 831 p Naumburgia thyrsoflora Rehb

- 832 p *Primula acaulis* Jacq
 833 p — *auricula* L
 834 p — *cortusoides* L
 835 p — *hirsuta* All
 836 p — *minima* L
 837 p — *officinalis* L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
 839 p — *Napellus* L
 840 p *Actaea spicata* L
 841 a *Adonis aestivalis* L
 842 p — *vernalis* L
 843 p *Anemone alpina* L
 844 p — *grandis* Wend
 845 p — *japonica* Sieb
 846 p — *narcissiflora* L
 847 p — *nigricans* Fritsch
 848 p — *pulsatilla* L
 849 p — *ranunculoides* L
 850 p — *silvestris* L
 851 p — *vernalis* L
 852 p *Aquilegia atrovioleacea* Lall
 853 p — *vulgaris* L
 854 p *Atragene alpina* L
 855 p *Caltha palustris* L
 856 p *Clematis recta* L
 857 p — *Viticella* L
 858 p *Delphinium caucasicum* C. A. M.
 859 a — *Consolida* L
 860 p — *elatum* Willd
 861 p — *Staphysagria* L
 862 p *Eranthis hiemalis* L
 863 p *Helleborus foetidus* L
 864 p — *niger* L
 865 p — *viridis* L
 866 p *Isopyrum thalictroides* L
 867 a *Myosurus minimus* L
 868 p *Nigella damascena* L
 869 p — *sativa* L
 870 p *Paeonia peregrina* Mill
 871 p *Ranunculus acer* L
 872 a — *arvensis* L
 873 p — *auricomus* L
 874 p — *Ficaria* L
 875 p — *gramineus* L
 876 p — *lanuginosus* L
 877 p — *lingua* L
 878 p — *platanifolius* L
 879 p — *polyanthemus* L
 880 p — *sardous* Crantz
 881 a — *sceleratus* L
 882 p *Thalictrum angustifolium* L
 883 p — *aquilegifolium* L
 884 p — *flavum* L
 885 p — *minus* L
 886 p *Trollius europaeus* L
 887 p — *Ledebouri* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
 889 a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
 891 p *Alchemilla alpina* L
 892 p — *vulgaris* L
 893 p *Amelanchier vulgaris* Mönch
 894 p *Aruncus silvester* Kostel
 895 p *Comarum palustre* L
 896 p *Crataegus coccinea* L
 897 p *Cydonia japonica* Pers
 898 p *Dryas octopetala* L
 899 p *Eriobotrya japonica* Lindl
 900 p *Fragaria elatior* Ehrh
 901 p *Geum album* Gm
 902 p — *montanum* L
 903 p — *intermedium* Ehrh
 904 p — *rivale* L
 905 p — *urbanum* L
 906 p *Pirus baccata* L
 907 p *Potentilla alba* L
 908 p — *anserina* L
 909 p — *argentea* L
 910 p — *atrosanguinea* Lodd
 911 p — *aurea* L
 912 p — *caulescens* L
 913 p — *Clusiana* L
 914 p — *pennsylvanica* L
 sanguisorbifolia A. G.
 915 p — *rupestris* L
 916 p *Poterium Sanguisorba* L
 917 p *Sanguisorba minor* Scop
 918 p — *officinalis* L
 919 p *Sorbus Aria* Ehrh
 920 p — *Aucuparia v. dulcis* A. G.
 921 p — *torminalis* Crantz
 922 p *Spiraea Filipendula* L
 923 p — *Ulmaria* L

Rubiaceae

- 924 p *Asperula cynanchica* L
 925 p — *odorata* L
 926 p — *tinctoria* L
 927 a *Crucianella stylosa* Trin
 928 a *Galium Aparine* L
 929 p — *boreale* L
 930 p — *cruciata* Scop
 931 a — *tricornis* With
 932 p — *verum* L
 933 p *Rubia tinctorum* L
 934 a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
 936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
 938 p *Mitella pentandra* Hook
 939 p *Parnassia palustris* L
 940 p *Ribes alpinum* L
 941 p — *sanguineum* Pursh
 942 p *Saxifraga aizoon* L
 943 p — *Cotyledon* L
 944 T p — *granulata* L
 945 p — *rotundifolia* L

**Scrophulariaceae, Bignon., Martyn.,
 Pedaliaceae, Orobanchaeae.**

- 946 a *Alonzoa Warscewiczii* Regl
 947 a *Antirrhinum majus* L
 948 p — *Orontium* L
 949 a *Calceolaria scabiosaefolia* Sims
 950 p *Celsia betonicifolia* Desf
 951 a *Collinsia bicolor* Benth
 952 p *Digitalis ambigua* Murr
 953 p — *ferruginea* L
 954 b-p — *lanata* Ehrh
 955 b-p — *lutea* L
 956 b — *purpurea* L
 957 a *Hebenstreitia dentata*
 958 p *Incarvillea Delavayi* Franch
 959 a *Linaria alpina* Mill
 960 p — *cymbalaria* Mill
 961 p — *dalmatica* Mill
 962 p — *genistifolia* Mill
 963 a — *spuria* Mill
 964 p — *vulgaris* Moench
 965 p *Lophospermum scandens* Don
 966 a *Martynia proboscidea* L
 967 b-p *Maurandia Barclayana* Lindl
 968 a *Mimulus luteus* L
 969 a *Nycteria capensis* Benth
 970 p *Pentstemon coeruleus* Nutt
 971 p — *gentianoides* Lindl
 972 p — *glaucus* Grah

- 973 a *Salpiglossis sinuata* R. P.
- 974 a *Schizantus pinnatus* R. P.
- 975 p *Scrophularia nodosa* L
- 976 a *Torenia Fournieri* Linden
- 977 b *Verbascum Blattaria*
- 978 p — *nigrum* L
- 979 b — *Olympicum* Boiss
- 980 b — *phlomoides* L
- 981 b — *phoeniceum* L
- 982 b — *speciosum* Schrad
- 983 p *Veronica aphylla* L
- 984 p — *Beccabunga* L
- 985 p — *caucasica* Bieb
- 986 p — *chamaedrys* L
- 987 p — *crassifolia* Wierzb
- 988 p — *fruticulosa* L
- 989 p — *gentianoides* Vahl
- 990 a — *hederaefolia* L
- 991 p — *longifolia* L
- 992 p — *lutea* Wettst.
- 993 p — *maritima* L
- 994 p — *officinalis* L
- 995 p — *satureioides* Vis
- 996 p — *saxatilis* Scop
- 997 p — *Teucrium* L
- 998 p — *urticifolia* L

Solaneae.

- 999 p *Atropa Belladonna* L
- 1000 a *Capsicum annuum* L
- 1001 a — *baccatum* L
- 1002 a *Datura Metel* L
- 1003 a — *Stramonium* L
- 1004 a — — *var Tatula* L
- 1005 a *Hyoseyamus niger* L
- 1006 a *Nicandra physaloides* Gaertn
- 1007 a *Nicotiana affinis* Moore
- 1008 a — *rustica* L
- 1009 a — *silvestris* Speng
- 1010 a — *Tabacum* L
- 1011 p *Physalis Alkekengi* L
- 1012 a — *peruviana* L
- 1013 p *Solanum Dulcamara* L
- 1014 a — *guineense* Lam
- 1015 a — *Melongena* L

E. Tuma

Obmann.

- 1016 a *Solanum nigrum* L
- 1017 a — *rostratum* Dunal

Thymeleae.

- 1018 p *Daphne Laureola* L
- 1019 p — *Mezereum* L
- 1020 p *Hippophaë rhamnoides* L
- 1021 a *Passerina annua* (L)

Umbelliferae.

- 1022 a *Aethusa Cynapium* L
- 1023 p *Angelica silvestris* L
- 1024 a *Anthriscus Cerefolium* Hoffm
- 1025 p *Archangelica officinalis* Hoffm
- 1026 p *Astrantia major* L
- 1027 p *Athamanta cretensis* L
- 1028 p *Bupleurum falcatum* L
- 1029 p — *ranunculoides* L
- 1030 a — *rotundifolium* L
- 1031 b *Carum Bulbocastanum* L
- 1032 b — *carvi* L
- 1033 p *Chaerophyllum aromaticum* L
- 1034 p — *hirsutum* Koch
- 1035 b — *temulum* L

- 1036 p *Cicuta virosa*
- 1037 b *Conium maculatum* L
- 1038 a *Coriandrum sativum* L
- 1039 p *Eryngium alpinum*
- 1040 p — *Boucardi* Gouan
- 1041 p — *campestre* L
- 1042 p — *giganteum* M. B
- 1043 p — *planum* L
- 1044 b *Falcaria vulgaris* Bernh
- 1045 a *Foeniculum officinale* L
- 1046 Tp *Haccuetia Epipactis* De
- 1047 p *Heracleum giganteum* Hort
- 1048 p *Imperatoria Ostruthium* L
- 1049 p *Laserpitium latifolium* L
- 1050 p *Levisticum officinale* Koch
- 1051 p *Libanotis montana* Crantz
- 1052 p *Meum albamanticum* Jacq
- 1053 p — *Mutellina* Gaertn
- 1054 a *Orlaya grandiflora* Hoffm
- 1055 p *Peucedanum alsaticum* L
- 1056 p — *Cervaria* Lap
- 1057 p — *Oreoselinum* Moench
- 1058 a *Pimpinella Anisum* L
- 1059 p — *magna* L
- 1060 p *Pleurospermum austriacum* Hoffm

- 1061 p *Sanicula europaea* L
- 1062 p *Scandix pecten Veneris* L
- 1063 p *Selinum Carvifolia* L
- 1064 p *Silaus pratensis* Bess
- 1065 p *Siler trilobum* Crantz
- 1066 p *Sium Sisarum* L
- 1067 b *Torilis Anthriscus* Gm
- 1068 b *Trinia vulgaris* DC

Urticaceae.

- 1069 a *Cannabis sativa* L
- 1070 — *Laportea canadensis* Gaud
- 1071 p *Parietaria officinalis* L
- 1072 p *Urtica cannabina* L
- 1073 a — *pilulifera* L

Valerianeae.

- 1074 p *Centranthus ruber* DC
- 1075 p *Valeriana officinalis* L
- 1076 a *Valerianella olitoria* Moench

Verbenaceae.

- 1077 p *Verbena officinalis* L

Violaceae.

- 1078 p *Viola biflora* L
- 1079 p — *lutea* Sm sudetica Koch
- 1080 p — *mirabilis* L
- 1081 p — *Riviniana* Rehb

Zygophylleae.

- 1082 a *Tribulus terrestris* L

Prof. I. Frank

Gartendirektor.

Caryophylleae.

- 76 a Agrostemma Githago L
- 77 p Alsine juniperina Wahlenb.
- ~~78~~ p — verna Bartl
- 79 p Arenaria ciliata L
- 80 p — graudiflora All
- 81 a Cerastium arvense L
- 82 p Cucubalus baccifer L
- ~~83~~ p Dianthus alpinus L
- 84 p — Armeria L
- 85 p — barbatus L
- 86 p — caesius Sm.
- 87 p — carthusianorum L
- 88 p — deltoides L
- 89 p — plumarius L
- 90 p — speciosus Rehb.
- 91 p — superbus L
- ~~92~~ p Drypis spinosa L
- 93 a Gypsophila muralis L
- 94 p — paniculata L
- 95 p — repens L fl. alb.
et ros.
- 96 p Heliosperma alpestre (Jacq.)
- 97 p — quadrifidum (L)
- 98 p Lychnis alpina L
- 99 b — coronaria Lam
- 100 p — flos cuculi L
- 101 p — flos Jovis Lam
- 102 p Malachium aquaticum L
- 103 b Melandrium album Gareke
- 104 p — rubrum Gareke
- 105 p Moehringia muscosa L
- ~~106~~ p Saponaria ocymoides L
- ~~107~~ p — officinalis L
- 108 p Silene acaulis L
- 109 a — gallica L
- 110 p? — nemoralis W. et K.
- 111 p — nutans L
- ~~112~~ p — Otites Sm.
- ~~113~~ p — pumilio
- 114 p — saxifraga L
- 115 p — vulgaris Gareke
- 116 a Spergula arvensis L
- 117 p Stellaria holostea L
- 118 p Tunica saxifraga Scop.
- 119 a Vaccaria parviflora Mönch
- 120 p Viscaria vulgaris Röhl

Silene alpestris Jacq

Chenopodiaceae.

- 121 a Atriplex hortensis L
- 122 a — nitens Schk.
- 123 b Beta maritima L
- 124 b — vulgaris Cicla L
- 125 b — — rapa altissima L
- 126 b — — rubra L
- 127 a Chenopodium album L
- ~~128~~ a — ambrosioides L
- 129 p — Bonus Henricus L
- 130 a — capitatum Asch
- 131 a — ficifolium Sm.
- 132 a — foliosum Mönch

- 133 a Chenopodium Quinoa Willd
- 134 a Kochia scoparia Schrad
- 135 b Spinacia oleracea L

Chenopodium

Opulifolium Sc

Cistaceae.

- 136 p Helianthemum polifolium Koch
- 137 p — vulgare Gärtn

Compositae.

- 138 p Achillea ageratifolia Hook
- 139 p — argentea Vis
- 140 p — Clavennae L
- ~~141~~ p — Clusiana Tsch
- ~~142~~ p — Millefolium L f. sude-
tica Opiz
- ~~143~~ p — nobilis L
- ~~144~~ p — pannonica Scheele
- 145 p — Ptarmica L
- 146 p — tanacetifolia All.
- ~~147~~ p Achyrophorus maculatus Scop.
- 148 p — uniflorus Bl. et
Fing
- 149 p Alfredia cernua Cass.
- 150 a Ambrosia trifida L
- 151 a Anacyclus officinarum Hayne
- 152 p Antennaria dioica L
- 153 p Anthemis nobilis L
- 154 p — tinctoria L
- 155 p Arnica montana L
- ~~156~~ p Aronicum scorpioides Koch
- 157 p Artemisia Absinthium L
- ~~158~~ p — Dracunculus L
- ~~159~~ p — maritima L
- ~~160~~ p — Mutellina L
- ~~161~~ p — spicata Wulf
- 162 p Aster alpinus L
- 163 p — Amellus L
- 164 p — Tripolium L
- 165 a Bidens andicola hort
- ~~166~~ a — bipinnata L
- 167 a — cernua L
- 168 a — leucantha Willd
- 169 a — tripartita L
- 170 p Bupthalmum salicifolium L
- 171 p Cacalia suaveolens L
- 172 a Calendula officinalis L
- 173 b Carduus nutans L
- 174 p Carlina acaulis L
- ~~175~~ a Carthamus tinctorius L
- 176 b Contaurea Calcitrapa L
- 177 a — cyanus L
- 178 p — macrocephala M. B
- 179 p — montana L
- 180 p — rhenana Bor
- 181 p — Scabiosa L
- 182 a — solstitialis L
- ~~183~~ a — suaveolens Willd
- 184 p Chamaepeuce diacantha DC

- 185 p Chondrilla juncea L
- 186 p Chrysanthemum cinerariifol.
Bocc
- 187 a Chrysanthemum segetum L
- 188 a Cichorium Endivia L
- 189 p — Intybus L
- ~~190~~ p Cirsium acaule All
- 191 p — canum M. B.
- 192 p — eriophorum Scop
- 193 p — erisithales Scop
- 194 p — ferox DC
- 195 p — heterophyllum All
- 196 p — oleraceum Scop
- ~~197~~ p — spinosissimum Scop
- 198 a Coreopsis tinctoria Nutt
- ~~199~~ p Crepis aurea Cass
- 200 p — blattarioides Vill
- ~~201~~ p — praemorsa Tsch
- 202 a Crupina vulgaris Cass
- 203 b Cynara Scolymus L
- 204 a Dimorphoteca pluvialis Mönch
- 205 p Doronicum austriacum Jacq
- 206 p — caucasicum M. B.
- ~~207~~ p — Halleri Tsch
- 208 p Echinops Ritro L
- 209 p — sphaerocephalus L
- ~~210~~ p Erechites hieracifolia Raf
- 211 p Erigeron aurantiacus Rgl
- 212 a — canadensis L
- ~~213~~ p — uniflorus L
- 214 p Eupatorium cannabinum L
- 215 p Gaillardia aristata Pursh
- ~~216~~ p — — var grandiflora
- 217 a Galinsoga parviflora Cav
- ~~218~~ p Gnaphalium norvegicum Gunn
- ~~219~~ a — silvaticum L
- 220 p Grindelia squarrosa Dunal
- 221 a Guizotia oleifera DC
- 222 a Helianthus annuus L
- 223 T p — tuberosus L
- 224 a Helichrysum angustifolium DC
- 225 a Helminthia echioides Gärt
- ~~226~~ p Hieracium alpinum L
- 227 p — aurantiacum L
- ~~228~~ p — intybaceum Jacq
- 229 p — magyaticum N. P.
- 230 p — pilosella L
- 231 p — sabaudum L
- 232 p — staticifolium Vill
- 233 p — umbellatum L
- 234 p — villosum L
- 235 p Inula Helenium L
- ~~236~~ p — hirta L
- 237 p — salicina L
- 238 p Kentrophyllum lanatum DC
- 239 a Lactuca angustana All
- 240 p — perennis L
- 241 a — scariola L
- 242 b — virosa L
- 243 a Lampsana communis L
- ~~244~~ b Lappa tomentosa Lam
- ~~245~~ p Leontopodium alpinum Cass
- 246 p Ligularia sibirica Cass
- 247 a Madia sativa Mol
- ~~248~~ a Matricaria chamomilla L
- 249 p Mulgedium alpinum Cass

- 250 b Onopordon Acanthium L
- 251 b — illyricum L
- ~~252~~ p Petasites niveus Bmg.
- 253 p — officinalis Mönch
- 254 p Pieris hieracioides L
- 255 p Podospermum Jacquinianum
- 256 p Prenanthes purpurea L [Koch]
- 257 p Pulicaria dysenterica Gaert
- 258 p Pyrethrum caucasicum Willd
- 259 p — Parthenium Sm
- 260 p — roseum Bieb
- 261 p Rudbeckia laciniata L
- 262 p — purpurea L
- ~~263~~ a Sanvitalia procumbens L
- 264 a Scolymus hispanicus L
- ~~265~~ p Scorzonera hispanica L
- ~~266~~ p — humilis L
- 267 p — purpurea L
- ~~268~~ p Senecio abrotanifolius L
- 269 p — Fuchsii Gm
- ~~270~~ p — sudeticus DC
- 271 p Serratula tinctoria L
- 272 p Silphium laciniatum L
- 273 p — perfoliatum L
- 274 a Silybum Marianum Gärt.
- 275 p Solidago canadensis L
- 276 p — virga aurea L
- 277 a Spilanthes oleracea Jacq
- 278 a Tagetes patula L
- 279 p Tanacetum Balsamita L
- 280 p — corymbosum Schultz
- 281 p — vulgare L
- ~~282~~ b Tragopogon perfoliatus L
- 283 b — pratensis v. orientalis L
- 284 a Xanthium italicum Mor
- 285 a — spinosum L
- 286 a — Strumarium L
- 287 a Xeranthemum annuum L
- 288 a Zinnia elegans Jacq

Hieracium silesiacum
Aposeris foetida Le

Convolvulaceae.

- 289 a Convolvulus Scammonia L
- ~~290~~ p — sepium L
- 291 a Cuscuta europaea L
- ~~292~~ p Exogonium purga Wend
- 293 p Ipomoea Batatas Lam
- 294 a — purpurea Lam
- 295 a Quamoclit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
- 297 p — reflexum L
- ~~298~~ p — villosum L
- 299 p Sempervivum arachnoideum L
- 300 — hirtum L
- 301 — montanum L
- 302 — tectorum L

Cruciferae.

- ~~303~~ a Alliaria officinalis L
- 304 p Alyssum montanum L
- 305 p — saxatile L
- ~~306~~ p — Wulfenianum Willd =
= transsilvanicum Schk
- ~~307~~ a Anastatica hierochuntica L
- 308 p Arabis alpina L
- 309 b — bellidifolia Jacq
- 310 b — hirsuta Scop
- 311 p — procurrens W. et K
- 312 b — Turrita L
- 313 p Aubrietia graeca Boiss
- 314 p Barbarea praecox R Br
- 315 p — vulgaris R Br
- 316 b Berteroa incana DC
- 317 p Biscutella laevigata L
- 318 a Brassica nigra Koch
- 319 a — Napus L oleifera annua

- 320 a — — L oleifera hie-
malis Doel
- ~~321~~ b — — rapifera Metzger
- 322 b — oleracea L acephala DC
- 323 b — — botrytis L
- 324 b — — capitata L
- 325 b — — gemmifera DC
- 326 b — — gongyloides L
- 327 b — — sabauda L
- 328 a — Rapa oleif. annua Koch
- 329 b — — — hiemalis Mart
- ~~330~~ b — — rapifera Metzger
- 331 a Bunias Erucago L
- 332 p — orientalis L
- 333 a Camelina sativa Crantz
- ~~334~~ p Cardamine amara L
- 335 a — — impatiens L
- 336 p — — resedifolia L
- ~~337~~ p — — trifolia L
- 338 b Cheiranthus Cheiri L
- 339 Tp Cochlearia Armoracia L
- 340 b — — officinalis L
- 341 p Crambe maritima L
- ~~342~~ p Dentaria bulbifera L.
- ~~343~~ p — — enneaphyllos L
- ~~344~~ p — — glandulosa W et K
- 345 p Diplotaxis tenuifolia DC
- 346 p Draba aizoides L
- 347 p — stellata Jacq
- 348 a Eruca sativa Mill
- 349 p Erysimum canescens Roth
- 350 b — — cheiranthoides L
- 351 b—p — — odoratum Ehrh

- 352 b—p Hesperis matronalis L
- 353 b — — tristis L
- 354 a Iberis amara L
- 355 a — — umbellata L
- 356 b Isatis tinctoria L
- 357 p Kerneria saxatilis Rehb
- 358 b Lepidium campestre R. Br
- 359 a — — ruderale L
- 360 a — — sativum L
- 361 a Lunaria biennis Mönch
- 362 p — — rediviva L
- 363 a Mathiola incana L
- 364 p Nasturtium officinale L
- 365 a Neslea paniculata Desv.
- 366 p Peltaria alliacea L
- ~~367~~ p Petrocallis pyrenaica R. Br
- 368 a Raphanus sativus L oleiferus
- ~~369~~ p Roripa amphibia Scop
- 370 a Sinapis alba L
- 371 a Sisymbrium officinale Scop
- 372 p — — strictissimum L
- 373 a Thlaspi arvense L
- ~~374~~ p — — rotundifolium L
- 375 b Turritis glabra L

Arabis pumila Jacq
Coron Oru Ruel III A I

Cucurbitaceae.

- 376 p Bryonia alba L
- 377 p — — dioica L
- 378 a Citrullus vulgaris Schrad
- 379 a Cucumis Melo L
- 380 a — — sativus L
- 381 a Cucurbita Melopepo L
- 382 a Cyclanthera explodens Naud
- 383 a — — pedata Schrad
- ~~384~~ a Ecballium Elaterium Rich
- 385 a Lagenaria vulgaris Ser
- ~~386~~ a Luffa cylindrica Roem
- ~~387~~ a Momordica charantia L

Cyperaceae.

- ~~388~~ p Carex ampullacea Good
- 389 p — — flava L
- ~~390~~ p — — hirta L
- ~~391~~ p — — humilis Leysser
- 392 p — — muricata L
- 393 p — — panicea L
- ~~394~~ p — — paradoxa Willd
- ~~395~~ p — — pulicaris L
- ~~396~~ p — — rupestris All
- 397 Tp Cyperus esculentus L
- ~~398~~ a — — flavescens L
- ~~399~~ p Eriophorum polystachyum L
- ~~400~~ p Rhynchospora alba Vahl

Carex cyperoides L
Carex filulifera L

Dipsaceae.

- 401 p Cephalaria alpina Schrad
- 402 b Dipsacus fullonum Mill
- 403 b — laciniatus L
- 404 b — silvestris Mill
- 405 p Knautia arvensis Coult
- 406 a Scabiosa atropurpurea L
- 407 p — caucasica M. B
- 408 p — ochrolenca L
- 409 p — stellata L
- 410 p — suaveolens Desf.
- 411 p Succisa pratensis Mönch

Euphorbiaceae.

- 412 p Euphorbia amygdaloides L
- 413 a — chamaesyce L
- 414 p — dulcis L
- 415 p — epithymoides L
- 416 p — fragifera Jan
- 417 b — lathyris L
- 418 p — Myrsinites L
- 419 p — palustris L
- 420 p — Paralias L
- 421 p — verrucosa Lam
- 422 p — villosa W. et K
- 423 p — Wulfeni Hoppe
- 424 p — Mercurialis perennis L
- 425 a — Ricinus communis L

Fumariaceae.

- 426 p Adlumia cirrhosa Raf
- 427 p Corydalis cava Wahlb
- 428 p — lutea DC
- 429 p Dicentra spectabilis Borkh.
- 430 a Fumaria officinalis L
- 431 a Hypecoum procumbens L

Gentianeae.

- 432 a Erythraea centaurium Pers
- 433 p Gentiana acaulis L
- 434 p — asclepiadea L
- 435 p — bavarica L
- 436 p — cruciata L

- 437 p Gentiana germanica Willd
- 438 p — verna L
- 439 p Swertia perennis L

Gentiana lutea L
Saponaria L

Geraniaceae.

- 440 a Erodium gruinum L
- 441 p Geranium argenteum L
- 442 p — macrorhizum L
- 443 p — phaeum L
- 444 p — pratense L
- 445 p — sanguineum L
- 446 p — silvaticum L

Globularieae.

- 447 p Globularia cordifolia L
- 448 p — nudicaulis L
- 449 p — vulgaris L

Gramineae.

- 450 p Agrostis alba L
- 451 p — canina L
- 452 p Aira caespitosa L
- 453 a Andropogon cernuus Kth
- 454 p — Gryllus L
- 455 a — halepensis Brot
- 456 p — Ischaemum L
- 457 a — Sorghum Brot niger Körn
- 458 a — saccharatus Kth
- 459 a Apera spica venti P. B.
- 460 p Anthoxantum odoratum L
- 461 p Arrhenatherum elatius P. B.
- 462 p Avena pubescens Huds
- 463 a — sativa L
- 464 a — sterilis L
- 465 p Bouteloua oligostachya Torr
- 466 p Brachypodium pinnatum P. B.
- 467 p Briza media L
- 468 a Bromus briziformis Fisch et Mey
- 469 p — erectus Huds
- 470 p — inermis Leyss
- 471 a — sterilis L
- 472 p Calamagrostis lanceolata Roth
- 473 p Catabrosa aquatica P. B.
- 474 a Cenchrus tribuloides L
- 475 a Coix lacryma Jobi L
- 476 a Crypsis aculeata Ait
- 477 p Cynodon dactylon Pers
- 478 p Cynosurus cristatus L
- 479 a Eleusine coracana Gärtn
- 480 a — indica Gärtn
- 481 p Elymus arenarius L
- 482 a Eragrostis abessinica Link
- 483 p Festuca pratensis L
- 484 p — rubra L
- 485 p — scoparia Hackel v. crinum ursi Ram

- 486 p Festuca sulcata Hackel
- 487 p Holcus lanatus L
- 488 a Hordeum distichum L
- 489 a — hexastichum L
- 490 p — jubatum L
- 491 a — zeocriton L
- 492 a Lagurus ovatus L
- 493 p Lolium multiflorum Lam
- 494 p — perenne L
- 495 a — temulentum L
- 496 p Melica altissima L
- 497 a — ciliata L
- 498 p Molinia coerulea Moench
- 499 p Nardus stricta L
- 500 a Panicum italicum v. german.
- 501 a — miliaceum L [Lam
- 502 a — sanguinale L
- 503 a Pennisetum villosum R. Br
- 504 p Phalaris arundinacea L
- 505 a — canariensis L
- 506 p Phleum pratense L nodosum
- 507 p Poa bulbosa L vivipara
- 508 p — sudetica Hänke
- 509 p Secale montanum Guss
- 510 p Sesleria coerulea Scop
- 511 p — auctumnalis F. Schultz
- 512 p Stipa calamagrostis Link
- 513 p — capillata L
- 514 p — pennata L
- 515 p — tenacissima L
- 516 a — tortilis Desf.
- 517 a Tragus racemosus Desf.
- 518 p Trisetum flavescens Beauv
- 519 a Triticum monococcum L
- 520 a — (Aegilops) ovatum Gren
- 521 a — — ventricosum Ces
- 522 a — sativum X ovatum A. G. =Aegilops triticoides Req
- 523 a — spelta L
- 524 a Zea Mais L

Agrostis nebulosa B.
Avena Orientalis Schr
Briza maxima L
Dechampsia flexuosa L
Milium effusum L
Melica nutans L
Oryza sativa L
Pennicillaria spicata
Setaria italica P. B.

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p Elodea canadensis Rich
- 526 p Hydrocharis morsus ranae L
- 527 p Potamogeton acutifolius Link
- 528 p — crispus L
- 529 p — pusillus L

Hydrophyllaceae.

530 a Phacelia tanacetifolia Benth

Hypericaceae.

531 p Hypericum calycinum L
532 p — Coris L
533 p — montanum L
534 p — perforatum L

Irideae.

~~535~~ Tp Crocus sativus officinalis L
536 , Iris germanica L
537 , — graminea L
538 , — Pseudacorus L
539 , — pumila L
540 , — sibirica L
~~541~~ , — Xiphium L

Juncaceae.

542 p Juncus squarrosus L
~~543~~ p Luzula albida DC
544 p — silvatica Gaud

Labiatae.

~~545~~ b Ajuga chamaepitys Schreb
546 p — genevensis L
547 p — reptans L
548 p Ballota nigra L
549 p Betonica officinalis L
550 p Brunella grandiflora Jacq
~~551~~ p Calamintha acinos Clairv
~~552~~ p — alpina Lam
553 p — nepetoides Jord
~~554~~ p Clinopodium vulgare L
~~555~~ p Dracocephalum altaianse Lam
556 p — austriacum L
557 a — Moldavica L
558 a Galeopsis tetrahit L
~~559~~ a — ochroleuca Lam
560 a — versicolor Curt
561 p Horminum pyrenaicum L
562 p Hyssopus officinalis L
563 p Lamium album L
~~564~~ p — Orvala L
565 a Lallelantia iberica Fisch. et
566 p Leonurus Cardiaea L [Mey
567 p Lycopus europaeus L
~~568~~ p Marrubium peregrinum L
569 p — vulgare L
570 p Melissa officinalis L
571 p Melittis melissophyllum L
~~572~~ p Mentha aquatica L
573 p — pulegium L
574 p — silvestris L
575 p Monarda digyma L
576 p — fistulosa L
577 p Nepeta cataria L
578 p — grandiflora M. B

579 p Nepeta macrantha Fisch.
580 a Ocimum Basilicum L
581 a Origanum Majorana L
582 p — vulgare L
583 p Phlomis tuberosa L
584 p Physostegia virginiana Benth
~~585~~ p Prasium majus L
586 p Salvia Aethiopsis L
587 b — argentea L
588 p — austriaca Jacq
~~589~~ p — azurea Lam
590 p — clandestina L
591 p — cleistogama de Bary
592 p — coccinea L
593 p — glutinosa L
~~594~~ p — grandiflora Etl
595 p — Horminum L
596 p? — nilotica Murr
597 p — officinalis L
598 p — pratensis L
599 p — silvestris L
~~600~~ p — splendens Sellow
601 p — verticillata L
602 a Satureja hortensis L
603 a — montana L
604 p Scutellaria galericulata L
605 p — macrantha Fisch
~~606~~ p Sideritis montana L
607 p Stachys alpina L
608 p — germanica L
609 p — recta L
610 Tp — Sieboldii Miq = affinis
Fres
611 p — silvatica L
612 a Teucrium Botrys L
613 p — Chamaedrys L
614 p — Euganeum Vis
615 p — flavum L
616 p — Scorodonia L

Liliaceae.

617 T Allium ampeloprasum L
618 T — ascalonicum L
619 T — fistulosum L
620 — flavum L
621 T — Porrum L
622 — sibiricum L
623 — Victoralis L
624 — vineale L
625 Asparagus officinalis L
~~626~~ Asphodelus albus Mill
627 — luteus L
628 T Colchicum autumnale L
629 T Convallaria majalis L
630 T Galtonia candicans Dec
631 T Lilium Martagon L
632 T — pardalinum Lindl
633 T — tigrinum L
634 T Leucojum vernum L

635 T Ornithogalum umbellatum L
636 Paradisia Liliastrum Bert
637 Paris quadrifolia L
638 Polygonatum multiflorum All
639 — officinale All
~~640~~ Streptopus amplexifolius Dc
641 Veratrum nigrum L

Lineae.

~~642~~ p Linum alpinum L
643 p — flavum L
644 p — perenne L
~~645~~ p — tenuifolium L
646 a — usitatissimum L
~~647~~ p — viscosum L

Loasaceae, Datisceae.

~~648~~ a Blumenbachia Hieronymi Urb
~~649~~ a Cajophora lateritia Presl
650 a Datisca cannabina L
651 a Loasa lateritia Gill

Malvaceae.

652 a Abutilon Avicennae Gärtn
653 p Althaea cannabina L
654 p — officinalis L
~~655~~ b — rosea L atropurp.
656 a Hibiscus esculentus L
657 a — palustris L
658 a — Trionum L
659 p Kitaibelia vitifolia Willd
660 p Lavatera thuringiaca L
661 p Malva Alcea L
662 a — crispa L
~~663~~ p — moschata L
664 a — rotundifolia L
665 b — silvestris L

Oenotheraeae, Lythraceae.

~~666~~ p Circaea lutetiana L
667 a Clarkia elegans Dougl
668 a Cuphea viscosissima Jacq
669 p Epilobium augustifolium L
670 p — Dodonaei Vill
671 p — hirsutum L
~~672~~ p — roseum Schreb
673 p Lythrum Salicaria L
674 b Oenothera biennis L
675 p — fruticosa L
~~676~~ p — missouriensis Sims
~~677~~ p — pumila L
~~678~~ p — taraxacifolia Sweet

Oxalideae.

- 679 T p Oxalis Acetosella L
- 680 T p — caprina L
- 681 T p — corniculata
- 682 T p — tetraphylla Cav
- ~~683~~ T p — valdiviensis Barn.
- 684 T p — vespertilionis Zucc

Papaveraceae.

- 685 a Argemone grandiflora Sw
- 686 a — mexicana L
- 687 p Chelidonium majus L f. laciniata
- 688 a Eschscholtzia californica Cham
- 689 a Glaucium corniculatum Curt
- 690 a — flavum Crantz
- ~~691~~ a Hypecoum procumbens L
- ~~692~~ p Macleya cordata R. Br.
- 693 p Meconopsis cambrica L
- ~~694~~ p — nepalensis DC
- 695 p Papaver alpinum L fl. alb.
- 696 p — — nudicaule L
- 697 a — argemone L
- ~~698~~ p — caucasicum M. B
- 699 p — orientale L
- 700 a — Rhoas L
- 701 a — somniferum L
- ~~702~~ p Sanguinaria canadensis L

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
- 704 p — vulneraria L
- 705 p Astragalus baeticus L
- 706 p — Cicer L
- ~~707~~ p — danicus Retz
- 708 p — glycyphyllos L
- ~~709~~ a Biserrula Pelecinus L
- 710 p Colophaca wolgarica Fisch
- 711 p Caragana arborescens Lam
- 712 a Cicer arietinum L
- 713 p Colutea arborescens L
- ~~714~~ p Coronilla Emerus L
- ~~715~~ p — scorpioides Koch
- 716 p — varia L
- 717 p Cytisus Laburnum L
- ~~718~~ p — leucanthus W. K.
- ~~719~~ p — nigricans L
- ~~720~~ p — purpureus Scop
- 721 p — ratisbonensis Schaff
- 722 a Dolichos Lablab L
- 723 p Dorycnium suffruticosum Jord
- 724 p Galega officinalis L
- ~~725~~ p Genista germanica L
- ~~726~~ p — radiata Scop
- 727 p — sagittalis L
- 728 p — tinctoria L
- 729 p Glycyrrhiza echinata L
- 730 p — glabra L
- 731 p Hedysarum obscurum L
- ~~732~~ p Hippocrepis comosa L
- ~~733~~ p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
- 735 p — montanus Bernh
- 736 a — Nissolia L
- 737 a — odoratus L
- 738 p — silvester L
- 739 p — tuberosus L
- 740 p — vernus Bernh
- 741 a Le. s esculenta Moench
- 742 p Lotus corniculatus L
- 743 a Lupinus angustifolius L
- 744 a — luteus L
- 745 p — perennis L
- 746 p — polyphyllus Lindl
- 747 a Medicago Echinus DC
- ~~748~~ p — falcata L
- ~~749~~ p — falcata X sativa =
media Pers
- 750 a — minima Desr
- 751 p — sativa L
- 752 a — turbinata Willd
- 753 b Melilotus officinalis Desr
- 754 p Onobrychis sativa Lam
- 755 p Ononis spinosa L
- 756 a Ornithopus sativus Brot
- 757 a Phaseolus multiflorus Willd
- ~~758~~ a Pisum arvense L
- 759 p Sarothamnus scoparius Koch
- 760 a Scorpiurus vermiculatus L
- 761 a Soja hispida Moench
- 762 p Spartium junceum L
- 763 p Tetragonolobus siliquosus L
- ~~764~~ a Trifolium arvense L

- ~~765~~ b — p Trifolium aureum Roll
- 766 p Trifolium badium Schreb.
- 767 p — fragiferum L
- 768 p — hybridum L
- 769 b — incarnatum L
- ~~770~~ p — medium L
- ~~771~~ a — minus Sm
- 772 p — montanum L
- 773 p — ochroleucum L
- 774 p — repens L
- 775 p — rubens L
- 776 b-p — spadiceum L
- 777 p — stellatum L
- 778 p — subterraneum L
- 779 a Trigonella coerulea Ser
- 780 a — foenum graecum L
- ~~781~~ p Ulex europaeus L
- 782 a Vicia Faba L
- 783 a — lutea L
- 784 a — narbonensis L
- 785 p — sepium L
- ~~786~~ a Vigna sinensis

Trifolium alpestre L

Plantagineae.

- 787 p Plantago alpina L
- 788 p — lanceolata L
- 789 p — maritima L
- 790 a — Psyllium L

Plantago major L

Plumbagineae.

- 791 p Armeria alpina Willd
- 792 p — vulgaris Willd
- 793 p Plumbago europaea L
- 794 p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
- 796 a Collomia coccinea Lehm
- 797 a — grandiflora Dougl
- ~~798~~ p Phlox paniculata L
- 799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
- ~~801~~ p Polygonum amphibium L
- ~~802~~ p — baldschuanicum Regl
- 803 p — Bistorta L
- 804 a — Convolvulus L
- ~~805~~ p — cuspidatum L. et Z.
- ~~806~~ a — hydropiper L
- ~~807~~ p — sachalinense Schmidt
- ~~808~~ a — tinctorium Ait
- ~~809~~ a — virginianum L
- 810 p — viviparum L
- 811 p Rheum officinale L
- ~~812~~ p — palmatum L
- 813 p — Rhaponticum L
- 814 p Rumex Acetosa L
- 815 p — alpinus L
- 816 p — crispus L
- 817 p — Hydrolapathum Huds
- 818 p — maximus Schreb
- 819 p — Patientia L
- 820 p — sanguineus L
- 821 p — scutatus L

Primulaceae.

- 822 a Anagallis arvensis L
- ~~823~~ a — coerulea Schreb
- ~~824~~ p — grandiflora Andr
- 825 p Androsace lactea L
- 826 b — maxima L
- 827 p — sarmentosa Wall
(stolones)
- ~~828~~ p Cortusa Matthioli L
- 829 p Lysimachia nummularia L
- 830 p — punctata L
- 831 p Naumburgia thyrsoflora Rehb

- 832 p *Primula acaulis* Jacq
- 833 p — *auricula* L
- 834 p — *cortusoides* L
- ~~835~~ p — *hirsuta* All
- ~~836~~ p — *minima* L
- 837 p — *officinalis* L

Glaux maritima L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
- 839 p — *Napellus* L
- 840 p *Actaea spicata* L
- ~~841~~ a *Adonis aestivalis* L
- 842 p — *vernalis* L
- ~~843~~ p *Anemone alpina* L
- 844 p — *grandis* Wend
- ~~845~~ p — *japonica* Sieb
- 846 p — *narcissiflora* L
- 847 p — *nigricans* Fritsch
- 848 p — *pulsatilla* L
- 849 p — *ranunculoides* L
- 850 p — *silvestris* L
- ~~851~~ p — *vernalis* L
- 852 p *Aquilegia atrovioacea* Lall
- 853 p — *vulgaris* L
- 854 p *Atragene alpina* L
- ~~855~~ p *Caltha palustris* L
- 856 p *Clematis recta* L
- 857 p — *Viticella* L
- 858 p *Delphinium caucasicum* C. A. M.
- 859 a — *Consolida* L
- 860 p — *elatum* Willd
- 861 p — *Staphysagria* L
- 862 p *Eranthis hiemalis* L
- ~~863~~ p *Helleborus foetidus* L
- 864 p — *niger* L
- ~~865~~ p — *viridis* L
- 866 p *Isopyrum thalictroides* L
- ~~867~~ a *Myosurus minimus* L
- 868 p *Nigella damascena* L
- 869 p — *sativa* L
- 870 p *Paeonia peregrina* Mill
- 871 p *Ranunculus acer* L
- 872 a — *arvensis* L
- ~~873~~ p — *auricomus* L
- 874 p — *Ficaria* L
- 875 p — *gramineus* L
- ~~876~~ p — *lanuginosus* L
- ~~877~~ p — *lingua* L
- 878 p — *platanifolius* L
- ~~879~~ p — *polyanthemus* L
- ~~880~~ p — *sardous* Crantz
- 881 a — *sceleratus* L
- 882 p *Thalictrum angustifolium* L
- 883 p — *aquilegifolium* L
- 884 p — *flavum* L
- 885 p — *minus* L
- 886 p *Trollius europaeus* L
- ~~887~~ p — *Ledebouri* Rehb.

Aquilegia macedonica

Resedaceae.

- ~~888~~ b *Reseda luteola* L
- 889 a — *odorata* L

Reseda lutea L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
- 891 p *Alchemilla alpina* L
- 892 p — *vulgaris* L
- 893 p *Amelanchier vulgaris* Mönch
- ~~894~~ p *Aruncus silvester* Kostel
- ~~895~~ p *Comarum palustre* L
- 896 p *Crataegus coccinea* L
- 897 p *Cydonia japonica* Pers
- 898 p *Dryas octopetala* L
- ~~899~~ p *Eriobotrya japonica* Lindl
- ~~900~~ p *Fragaria elatior* Ehrh
- 901 p *Geum album* Gm
- 902 p — *montanum* L
- 903 p — *intermedium* Ehrh
- 904 p — *rivale* L
- 905 p — *urbanum* L
- 906 p *Pirus baccata* L
- 907 p *Potentilla alba* L
- 908 p — *anserina* L
- 909 p — *argentea* L
- 910 p — *atrosanguinea* Lodd
- 911 p — *aurea* L
- ~~912~~ p — *caulescens* L
- ~~913~~ p — *Clusiana* L
- 914 p — *pennsylvanica* L
- sanguisorbifolia* A. G.
- 915 p — *rupestris* L
- 916 p *Poterium Sanguisorba* L
- 917 p *Sanguisorba minor* Scop
- 918 p — *officinalis* L
- 919 p *Sorbus Aria* Ehrh
- 920 p — *Aucuparia v. dulcis* A. G.
- 921 p — *torminalis* Crantz
- 922 p *Spiraea Filipendula* L
- 923 p — *Ulmaria* L

Potentilla supina L
multifida

Rubiaceae

- 924 p *Asperula cynanchica* L
- ~~925~~ p — *odorata* L
- 926 p — *tinctoria* L
- 927 a *Crucianella stylosa* Trin
- 928 a *Galium Aparine* L
- ~~929~~ p — *boreale* L
- ~~930~~ p — *cruciata* Scop
- 931 a — *tricornis* With
- 932 p — *verum* L
- 933 p *Rubia tinctorum* L
- ~~934~~ a *Sherardia arvensis* L

Galium Mdlugo L

Rutaceae.

- 935 p *Dictamnus albus* L
- 936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
- 938 p *Mitella pentandra* Hook
- ~~939~~ p *Parnassia palustris* L
- 940 p *Ribes alpinum* L
- 941 p — *sanguineum* Pursh
- 942 p *Saxifraga aizoon* L
- 943 p — *Cotyledon* L
- ~~944~~ T p — *granulata* L
- 945 p — *rotundifolia* L

Scrophularieae, Bignon., Martyn.,
Pedaliaceae, Orobancheae.

- 946 a *Alonzoa Warscewiczii* Regl
- 947 a *Antirrhinum majus* L
- 948 p — *Orontium* L
- 949 a *Calceolaria scabiosaefolia* Sims
- 950 p *Celsia betonicifolia* Desf
- 951 a *Collinsia bicolor* Benth
- 952 p *Digitalis ambigua* Murr
- 953 p — *ferruginea* L
- 954 b-p — *lanata* Ehrh
- 955 b-p — *lutea* L
- 956 b — *purpurea* L
- ~~957~~ a *Hebenstreitia dentata*
- 958 p *Incarvillea Delavayi* Franch
- ~~959~~ a *Linaria alpina* Mill
- 960 p — *cymbalaria* Mill
- ~~961~~ p — *dalmatica* Mill
- 962 p — *genistifolia* Mill
- ~~963~~ a — *spuria* Mill
- 964 p — *vulgaris* Moench
- 965 p *Lophospermum scandens* Don
- 966 a *Martynia proboscidea* L
- 967 b-p *Maurandia Barclayana* Lindl
- 968 a *Mimulus luteus* L
- 969 a *Nycterinia capensis* Benth
- ~~970~~ p *Pentstemon coeruleus* Nutt
- ~~971~~ p — *gentianoides* Lindl
- ~~972~~ p — *glaucus* Grah

- ~~973~~ a Salpiglossis sinuata R. P.
- 974 a Schizantus pinnatus R. P.
- 975 p Scrophularia nodosa L
- ~~976~~ a Torenia Fournieri Linden
- 977 b Verbascum Blattaria
- 978 p — nigrum L
- 979 b — Olympicum Boiss
- 980 b — phlomoides L
- 981 b — phoeniceum L
- 982 b — speciosum Schrad
- 983 p Veronica aphylla L
- ~~984~~ p — Beccabunga L
- 985 p — caucasica Bieb
- 986 p — chamaedrys L
- 987 p — crassifolia Wierzb
- 988 p — fruticulosa L
- 989 p — gentianoides Vahl
- 990 a — hederifolia L
- 991 p — longifolia L
- 992 p — lutea Wettst.
- ~~993~~ p — maritima L
- 994 p — officinalis L
- 995 p — satureioides Vis
- ~~996~~ p — saxatilis Scop
- ~~997~~ p — Teucrium L
- 998 p — urticifolia L

Bartschia alpina L

Verbascum Thapsus L

Verbascum Lychnitis L

- 1016 a Solanum nigrum L
- 1017 a — rostratum Dunal

Nicotiana Sanderæ

Thymeleae.

- 1018 p Daphne Laureola L
- ~~1019~~ p — Mezereum L
- ~~1020~~ p Hippophaë rhamnoides L
- ~~1021~~ a Passerina annua (L)

Umbelliferae.

- 1022 a Aethusa Cynapium L
- ~~1023~~ p Angelica silvestris L
- 1024 a Anthriscus Cerefolium Hoffm
- 1025 p Archangelica officinalis Hoffm
- 1026 p Astrantia major L
- 1027 p Athamanta cretensis L
- ~~1028~~ p Bupleurum falcatum L
- 1029 p — ranunculoides L
- 1030 a — rotundifolium L
- ~~1031~~ b Carum Bulbocastanum L
- 1032 b — carvi L
- 1033 p Chaerophyllum aromaticum L
- 1034 p — hirsutum Koch
- 1035 b — temulum L
- 1036 p Cicuta virosa
- 1037 b Conium maculatum L
- 1038 a Coriandrum sativum L

Solaneae.

- 999 p Atropa Belladonna L
- 1000 a Capsicum annum L
- 1001 a — baccatum L
- 1002 a Datura Metel L
- 1003 a — Stramonium L
- 1004 a — — var Tatula L
- 1005 a Hyoscyamus niger L
- 1006 a Nicandra physaloides Gaertn
- 1007 a Nicotiana affinis Moore
- 1008 a — rustica L
- 1009 a — silvestris Spog
- 1010 a — Tabacum L
- 1011 p Physalis Alkekengi L
- 1012 a — peruviana L
- 1013 p Solanum Dulcamara L
- ~~1014~~ a — guineense Lam
- 1015 a — Melongena L

E. Tuma

Obmann.

- 1039 p Eryngium alpinum
- ~~1040~~ p — Bourgati Gouan
- 1041 p — campestre L
- ~~1042~~ p — giganteum M. B
- 1043 p — planum L
- 1044 b Falcaria vulgaris Bernh
- 1045 a Foeniculum officinale L
- ~~1046~~ Tp Hacquetia Epipactis De
- 1047 p Heracleum giganteum Hort
- 1048 p Imperatoria Ostruthium L
- 1049 p Laserpitium latifolium L
- ~~1050~~ p Levisticum officinale Koch
- 1051 p Libanotis montana Crantz
- 1052 p Meum albamanticum Jacq
- ~~1053~~ p — Mutellina Gaertn
- 1054 a Orlaya grandiflora Hoffm
- 1055 p Peucedanum alsaticum L
- 1056 p — Cervaria Lap
- ~~1057~~ p — Oreoselinum Moench
- 1058 a Pimpinella Anisum L
- 1059 p — magna L
- ~~1060~~ p Pleurospermum austriacum Hoffm

- ~~1061~~ p Sanicula europaea L
- 1062 p Scandix pecten Veneris L
- ~~1063~~ p Selinum Carvifolia L
- ~~1064~~ p Silaus pratensis Bess
- ~~1065~~ p Siler trilobum Crantz
- 1066 p Sium Sisarum L
- 1067 b Torilis Anthriscus Gm
- 1068 b Trinia vulgaris DC

Archangelica purpurea

Laserpitium

Archangelica W

Myrrhis odorata Scp

Urticaceae.

- 1069 a Cannabis sativa L
- ~~1070~~ Laportea canadensis Gaud
- 1071 p Parietaria officinalis L
- 1072 p Urtica cannabina L
- 1073 a — pilulifera L

Valerianeae.

- 1074 p Centranthus ruber DC
- 1075 p Valeriana officinalis L
- 1076 a Valerianella olitoria Moench

Verbenaceae.

- 1077 p Verbena officinalis L
- Verbena hybrida Hort

Violaceae.

- 1078 p Viola biflora L
- 1079 p — lutea Sm sudetica Koch
- ~~1080~~ p — mirabilis L
- ~~1081~~ p — Riviniana Rehb

Zygophylleae.

- 1082 a Tribulus terrestris L

Prof. K. Zelenka

Prof. L. Frank

Gartendirektor.

Botanischer Garten Olmütz (Austria).

Index seminum horti botanici Olomucensis pro 1907—1912.



Generalliste

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Seminibus non praesentibus numerus deletus est. — Die gestrichenen Nummern bedeuten, daß die betreffenden Samen nicht abgegeben werden können.

Communicationem desideratorum ante Kalendas Febr. rogamus.

Wir bitten um Bekanntgabe der gewünschten Samen bis 1. März.

T = tubera, bulbi, etc. (Bulbs), a = plantae annuae, b = pl. biennes, p = pl. perennes vel lignosae.

Aizoac., Basellac., Nyctag., Phytolacc., Portulac. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobach. vide **Scrophul.** — Datiscaec. vide **Loasaceae** — Lythrac. vide **Oenother.**

<p>Amarantaceae, Aizoac. Nyctag., Phytol., Portulac.</p> <p>1 a <i>Amarantus atropurpureus</i> Roxb. 2 a — <i>caudatus</i> L 3 a — <i>paniculatus</i> f. <i>sanguinea</i> L 4 a — <i>crispus</i> L 5 a — <i>multicaulis</i> L 6 a <i>Celosia cristata</i> L 7 a <i>Claytonia perfoliata</i> Donn 8 a <i>Euxolus oleraceus</i> Raf. 9. a <i>Mesembryanthemum cristallinum</i> L 10 p <i>Mirabilis Jalapa</i> L 11 p <i>Phytolacca decandra</i> L 12 p — <i>esculenta</i> v. <i>Hout.</i> 13 a <i>Portulaca oleracea</i> L 14 a — <i>grandiflora</i> Hook 15 a <i>Tetragonia expansa</i> Murr</p> <p>Aroideae.</p> <p>16 Tp <i>Amorphophallus Rivieri</i> Dur 17 Tp <i>Arum maculatum</i> L 18 Tp <i>Richardia albomaculata</i> Hook 19 Tp <i>Sauromatum guttatum</i> Schott</p> <p>Asclepiadeae.</p> <p>20 p <i>Asclepias syriaca</i> L 21 p <i>Cynanchum Vincetoxicum</i> R. Br.</p>	<p>Balsamineae.</p> <p>22 a <i>Impatiens glanduligera</i> Lindl 23 a — <i>noli tangere</i> L 24 a — <i>parviflora</i> DC</p> <p>Boragineae.</p> <p>25 b <i>Alkanna tinctoria</i> Tsch. 26 b—p <i>Anchusa officinalis</i> L 27 p <i>Arnebia echioides</i> A. DC 28 a <i>Asperugo procumbens</i> L 29 a <i>Borago officinalis</i> L 30 p <i>Cerintho alpina</i> Kit. 31 a — <i>minor</i> L 32 b <i>Cynoglossum officinale</i> L 33 b <i>Echinopspermum lappula</i> Lehm 34 b <i>Echium vulgare</i> L 35 p <i>Lithospermum officinale</i> L 36 p — <i>purpureo coeruleum</i> L 37 b <i>Myosotis alpestris</i> Schmidt 38 p <i>Nonnea pulla</i> DC 39 p <i>Pulmonaria obscura</i> Dum 40 p — <i>virginica</i> L 41 p <i>Symphytum caucasicum</i> M. B. 42 p — <i>tuberosum</i> L</p> <p>Campanulaceae.</p> <p>43 p <i>Adenophora liliifolia</i> Ledeb 44 p <i>Campanula barbata</i> L 45 p — <i>carpatica</i> Jacq. 46 p — <i>cervicaria</i> L 47 p — <i>glomerata</i> L 48 p — <i>latifolia</i> L</p>	<p>49 p <i>Campanula persicifolia</i> L 50 p — <i>Portenschlagiana</i> R.S. 51 p — <i>pulla</i> L 52 p — <i>pusilla</i> Hänke 53 p — <i>pyramidalis</i> L 54 p — <i>rapunculoides</i> L 55 p — <i>sarmatica</i> Ker 56 p — <i>trachelium</i> L 57 p — <i>sibirica</i> L 58 p — <i>spicata</i> L 59 p — <i>thyrsoidea</i> L 60 p — <i>Trachelium</i> L 61 p — <i>turbinata</i> Schott 62 p <i>Edraianthus tenuifolius</i> DC fil. 63 b <i>Jasione montana</i> L 64 p — <i>perennis</i> Lam 65 b <i>Michauxia campanuloides</i> L'Her 66 p <i>Phyteuma hemisphaericum</i> L 67 p — <i>nigrum</i> Schmidt 68 p — <i>orbiculare</i> L 69 p — <i>spicatum</i> L 70 p <i>Platycodon grandiflorus</i> DC <i>Mariesii</i> 71 a <i>Specularia speculum</i> DC</p> <p>p Caprifoliaceae.</p> <p>72 <i>Lonicera Caprifolium</i> L 73 — <i>Xylosteum</i> L 74 <i>Sambucus Ebulus</i> L 75 — <i>racemosa</i> L</p>
---	---	---

Caryophylleae.

- 76 a Agrostemma Githago L
- 77 p Alsine juniperina Wahlenb.
- ~~78~~ p — verna Bartl
- ~~79~~ p Arenaria ciliata L
- 80 p — grandiflora All
- 81 a Cerastium arvense L
- 82 p Cucubalus baccifer L
- 83 p Dianthus alpinus L
- 84 p — Armeria L
- 85 p — barbatus L
- 86 p — caesius Sm.
- 87 p — carthusianorum L
- 88 p — deltoides L
- 89 p — plumarius L
- ~~90~~ p — speciosus Rehb.
- 91 p — superbus L
- ~~92~~ p Drypis spinosa L
- 93 a Gypsophila muralis L
- 94 p — paniculata L
- 95 p — repens L fl. alb.
et ros.
- 96 p Heliosperma alpestre (Jacq.)
- 97 p — quadrifidum (L)
- 98 p Lychnis alpina L
- ~~99~~ b — coronaria Lam
- 100 p — flos cuculi L
- 101 p — flos Jovis Lam
- 102 p Malachium aquaticum L
- 103 b Melandrium album Garcke
- 104 p — rubrum Garcke
- ~~105~~ p Moehringia muscosa L
- 106 p Saponaria ocymoides L
- 107 p — officinalis L

- 109 a — gallica L
- 110 p? — nemoralis W. et K.
- 111 p — nutans L
- 112 p — Otites Sm.
- ~~113~~ p — pumilio
- 114 p — saxifraga L
- 115 p — vulgaris Garcke
- ~~116~~ a Spergula arvensis L
- ~~117~~ p Stellaria holostea L
- 118 p Tunica saxifraga Scop.
- 119 a Vaccaria parviflora Mönch
- 120 p Viscaria vulgaris Röhl

Chenopodiaceae.

- 121 a Atriplex hortensis L
- 122 a — nitens Schk.
- ~~123~~ b Beta maritima L
- 124 b — vulgaris Ciela L
- 125 b — — rapa altissima L
- 126 b — — rubra L
- 127 a Chenopodium album L
- ~~128~~ a — ambrosioides L
- 129 p — Bonus Henricus L
- 130 a — capitatum Asch
- 131 a — ficifolium Sm.
- 132 a — foliosum Mönch

- 133 a Chenopodium Quinoa Willd
- 134 a Kochia scoparia Schrad
- 135 b Spinacia oleracea L

Cistaceae.

- 136 p Helianthemum polifolium Koch
- 137 p — vulgare Gärtn

Compositae.

- 138 p Achillea ageratifolia Hook
- 139 p — argentea Vis
- 140 p — Clavennae L
- ~~141~~ p — Clusiana Tsch
- 142 p — Millefolium L f. sude-
tica Opiz
- 143 p — nobilis L
- ~~144~~ p — pannonica Scheele
- 145 p — Ptarmica L
- ~~146~~ p — tanacetifolia All.
- ~~147~~ p Achyrophorus maculatus Scop.
- ~~148~~ p — uniflorus Bl. et
Fing
- 149 p Alfredia cernua Cass.
- 150 a Ambrosia trifida L
- 151 a Anacyelus officinarum Hayne
- 152 p Antennaria dioica L
- 153 p Anthemis nobilis L
- 154 p — tinctoria L
- 155 p Arnica montana L
- ~~156~~ p Aronicum scorpioides Koch
- 157 p Artemisia Absinthium L
- ~~158~~ p — Dracunculus L
- ~~159~~ p — maritima L
- 160 p — Mutellina L
- ~~161~~ p — spicata Wulf
- 162 p Aster alpinus L
- 163 p — Amellus L
- 164 p — Tripolium L
- ~~165~~ a Bidens andicola hort
- ~~166~~ a — bipinnata L
- 167 a — cernua L
- ~~168~~ a — leucantha Willd
- 169 a — tripartita L
- 170 p Bupthalmum salicifolium L
- 171 p Cacalia suaveolens L
- 172 a Calendula officinalis L
- ~~173~~ b Carduus nutans L
- 174 p Carlina acaulis L
- 175 a Carthamus tinctorius L
- ~~176~~ b Contaurea Calcitrapa L
- 177 a — cyanus L
- 178 p — macrocephala M. B
- 179 p — montana L
- 180 p — rhenana Bor
- 181 p — Scabiosa L
- ~~182~~ a — solstitialis L
- 183 a — suaveolens Willd
- 184 p Chamaepeuce diacantha DC

- 185 p Chondrilla juncea L
- 186 p Chrysanthemum cinerariifol.
Boec
- 187 a Chrysanthemum segetum L
- 188 a Cichorium Endivia L
- 189 p — Intybus L
- 190 p Cirsium acaule All
- 191 p — canum M. B.
- ~~192~~ p — eriophorum Scop
- 193 p — erisithales Scop
- 194 p — ferox DC
- 195 p — heterophyllum All
- 196 p — oleraceum Scop
- ~~197~~ p — spinosissimum Scop
- 198 a Coreopsis tinctoria Nutt
- 199 p Crepis aurea Cass
- ~~200~~ p — blattarioides Vill
- ~~201~~ p — praemorsa Tsch
- 202 a Crupina vulgaris Cass
- 203 b Cynara Scolymus L
- 204 a Dimorphoteca pluvialis Mönch
- 205 p Doronicum austriacum Jacq
- 206 p — caucasicum M. B.
- ~~207~~ p — Halleri Tsch
- 208 p Echinops Ritro L
- 209 p — sphaerocephalus L
- ~~210~~ p Erechites hieracifolia Raf
- 211 p Erigeron aurantiacus Rgl
- 212 a — canadensis L
- 213 p — uniflorus L
- 214 p Eupatorium cannabinum L
- 215 p Gaillardia aristata Pursh
- 216 p — — var grandiflora
- 217 a Galinsoga parviflora DC
- 218 p Gnaphalium nigrum L
- 219 a — sylvaticum L
- 220 p Grindelia squarrosa Dunal
- 221 a Guizotia oleifera DC
- 222 a Helianthus annuus L
- 223 T p — tuberosus L
- 224 a Helichrysum angustifolium DC
- 225 a Helminthia echioides Gärt
- ~~226~~ p Hieracium alpinum L
- 227 p — aurantiacum L
- 228 p — intybaceum Jacq
- 229 p — magyaricum N. P.
- 230 p — pilosella L
- ~~231~~ p — sabaudum L
- ~~232~~ p — staticifolium Vill
- 233 p — umbellatum L
- 234 p — villosum L
- 235 p Inula Helenium L
- ~~236~~ p — hirta L
- 237 p — salicina L
- ~~238~~ p Kentrophyllum lanatum DC
- 239 a Lactuca angustana All
- 240 p — perennis L
- 241 a — scariola L
- 242 b — virosa L
- 243 a Lampsana communis L
- 244 b Lappa tomentosa Lam
- 245 p Leontopodium alpinum Cass
- 246 p Ligularia sibirica Cass
- 247 a Madia sativa Mol
- 248 a Matricaria chamomilla L
- 249 p Mulgedium alpinum Cass

- 250 b Onopordon Acanthium L
- ~~251~~ b — illyricum L
- ~~252~~ p Petasites niveus Bmg.
- 253 p — officinalis Mönch
- 254 p Pieris hieracioides L
- 255 p Podospermum Jacquinianum
- 256 p Prenanthes purpurea L [Koch
- 257 p Pulicaria dysenterica Gaert
- 258 p Pyrethrum caucasicum Willd
- 259 p — Parthenium Sm
- 260 p — roseum Bieb
- 261 p Rudbeckia laciniata L
- 262 p — purpurea L
- 263 a Sanvitalia procumbens L
- 264 a Scolymus hispanicus L
- 265 p Scorzonera hispanica L
- ~~266~~ p — humilis L
- ~~267~~ p — purpurea L
- 268 p Senecio abrotanifolius L
- ~~269~~ p — Fuchsii Gm
- ~~270~~ p — sudeticus DC
- 271 p Serratula tinctoria L
- 272 p Silphium laciniatum L
- 273 p — perfoliatum L
- 274 a Silybum Marianum Gärt.
- 275 p Solidago canadensis L
- 276 p — virga aurea L
- 277 a Spilanthus oleracea Jacq
- 278 a Tagetes patula L
- 279 p Tanacetum Balsamita L
- 280 p — corymbosum Schultz
- 281 p — vulgare L
- 282 b Tragopogon porrifolius L
- 283 b — pratensis v. orientalis L
- 284 a Xanthoxylum italicum Mör
- 285 a — spinosum L
- ~~286~~ a — Strumarium L
- 287 a Xeranthemum annuum L
- 288 a Zinnia elegans Jacq

Convolvulaceae.

- 289 a Convolvulus Scammonia L
- ~~290~~ p — sepium L
- ~~291~~ a Cuscuta europaea L
- ~~292~~ p Exogonium purga Wend
- ~~293~~ p Ipomoea Batatas Lam
- 294 a — purpurea Lam
- 295 a Quamoclit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
- 297 p — reflexum L
- ~~298~~ p — villosum L
- 299 p Sempervivum arachnoideum L
- 300 — hirtum L
- 301 — montanum L
- 302 — tectorum L

Cruciferae.

- 303 a Alliaria officinalis L
- 304 p Alyssum montanum L
- ~~305~~ p — saxatile L
- ~~306~~ p — Wulfenianum Willd =
= transsilvanicum Schk
- ~~307~~ a Anastatica hierochuntica L
- 308 p Arabis alpina L
- 309 b — bellidifolia Jacq
- 310 b — hirsuta Scop
- 311 p — procurrens W. et K
- 312 b — Turrita L
- ~~313~~ p Aubrietia graeca Boiss
- 314 p Barbarea praecox R Br
- 315 p — vulgaris R Br
- 316 b Berteroa incana DC
- ~~317~~ p Biscutella laevigata L
- 318 a Brassica nigra Koch
- 319 a — Napus L oleifera annua
Koch

- 320 a — — } L oleifera hie-
malis Doel
- 321 b — — rapifera Metzger
- 322 b — oleracea L acephala DC
- 323 b — — botrytis L
- 324 b — — capitata L
- 325 b — — gemmifera DC
- 326 b — — gongyloides L
- ~~327~~ b — — sabauda L
- ~~328~~ a — Rapa oleif. annua Koch
- ~~329~~ b — — hiemalis Mart
- ~~330~~ b — — rapifera Metzger

- ~~331~~ a Bunias Erucago L
- ~~332~~ p — orientalis L
- 333 a Camelina sativa Crantz
- ~~334~~ p Cardamine amara L
- 335 a — impatiens L
- ~~336~~ p — resedifolia L
- ~~337~~ p — trifolia L
- 338 b Cheiranthus Cheiri L
- 339 Tp Cochlearia Armoracia L
- 340 b — officinalis L
- 341 p Crambe maritima L
- ~~342~~ p Dentaria bulbifera L
- ~~343~~ p — enneaphyllos L
- ~~344~~ p — glandulosa W et K
- 345 p Diplotaxis tenuifolia DC
- 346 p Draba aizoides L
- 347 p — stellata Jacq
- 348 a Eruca sativa Mill
- 349 p Erysimum canescens Roth
- 350 b — cheiranthoides L
- 351 b—p — odoratum Ehrh

- 352 b—p Hesperis matronalis L
- 353 b — tristis L
- 354 a Iberis amara L
- 355 a — umbellata L
- 356 b Isatis tinctoria L
- 357 p Kerneria saxatilis Rehb
- 358 b Lepidium campestre R. Br
- 359 a — ruderales L
- 360 a — sativum L
- 361 a Lunaria biennis Mönch
- 362 p — rediviva L
- 363 a Mathiola incana L
- 364 p Nasturtium officinale L
- 365 a Neslea paniculata Desv.
- 366 p Peltaria alliacea L
- ~~367~~ p Petrocallis pyrenaica R. Br
- 368 a Raphanus sativus L oleiferus
- 369 p Roripa amphibia Scop
- 370 a Sinapis alba L
- 371 a Sisymbrium officinale Scop
- ~~372~~ p — stri-tissimum L
- 373 a Thlaspi arvense L
- 374 p — rotundifolium L
- 375 b Turritis glabra L

Cucurbitaceae.

- 376 p Bryonia alba L
- 377 p — dioica L
- 378 a Citrullus vulgaris Schrad
- 379 a Cucumis Melo L
- 380 a — sativus L
- 381 a Cucurbita Melopepo L
- 382 a Cyclanthera explodens Naud
- 383 a — pedata Schrad
- 384 a Ecballium Elaterium Rich
- 385 a Lagenaria vulgaris Ser
- 386 a Luffa cylindrica Roem
- 387 a Momordica charantia L

Cyperaceae.

- ~~388~~ p Carex ampullacea Good
- 389 p — flava L
- ~~390~~ p — hirta L
- ~~391~~ p — humilis Leysser
- 392 p — muricata L
- ~~393~~ p — panicea L
- ~~394~~ p — paradoxa Willd
- ~~395~~ p — pulicaris L
- ~~396~~ p — rupestris All
- 397 Tp Cyperus esculentus L
- ~~398~~ a — flavescens L
- 399 p Eriophorum polystachyum L
- ~~400~~ p Rhynchospora alba Vahl

- ~~437~~ p *Gentiana germanica* Willd
- ~~438~~ p — *verna* L
- 439 p *Swertia perennis* L

Dipsacaceae.

- 401 p *Cephalaria alpina* Schrad
- 402 b *Dipsacus fullonum* Mill
- 403 b — *laciniatus* L
- 404 b — *silvestris* Mill
- ~~405~~ p *Knautia arvensis* Coult
- 406 a *Scabiosa atropurpurea* L
- 407 p — *caucasica* M. B
- ~~408~~ p — *ochroleuca* L
- 409 p — *stellata* L
- 410 p — *suaveolens* Desf.
- ~~411~~ p *Succisa pratensis* Mönch

Euphorbiaceae.

- ~~412~~ p *Euphorbia amygdaloides* L
- ~~413~~ a — *chamaesyce* L
- ~~414~~ p — *dulcis* L
- ~~415~~ p — *epithymoides* L
- ~~416~~ p — *fragifera* Jan
- 417 b — *lathyris* L
- 418 p — *Myrsinites* L
- ~~419~~ p — *palustris* L
- ~~420~~ p — *Paralias* L
- ~~421~~ p — *verrucosa* Lam
- ~~422~~ p — *villosa* W. et K
- ~~423~~ p — *Wulfeni* Hoppe
- 424 p — *Mercurialis perennis* L
- 425 a — *Ricinus communis* L

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
- ~~427~~ p *Corydalis cava* Wahlb
- ~~428~~ p — *lutea* DC
- ~~429~~ T p *Dicentra spectabilis* Borkh.
- 430 a *Fumaria officinalis* L
- ~~431~~ a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
- 433 p *Gentiana acaulis* L
- 434 p — *asclepiadea* L
- ~~435~~ p — *bavarica* L
- 436 p — *cruciata* L

Geraniaceae.

- 440 a *Erodium gruinum* L
- ~~441~~ p *Geranium argenteum* L
- ~~442~~ p — *macrorrhizum* L
- 443 p — *phaeum* L
- 444 p — *pratense* L
- 445 p — *sanguineum* L
- 446 p — *silvaticum* L

Globularieae.

- ~~447~~ p *Globularia cordifolia* L
- ~~448~~ p — *nudicaulis* L
- 449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
- 451 p — *canina* L
- 452 p *Aira caespitosa* L
- 453 a *Andropogon cernuus* Kth
- ~~454~~ p — *Gryllus* L
- ~~455~~ a — *balepensis* Brot
- ~~456~~ p — *Ischaamum* L
- 457 a — *Sorghum Brot niger* Körn
- 458 a — *saccharatus* Kth
- ~~459~~ a *Apera spica venti* P. B.
- 460 p *Anthoxantum odoratum* L
- 461 p *Arrhenatherum elatius* P. B.
- 462 p *Avena pubescens* Huds
- 463 a — *sativa* L
- 464 a — *sterilis* L
- 465 p *Bouteloua oligostachya* Torr
- ~~466~~ p *Brachypodium pinnatum* P. B.
- 467 p *Briza media* L
- 468 a *Bromus briziformis* Fisch et Mey
- 469 p — *erectus* Huds
- 470 p — *inermis* Leyss
- 471 a — *sterilis* L
- ~~472~~ p *Calamagrostis lanceolata* Roth
- ~~473~~ p *Catabrosa aquatica* P. B.
- 474 a *Cenchrus tribuloides* L
- 475 a *Coix lacryma Jobi* L
- 476 a *Crypsis aculeata* Ait
- 477 p *Cynodon dactylon* Pers
- 478 p *Cynosurus cristatus* L
- 479 a *Eleusine coracana* Gärtn
- ~~480~~ a — *indica* Gärtn
- 481 p *Elymus arenarius* L
- 482 a *Eragrostis abessinica* Link
- 483 p *Festuca pratensis* L
- 484 p — *rubra* L
- ~~485~~ p — *scoparia* Hackel v. *crinum ursi* Ram

- 486 p *Festuca sulcata* Hackel
- 487 p *Holcus lanatus* L
- 488 a *Hordeum distichum* L
- ~~489~~ a — *hexastichum* L
- 490 p — *jubatum* L
- ~~491~~ a — *zeocriton* L
- 492 a *Lagurus ovatus* L
- 493 p *Lolium multiflorum* Lam
- 494 p — *perenne* L
- 495 a — *temulentum* L
- 496 p *Melica altissima* L
- 497 a — *ciliata* L
- ~~498~~ p *Molinia coerulea* Moench
- ~~499~~ p *Nardus stricta* L
- 500 a *Panicum italicum* v. *german.*
- 501 a — *miliaceum* L [Lam
- 502 a — *sanguinale* L
- 503 a *Pennisetum villosum* R. Br
- ~~504~~ p *Phalaris arundinacea* L
- 505 a — *canariensis* L
- 506 p *Phleum pratense* L *nodosum*
- 507 p *Poa bulbosa* L *vivipara*
- ~~508~~ p — *sudetica* Hänke
- 509 p *Secale montanum* Guss
- ~~510~~ p *Sesleria coerulea* Scop
- ~~511~~ p — *auctumnalis* F. Schultz
- 512 p *Stipa calamagrostis* Link
- 513 p — *capillata* L
- 514 p — *pennata* L
- ~~515~~ p — *tenacissima* L
- 516 a — *tortilis* Desf.
- 517 a *Tragus racemosus* Desf.
- 518 p *Trisetum flavescens* Beauv
- 519 a *Triticum montanicum* L
- 520 a — (*Aegilo* *ovatum* Gren
- ~~521~~ a — — *ventricosum* Ces
- ~~522~~ a — *sativum* X *ovatum* A. G. = *Aegilops triticoides* Req
- 523 a — *spelta* L
- 524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
- 526 p *Hydrocharis morsus ranae* L
- ~~527~~ p *Potamogeton acutifolius* Link
- ~~528~~ p — *crispus* L
- ~~529~~ p — *pusillus* L

Hydrophyllaceae.

530 a Phacelia tanacetifolia Benth

Hypericaceae.

~~531~~ p Hypericum calycinum L
~~532~~ p — Coris L
533 p — montanum L
534 p — perforatum L

Irideae.

535 Tp Crocus sativus officinalis L
536 , Iris germanica L
537 , — graminea L
538 , — Pseudacorus L
539 , — pumila L
540 , — sibirica L
~~541~~ , — Xiphium L

Juncaceae.

~~542~~ p Juncus squarrosus L
~~543~~ p Luzula albida DC
544 p — silvatica Gaud

Labiatae.

~~545~~ b Ajuga chamaepitys Schreb
546 p — genevensis L
~~547~~ p — reptans L
548 p Ballota nigra L
549 p Betonica officinalis L
550 p Brunella grandiflora Jacq
551 p Calamintha acinos Clairv
~~552~~ p — alpina Lam
553 p — nepetoides Jord
554 p Clinopodium vulgare L
555 p Dracocephalum altaianse Lam
556 p — austriacum L
557 a — Moldavica L
558 a Galeopsis tetrahit L
~~559~~ a — ocbroleuca Lam
560 a — versicolor Curt
561 p Horminum pyrenaicum L
562 p Hyssopus officinalis L
563 p Lamium album L
~~564~~ p — Orvala L
565 a Lallelantia iberica Fisch. et
566 p Leonurus Cardiaca L [Mey
567 p Lycopus europaeus L
568 p Marrubium peregrinum L
569 p — vulgare L
570 p Melissa officinalis L
571 p Melittis melissophyllum L
~~572~~ p Mentha aquatica L
573 p — pulegium L
574 p — silvestris L
575 p Monarda digyma L
576 p — fistulosa L
577 p Nepeta cataria L
578 p — grandiflora M. B

579 p Nepeta macrantha Fisch.
580 a Ocimum Basilicum L
581 a Origanum Majorana L
582 p — vulgare L
583 p Phlomis tuberosa L
584 p Physostegia virginiana Benth
~~585~~ p Prasium majus L
586 p Salvia Aethiopsis L
~~587~~ b — argentea L
588 p — austriaca Jacq
~~589~~ p — azurea Lam
~~590~~ p — clandestina L
591 p — cleistogama de Bary
592 p — coccinea L
593 p — glutinosa L
~~594~~ p — grandiflora Etl
595 p — Horminum L
~~596~~ p? — nilotica Murr
597 p — officinalis L
598 p — pratensis L
599 p — silvestris L
600 p — splendens Sellow
601 p — verticillata L
602 a Satureja hortensis L
603 a — montana L
604 p Scutellaria galericulata L
~~605~~ p — macrantha Fisch
606 p Sideritis montana L
~~607~~ p Stachys alpina L
608 p — germanica L
609 p — recta L
610 Tp — Sieboldii Miq = affinis
Fres
611 p — silvatica L
612 a Teucrium Botrys L
613 p — Chamaedrys L
~~614~~ p — Euganeum Vis
~~615~~ p — flavum L
616 p — Scorodonia L

Liliaceae.

617 T Allium ampeloprasum L
618 T — ascalonicum L
619 T — fistulosum L
620 — flavum L
621 T — Porrum L
622 — sibiricum L
623 — Victorialis L
624 — vineale L
625 Asparagus officinalis L
~~626~~ Asphodelus albus Mill
~~627~~ — luteus L
628 T Colchicum autumnale L
629 T Convallaria majalis L
630 T Galtonia candicans Dec
631 T Lilium Martagon L
632 T — pardalinum Lindl
633 T — tigrinum L
634 T Leucojum vernum L

635 T Ornithogalum umbellatum L
636 Paradisia Liliastrum Bert
637 Paris quadrifolia L
638 Polygonatum multiflorum All
639 — officinale All
~~640~~ Streptopus amplexifolius De
641 Veratrum nigrum L

Lineae.

~~642~~ p Linum alpinum L
643 p — flavum L
644 p — perenne L
~~645~~ p — tenuifolium L
646 a — usitatissimum L
~~647~~ p — viscosum L

Loasaceae, Datisceae.

648 a Blumenbachia Hieronymi Urb
~~649~~ a Cajophora lateritia Presl
~~650~~ a Datisca cannabina L
651 a Loasa lateritia Gill

Malvaceae.

652 a Abutilon Avicennae Gärtn
653 p Althaea cannabina L
654 p — officinalis L
655 b — rosea L atropurp.
~~656~~ a Hibiscus esculentus L
657 a — palustris L
658 a — Trionum L
659 p Kitaibelia vitifolia Willd
~~660~~ p Lavatera thuringiaca L
661 p Malva Alcea L
662 a — crispa L
~~663~~ p — moschata L
664 a — rotundifolia L
665 b — silvestris L

Oenotherae, Lythraceae.

~~666~~ p Circaea lutetiana L
667 a Clarkia elegans Dougl
668 a Cuphea viscosissima Jacq
669 p Epilobium augustifolium L
670 p — Dodonaei Vill
671 p — hirsutum L
~~672~~ p — roseum Schreb
673 p Lythrum Salicaria L
674 b Oenothera biennis L
675 p — fruticosa L
~~676~~ p — missouriensis Sims
~~677~~ p — pumila L
~~678~~ p — taraxacifolia Sweet

Oxalideae.

- 679 T p Oxalis Acetosella L
- ~~680~~ T p — caprina L
- 681 T p — corniculata
- 682 T p — tetraphylla Cav
- ~~683~~ T p — valdiviensis Barn.
- ~~684~~ T p — vespertilionis Zucc

Papaveraceae.

- ~~685~~ a Argemone grandiflora Sw
- 686 a — mexicana L
- 687 p Chelidonium majus L f. laciniata
- 688 a Eschscholtzia californica Cham
- 689 a Glaucium corniculatum Curt
- 690 a — flavum Crantz
- ~~691~~ a Hypecoum procumbens L
- ~~692~~ p Macleya cordata R. Br.
- ~~693~~ p Meconopsis cambrica L
- ~~694~~ p — nepalensis DC
- ~~695~~ p Papaver alpinum L fl. alb.
- 696 p — — nudicaule L
- 697 a — argemone L
- ~~698~~ p — caucasicum M. B
- 699 p — orientale L
- 700 a — Rhoëas L
- 701 a — somniferum L
- ~~702~~ p Sanguinaria canadensis L

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
- 704 p — vulneraria L
- 705 p Astragalus baeticus L
- 706 p — Cicer L
- ~~707~~ p — danicus Retz
- 708 p — glycyphyllos L
- ~~709~~ a Biserrula Pelecinus L
- ~~710~~ p Colophaca wolgarica Fisch
- 711 p Caragana arborescens Lam
- 712 a Cicer arietinum L
- 713 p Colutea arborescens L
- ~~714~~ p Coronilla Emerus L
- ~~715~~ p — scorpioides Koch
- 716 p — varia L
- 717 p Cytisus Laburnum L
- ~~718~~ p — leucanthus W. K.
- 719 p — nigricans L
- ~~720~~ p — purpureus Scop
- 721 p — ratisbonensis Schaff
- 722 a Dolichos Lablab L
- ~~723~~ p Doryenium suffruticosum Jord
- 724 p Galega officinalis L
- ~~725~~ p Genista germanica L
- ~~726~~ p — radiata Scop
- ~~727~~ p — sagittalis L
- 728 p — tinctoria L
- 729 p Glycyrrhiza echinata L
- 730 p — glabra L
- 731 p Hedysarum obscurum L
- ~~732~~ p Hippocrepis comosa L
- 733 p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
- ~~735~~ p — montanus Bernh
- ~~736~~ a — Nissolia L
- 737 a — odoratus L
- 738 p — silvester L
- 739 p — tuberosus L
- 740 p — vernus Bernh
- 741 a Le. s esculenta Moench
- 742 p Lotus corniculatus L
- 743 a Lupinus angustifolius L
- ~~744~~ a — luteus L
- 745 p — perennis L
- 746 p — polyphyllus Lindl
- ~~747~~ a Medicago Ech'nus DC
- 748 p — falcata L
- ~~749~~ p — falcata × sativa =
media Pers
- 750 a — minima Desr
- 751 p — sativa L
- 752 a — turbinata Willd
- 753 b Melilotus officinalis Desr
- 754 p Onobrychis sativa Lam
- 755 p Ononis spinosa L
- 756 a Ornithopus sativus Brot
- 757 a Phaseolus multiflorus Willd
- ~~758~~ a Pisum arvense L
- 759 p Sarothamnus scoparius Koch
- 760 a Scorpiurus vermiculatus L
- 761 a Soja hispida Moench
- 762 p Spartium junceum L
- 763 p Tetragnolobus siliquosus L
- ~~764~~ a Trifolium arvense L
- ~~765~~ b — p Trifolium aureum Poll
- 766 p Trifolium badium Schreb.
- ~~767~~ p — fragnerum L
- 768 p — hybridum L
- 769 b — incarnatum L
- ~~770~~ p — medium L
- ~~771~~ a — minus Sm
- 772 p — montanum L
- 773 p — ochroleucum L
- ~~774~~ p — repens L
- 775 p — rubens L
- 776 b — p — spadiceum L
- 777 p — stellatum L
- 778 p — subterraneum L
- 779 a Trigonella coerulea Ser
- 780 a — foenum graecum L
- ~~781~~ p Ulex europaeus L
- 782 a Vicia Faba L
- ~~783~~ a — lutea L
- 784 a — narbonensis L
- ~~785~~ p — sepium L
- ~~786~~ a Vigna sinensis

Plantagineae.

- 787 p Plantago alpina L
- 788 p — lanceolata L
- 789 p — maritima L
- 790 a — Psyllium L

Plumbagineae.

- 791 p Armeria alpina Willd
- 792 p — vulgaris Willd
- 793 p Plumbago europaea L
- 794 p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
- ~~796~~ a Collomia coccinea Lehm
- 797 a — grandiflora Dougl
- ~~798~~ p Phlox paniculata L
- 799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
- ~~801~~ p Polygonum amphibium L
- ~~802~~ p — baldschuanicum Regl
- 803 p — Bistorta L
- 804 a — Convolvulus L
- ~~805~~ p — cuspidatum L. et Z.
- ~~806~~ a — hydropiper L
- ~~807~~ p — sachalinense Schmidt
- ~~808~~ a — tinctum Ait
- ~~809~~ a — virginianum L
- 810 p — viviparum L
- 811 p Rheum officinale L
- ~~812~~ p — palmatum L
- 813 p — Rhaponticum L
- 814 p Rumex Acetosa L
- 815 p — alpinus L
- 816 p — crispus L
- 817 p — Hydrolapathum Huds
- 818 p — maximus Schreb
- 819 p — Patientia L
- ~~820~~ p — sanguineus L
- 821 p — scutatus L

Primulaceae.

- ~~822~~ a Anagallis arvensis L
- 823 a — coerulea Schreb
- ~~824~~ p — grandiflora Andr
- 825 p Androsace lactea L
- 826 b — maxima L
- 827 p — sarmentosa Wall
(stolones)
- 828 p Cortusa Matthioli L
- 829 p Lysimachia nummularia L
- 830 p — punctata L
- ~~831~~ p Naumburgia thyrsiflora Rehb

- 832 p *Primula acaulis* Jacq
- ~~833~~ p — *auricula* L
- ~~834~~ p — *cortusoides* L
- ~~835~~ p — *hirsuta* All
- ~~836~~ p — *minima* L
- 837 p — *officinalis* L

Ranunculaceae.

- ~~838~~ p *Aconitum Lycoctonum* L
- 839 p — *Napellus* L
- 840 p *Actaea spicata* L
- 841 a *Adonis aestivalis* L
- 842 p — *vernalis* L
- ~~843~~ p *Anemone alpina* L
- 844 p — *grandis* Wend
- ~~845~~ p — *japonica* Sieb
- 846 p — *narcissiflora* L
- 847 p — *nigricans* Fritsch
- 848 p — *pulsatilla* L
- ~~849~~ p — *ranunculoides* L
- 850 p — *silvestris* L
- ~~851~~ p — *vernalis* L
- 852 p *Aquilegia atroviolacea* Lall
- 853 p — *vulgaris* L
- 854 p *Atragene alpina* L
- 855 p *Caltha palustris* L
- 856 p *Clematis recta* L
- ~~857~~ p — *viticella* L
- 858 p *Delphinium caucasicum* C. A. M.
- 859 a — *Consolida* L
- 860 p — *elatum* Willd
- 861 p — *Staphysagria* L
- ~~862~~ p *Eranthis hiemalis* L
- ~~863~~ p *Helleborus foetidus* L
- 864 p — *niger* L
- 865 p — *viridis* L
- 866 p *Isopyrum thalictroides* L
- 867 a *Myosurus minimus* L
- 868 p *Nigella damascena* L
- 869 p — *sativa* L
- ~~870~~ p *Paeonia peregrina* Mill
- 871 p *Ranunculus acer* L
- 872 a — *arvensis* L
- 873 p — *auricomus* L
- 874 p — *Ficaria* L
- ~~875~~ p — *gramineus* L
- 876 p — *lanuginosus* L
- ~~877~~ p — *lingua* L
- 878 p — *platanifolius* L
- 879 p — *polyanthemus* L
- ~~880~~ p — *sardous* Crantz
- ~~881~~ a — *secleratus* L
- 882 p *Thalictrum angustifolium* L
- 883 p — *aquilegifolium* L
- ~~884~~ p — *flavum* L
- 885 p — *minus* L
- 886 p *Trollius europaeus* L
- 887 p — *Ledebourii* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
- 889 a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
- 891 p *Alchemilla alpina* L
- 892 p — *vulgaris* L
- 893 p *Amelanchier vulgaris* Mönch
- ~~894~~ p *Aruncus silvester* Kostel
- ~~895~~ p *Comarum palustre* L
- 896 p *Crataegus coccinea* L
- 897 p *Cydonia japonica* Pers
- 898 p *Dryas octopetala* L
- ~~899~~ p *Eriobotrya japonica* Lindl
- 900 p *Fragaria elatior* Ehrh
- 901 p *Geum album* Gm
- 902 p — *montanum* L
- 903 p — *intermedium* Ehrh
- 904 p — *rivale* L
- 905 p — *urbanum* L
- 906 p *Pirus baccata* L
- 907 p *Potentilla alba* L
- 908 p — *anserina* L
- 909 p — *argentea* L
- 910 p — *atrosanguinea* Lodd
- 911 p — *aurea* L
- ~~912~~ p — *caulescens* L
- ~~913~~ p — *Clusiana* L
- ~~914~~ p — *pennsylvanica* L
- *sanguisorbifolia* A. G
- 915 p — *rupestris* L
- ~~916~~ p *Poterium Sanguisorba* L
- 917 p *Sanguisorba minor* Scop
- 918 p — *officinalis* L
- 919 p *Sorbus Aria* Ehrh
- ~~920~~ p — *Aucuparia v. dulcis* A. G.
- 921 p — *torminalis* Crantz
- 922 p *Spiraea Filipendula* L
- 923 p — *Ulmaria* L

Rublaceae

- ~~924~~ p *Asperula cynanchica* L
- 925 p — *odorata* L
- 926 p — *tinctoria* L
- ~~927~~ a *Crucianella stylosa* Trin
- 928 a *Galium Aparine* L
- 929 p — *boreale* L
- 930 p — *cruciata* Scop
- 931 a — *tricornis* With
- 932 p — *verum* L
- 933 p *Rubia tinctorum* L
- 934 a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
- 936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
- 938 p *Mitella pentandra* Hook
- ~~939~~ p *Parnassia palustris* L
- ~~940~~ p *Ribes alpinum* L
- ~~941~~ p — *sanguineum* Pursh
- 942 p *Saxifraga aizoon* L
- 943 p — *Cotyledon* L
- ~~944~~ T p — *granulata* L
- 945 p — *rotundifolia* L

Scrophulariaceae, Bignon., Martyn.,
Pedaliaceae, Orobanchaeae.

- 946 a *Alonzoa Warszewiczii* Regl
- 947 a *Antirrhinum majus* L
- 948 p — *Orontium* L
- 949 a *Calceolaria scabiosaefolia* Sims
- 950 p *Celsia betonicifolia* Desf
- ~~951~~ a *Collinsia bicolor* Benth
- 952 p *Digitalis ambigua* Murr
- 953 p — *ferruginea* L
- 954 b-p — *lanata* Ehrh
- 955 b-p — *lutea* L
- 956 b — *purpurea* L
- 957 a *Hebenstreitia dentata*
- 958 p *Incarvillea Delavayi* Franch
- ~~959~~ a *Linaria alpina* Mill
- 960 p — *cymbalaria* Mill
- ~~961~~ p — *dalmatica* Mill
- 962 p — *genistifolia* Mill
- ~~963~~ a — *spuria* Mill
- 964 p — *vulgaris* Moench
- 965 p *Lophospermum scandens* Don
- ~~966~~ a *Martynia proboscidea* L
- 967 b-p *Maurandia Barclayana* Lindl
- 968 a *Mimulus luteus* L
- 969 a *Nycterinia capensis* Benth
- 970 p *Pentstemon coeruleus* Nutt
- ~~971~~ p — *gentianoides* Lindl
- ~~972~~ p — *glaucus* Grah

- 973 a *Salpiglossis sinuata* R. P.
- 974 a *Schizantus pinnatus* R. P.
- 975 p *Scrophularia nodosa* L
- ~~976~~ a *Torenia Fournieri* Linden
- 977 b *Verbascum Blattaria*
- 978 p — *nigrum* L
- ~~979~~ b — *Olympicum* Boiss
- ~~980~~ b — *phlomoides* L
- 981 b — *phoeniceum* L
- ~~982~~ b — *speciosum* Schrad
- ~~983~~ p *Veronica aphylla* L
- ~~984~~ p — *Beccabunga* L
- ~~985~~ p — *caucasica* Bieb
- ~~986~~ p — *chamaedrys* L
- 987 p — *crassifolia* Wierzb
- ~~988~~ p — *fruticulosa* L
- 989 p — *gentianoides* Vahl
- ~~990~~ a — *hederaefolia* L
- 991 p — *longifolia* L
- ~~992~~ p — *lutea* Wettst.
- ~~993~~ p — *maritima* L
- 994 p — *officinalis* L
- ~~995~~ p — *satureioides* Vis
- ~~996~~ p — *saxatilis* Scop
- ~~997~~ p — *Teucrium* L
- ~~998~~ p — *urticifolia* L

Solaneae.

- 999 p *Atropa Belladonna* L
- 1000 a *Capsicum annuum* L
- 1001 a — *baccatum* L
- 1002 a *Datura Metel* L
- 1003 a — *Stramonium* L
- 1004 a — — *var Tatula* L
- 1005 a *Hyoscyamus niger* L
- 1006 a *Nicandra physaloides* Gaertn
- 1007 a *Nicotiana affinis* Moore
- 1008 a — *rustica* L
- ~~1009~~ a — *silvestris* Speg
- 1010 a — *Tabacum* L
- 1011 p *Physalis Alkekengi* L
- 1012 a — *peruviana* L
- 1013 p *Solanum Dulcamara* L
- 1014 a — *guineense* Lam
- 1015 a — *Melongena* L

E. Tuma
Obmann.

- 1016 a *Solanum nigrum* L
- 1017 a — *rostratum* Dunal

Thymeleae.

- 1018 p *Daphne Laureola* L
- ~~1019~~ p — *Mezereum* L
- ~~1020~~ p *Hippophaë rhamnoides* L
- ~~1021~~ a *Passerina annua* (L)

Umbelliferae.

- 1022 a *Aethusa Cynapium* L
- 1023 p *Angelica silvestris* L
- 1024 a *Anthriscus Cerefolium* Hoffm
- 1025 p *Archangelica officinalis* Hoffm
- 1026 p *Astrantia major* L
- 1027 p *Athamanta cretensis* L
- ~~1028~~ p *Bupleurum falcatum* L
- ~~1029~~ p — *ranunculoides* L
- 1030 a — *rotundifolium* L
- ~~1031~~ b *Carum Bulbocastantum* L
- 1032 b — *carvi* L
- 1033 p *Chaerophyllum aromaticum* L
- 1034 p — *hirsutum* Koch
- 1035 b — *temulum* L
- 1036 p *Cicuta virosa*
- 1037 b *Conium maculatum* L
- 1038 a *Coriandrum sativum* L
- ~~1039~~ p *Eryngium alpinum*
- 1040 p — *Bourgati* Gonan

- 1041 p — *campestre* L
- ~~1042~~ p — *giganteum* M. B
- 1043 p — *planum* L
- 1044 b *Falcaria vulgaris* Bernh
- 1045 a *Foeniculum officinale* L
- ~~1046~~ Tp *Hacquetia Epipactis* De
- 1047 p *Heracleum giganteum* Hort
- 1048 p *Imperatoria Ostruthium* L
- ~~1049~~ p *Laserpitium latifolium* L
- 1050 p *Levisticum officinale* Koch
- 1051 p *Libanotis montana* Crantz
- 1052 p *Meum albamanticum* Jacq
- 1053 p — *Mutellina* Gaertn
- ~~1054~~ a *Orlaya grandiflora* Hoffm
- ~~1055~~ p *Peucedanum alsaticum* L
- 1056 p — *Cervaria* Lap
- ~~1057~~ p — *Oreoselinum* Moench
- 1058 a *Pimpinella Anisum* L
- 1059 p — *magna* L
- ~~1060~~ p *Pleurospermum austriacum*
Hoffm

- 1061 p *Sanicula europaea* L
- 1062 p *Scandix pecten Veneris* L
- 1063 p *Selinum Carvifolia* L
- 1064 p *Silaus pratensis* Bess
- ~~1065~~ p *Siler trilobum* Crantz
- 1066 p *Sium Sisarum* L
- ~~1067~~ b *Torilis Anthriscus* Gm
- 1068 b *Trinia vulgaris* DC

Urticaceae.

- 1069 a *Cannabis sativa* L
- ~~1070~~ *Laportea canadensis* Gaud
- 1071 p *Parietaria officinalis* L
- 1072 p *Urtica cannabina* L
- 1073 a — *pilulifera* L

Valerianeae.

- 1074 p *Centranthus ruber* DC
- 1075 p *Valeriana officinalis* L
- 1076 a *Valerianella olitoria* Moench

Verbenaceae.

- 1077 p *Verbena officinalis* L

Violaceae.

- 1078 p *Viola biflora* L
- ~~1079~~ p — *lutea* Sm sudetica Koch
- ~~1080~~ p — *mirabilis* L
- ~~1081~~ p — *Riviniana* Rehb

Zygophylleae.

- 1082 a *Tribulus terrestris* L

Prof. L. Frank
Gartendirektor.

Handwritten notes:
K... Jan 16 1911

Ergänzungs-Liste für

<p>Acanthaceae. Thunbergia alata Bojer</p> <p>Amarantaceae. Gomphrena globosa L</p> <p>Amaryllideae. Amaryllis formosissima L</p> <p>Bignoniaceae. Eccremocarpus scaber R. et. P. Incarvillea grandiflora Spr.</p> <p>Campanulaceae. Campanula alliariifolia Willd " medium L " rotundifolia Phyteuma Scheuchzeri All Symphyandra Hofmanni Pant.</p> <p>Caryophylleae. Cerastium lanatum Lam. Lychnis coeli rosa Desv. Silene armeria L " cucupula L " viscosa Pers</p> <p>Chenopodiaceae. Atriplex tartaricum L Chenopodium botrys L Kochia arenaria Roth Salsola Kali L</p> <p>Compositae. Achillea macrophylla L " setacea W. et. K. Anacyclus pyrethrum DC Bellidiastrum Michellii Cass Crepis paludosa Mönch " Jacquini Tsch " grandiflora Tsch " biennis L Carduus defloratus L Catananche coerulea L Centaurea jacea L " pseudophrygia Mey Cnicus benedictus L Cosmos bipinatus Cav Eupatorium aromaticum L Filago arvensis L Helichrysum arenarium DC Hieracium bupleuroides Gmel " glaucum All " glabratum</p>	<p>Hieracium humile Jacq " murorum L " saxatile Jacq " setigerum Fsch</p> <p>Crassulaceae. Sedum dasyphyllum L</p> <p>Cruciferae. Aethionema saxatile R. Br. Camelina microcarpa Andr. Draba affinis Host Lepidium Draba L Malcolmia maritima R. Br. Rhaphanus Rhaphanistrum L Sisymbrium Sophia L Thlaspi ceratocarpum Murr</p> <p>Cucurbitaceae. Cucurbita Pepo L " verrucosa L Luffa acutangula Ser</p> <p>Cuscutaceae. Cuscuta epilinum Weih</p> <p>Cyperaceae. Carex atrata L " hordeistichos Vill Scirpus maritimus L</p> <p>Dipsaceae. Cephalaria pilosa Gren Scabiosa graminifolia L</p> <p>Gentianeae. Gentiana Pneumonanthe L</p> <p>Geraniaceae. Erodium cicutarium L'Herit Geranium dissectum L</p> <p>Gramineae. Avena versicolor Vill Bromus mollis L " patulus M. u. K. " tectorum L Festuca vaginata W. u. K. Corynephorus canescens P. B. Eragrostis major Host Koeleria cristata Pers Phleum alpinum L Poa alpina L " pratensis L Zizania aquatica L</p>	<p>Irideae. Gladiolus communis L " imbricatus L Iris spuria L Sisyrinchium Bermudianum Tournef</p> <p>Juncaceae. Luzula campestris DC. " multiflora Dsf.</p> <p>Labiatae. Molucella laevis L Thymus angustifolius Pers</p> <p>Liliaceae. Anthericum Liliago L Allium montanum Schmidt Bowiea volubilis Harvey Eremurus robustus Rgl " turkestanicus Rgl Fritillaria Meleagris L Muscari comosum Mill Ornithogalum nutans L Polygonatum verticillatum All Veratrum album L.</p> <p>Lineae. Linum austriacum L " grandiflorum Desf.</p> <p>Malvaceae. Anoda hastata Cav Lavatera trimestris L</p> <p>Oenotherae. Lythrum virgatum L Lopezia coronata Andr</p> <p>Papilionaceae. Astragalus echinatus " falcatus Lam Medicago hispida macrocarpa " scorpioides</p> <p>Plantagineae. Plantago arenaria W. u. K " argentea Chaix " coronopus L</p> <p>Plumbagineae. Acantholimon glumaceum Bois Statice serbica Nym</p>
---	---	--

Polemoniaceae.

Phlox Drummondii Hook

Primulaceae.

Androsace Laggeri Huet
" chamaejasme Hst
Primula elatior Jacq
" pannonica Kern
" rosea Royle
Samolus Valerandi L.

Ranunculaceae.

Anemone hortensis L
Ranunculus Steveni Andr

Rosaceae.

Dryas Drummondii Rich
Potentilla minima Schleich
" nivea L

Potentilla pulcherrima Lehm.
" villosa Pall
Sibbaldia cuneata Hornem

Saxifragineae.

Bergenia cordifolia A. Br.
" crassifolia Engl
Saxifraga crustata Vest
" cuneifolia L
" moschata Wulf
" Rocheliana Sternb
" sancta Grsb
" umbrosa L

Scrophularineae.

Erinus alpinus L
Gratiola officinalis L
Linaria macrocana hort
" minor Desf
Scrophularia vernalis L

Veronica latifolia L
" spicata L

Solaneae.

Scopolia carniolica Jaquin
Solanum Lycopersicum L

Tropaeolaceae.

Tropaeolum majus L
" peregrinum

Umbelliferae.

Anethum graveolens L
Bupleurum longifolium L
Daucus Carota L
Seseli annuum L
" glaucum Mch

Valerianeae.

Valeriana montana L

Generalliste

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Seminibus non praesentibus numerus deletus est. — Die gestrichenen Nummern bedeuten, daß die betreffenden Samen nicht abgegeben werden können.

Communicationem desideratorum ante Kalendas Febr. rogamus.

Wir bitten um Bekanntgabe der gewünschten Samen bis 1. März.

T = tubera, bulbi, etc. (Bulbs), a = plantae annuae, b = pl. biennes, p = pl. perennes vel lignosae.

Aizoac., Basellac., Nyctag., Phytolacc., Portulacc. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobanch. vide **Scrophul.** — Datisac. vide **Loasaceae** — Lythrac. vide **Oenother.**

<p>Amarantaceae, Aizoac. Nyctag., Phytol., Portulac.</p> <p>1 a Amarantus atropurpureus Roxb. 2 a — caudatus L 3 a — paniculatus f. sanguinea L 4 a Basella rubra L 5 a Bassella gambusia basenoides Rth. 287 a Celosia cristata L 7 a Claytonia perfoliata Donn 8 a Euxolus oleraceus Raf. 9 a Mesembryanthemum cristallinum L 10 p Mirabilis Jalapa L 11 p Phytolacca decandra L 12 p — esculenta v. Hout. 13 a Portulaca oleracea L 14 a — grandiflora Hook 15 a Tetragonia expansa Murr</p> <hr/> <p>Aroideae.</p> <p>16 Tp Amorphophallus Rivieri Dur 17 Tp Arum maculatum L 18 Tp Richardia albomaculata Hook 19 Tp Sauromatum guttatum Schott</p> <hr/> <p>Asclepiadeae.</p> <p>20 p Asclepias syriaca L 21 p Cynanchum Vincetoxicum R. Br.</p>	<p>Balsamineae.</p> <p>22 a Impatiens glanduligera Lindl 23 a — noli tangere L 24 a — parviflora DC Impatiens tricornis L.</p> <hr/> <p>Campanulaceae.</p> <p>43 p Adenophora liliifolia Ledeb 44 p Campanula barbata L 45 p — carpatica Jacq. 46 p — cervicaria L 47 p — glomerata L 48 p — latifolia L</p> <hr/> <p>Cerinthaceae.</p> <p>25 b Alkanna tinctoria Tsch. 26 b—p Anchusa officinalis L 27 p Arnebia echioides A. DC 28 a Asperugo procumbens L 29 a Borago officinalis L 30 p Cerithe alpina Kit. 31 a — minor L 32 b Cynoglossum officinale L 33 b Echinospermum lappula Lehm 34 b Echium vulgare L 35 p Lithospermum officinale L 36 p — purpureo coeruleum L 37 b Myosotis alpestris Schmidt 38 p Nonnea pulla DC 39 p Pulmonaria obscura Dum 40 p — virginica L 41 p Symphytum caucasicum M. B. 42 p — tuberosum L Cerithe majer L. Lycopsis arvensis L.</p>	<p>49 p Campanula persicifolia L 50 p — Portenschlagiana R.S. 51 p — pulla L 52 p — pusilla Hänke 53 p — pyramidalis L 54 p — rapunculoides L 55 p — sarmatica Ker 56 p — Schrenkieri Vill 57 p — sibirica L 58 p — spicata L 59 p — thyrsoidea L 60 p — Trachelium L 61 p — turbinata Schott 62 p Edraianthus tenuifolius DC fil. 63 b Jasione montana L 64 p — perennis Lam 65 b Michauxia campanuloides L'Her 66 p Phyteuma hemisphaericum L 67 p — nigrum Schmidt 68 p — orbiculare L 69 p — spicatum L 70 p Platycodon grandiflorus DC Mariesii 71 a Specularia speculum DC Campanula rapunculus L. Campanula patula L.</p> <hr/> <p>p Caprifoliaceae.</p> <p>72 Lonicera Caprifolium L 73 — Xylosteum L 74 Sambucus Ebulus L 75 — racemosa L</p>
---	--	--

210

Caryophyllaeae.

- 76 a Agrostemma Githago L
- 77 p Alsine juniperina Wahlenb.
- ~~78~~ p — verna Bartl
- 79 p Arenaria ciliata L
- 80 p — grandiflora All
- 81 a Cerastium arvense L
- ~~82~~ p Cucubalus baccifer L
- ~~83~~ p Dianthus alpinus L
- 84 p — Armeria L
- 85 p — barbatus L
- 86 p — caesius Sm.
- 87 p — carthusianorum L
- ~~88~~ p — deltoides L
- 89 p — plumarius L
- ~~90~~ p — speciosus Rehb.
- ~~91~~ p — superbus L
- ~~92~~ p Drypis spinosa L
- ~~93~~ a Gypsophila muralis L
- 94 p — paniculata L
- 95 p — repens L fl. alb.
et ros.
- 96 p Heliosperma alpestre (Jacq.)
- 97 p — quadrifidum (L)
- 98 p Lychnis alpina L
- 99 b — coronaria Lam
- 100 p — flos cuculi L
- 101 p — flos Jovis Lam
- ~~102~~ p Malachium aquaticum L
- 103 b Melandrium album Garcke
- 104 p — rubrum Garcke
- ~~105~~ p Moehringia muscosa L
- 106 p Saponaria ocymoides L
- 107 p — officinalis L
- ~~108~~ p Silene acaulis L
- 109 a — gallica L
- 110 p? — nemoralis W. et K.
- 111 p — nutans L
- 112 p — Otites Sm.
- ~~113~~ p — pumilio
- 114 p — saxifraga L
- 115 p — vulgaris Garcke
- 116 a Spergula arvensis L
- 117 p Stellaria holostea L
- 118 p Tunica saxifraga Scop.
- 119 a Vaccaria parviflora Mönch
- 120 p Viscaria vulgaris Röhl

Arenaria serpyllifolia L.
Cerastium chloraefolium Fisch.
 et Mey.

Dianthus chinensis L.

Chenopodiaceae.

- 121 a Atriplex hortensis L
- 122 a — nitens Schk.
- 123 b Beta maritima L
- 124 b — vulgaris Cicla L
- 125 b — — rapa altissima L
- 126 b — — rubra L
- 127 a Chenopodium album L
- 128 a — ambrosioides L
- 129 p — Bonus Henricus L
- 130 a — capitatum Asch
- 131 a — ficifolium Sm.
- 132 a — foliosum Mönch

- 133 a Chenopodium Quinoa Willd
- 134 a Kochia scoparia Schrad
- 135 b Spinacia oleracea L

Atriplex tataricum L.

Kochia arenaria Steud.

Kochia trichophylla Stapf.

Cistaceae.

- 136 p Helianthemum polifolium Koch
- 137 p — vulgare Gärtn

Helianthemum alatum Rehb.

Compositae.

- ~~138~~ p Achillea ageratifolia Hook
- ~~139~~ p — argentea Vis
- ~~140~~ p — Clavennae L
- ~~141~~ p — Clusiana Tsch
- ~~142~~ p — Millefolium L f. sude-
tica Opiz
- 143 p — nobilis L
- ~~144~~ p — paannonica Scheele
- 145 p — Ptarmica L
- 146 p — tanacetifolia All.
- 147 p Achyrophorus maculatus Scop.
- 148 p — uniflorus Bl. et
Fing

- 149 p Alfredia cernua Cass.
- 150 a Ambrosia trifida L
- 151 a Anacyclus officinarum Hayne
- ~~152~~ p Antennaria dioica L
- 153 p Anthemis nobilis L
- 154 p — tinctoria L
- 155 p Arnica montana L
- 156 p Aronicum scorpioides Koch
- 157 p Artemisia Absinthium L
- ~~158~~ p — Dracunculus L
- ~~159~~ p — maritima L
- ~~160~~ p — Mutellina L
- ~~161~~ p — spicata Wulf

- 162 p Aster alpinus L
- 163 p — Amellus L
- 164 p — Tripolium L
- 165 a Bidens andicola hort
- 166 a — bipinnata L
- 167 a — cernua L
- 168 a — leucantha Willd
- 169 a — tripartita L
- 170 p Bupthalmum salicifolium L
- 171 p Cacalia suaveolens L
- 172 a Calendula officinalis L
- 173 b Carduus nutans L
- ~~174~~ p Carlina acaulis L
- 175 a Carthamus tinctorius L
- 176 b Contaurea Calcitrapa L
- 177 a — cyanus L
- 178 p — macrocephala M. B
- 179 p — montana L
- 180 p — rhenana Bor
- 181 p — Scabiosa L
- 182 a — solstitialis L
- 183 a — suaveolens Willd
- 184 p Chamaepeuce diacantha DC

- 185 p Chondrilla juncea L
- 186 p Chrysanthemum cinerariifol.
Boec
- 187 a Chrysanthemum segetum L
- 188 a Cichorium Endivia L
- 189 p — Intybus L
- ~~190~~ p Cirsium acaule All
- 191 p — canum M. B.
- ~~192~~ p — eriophorum Scop
- 193 p — erisithales Scop
- 194 p — ferox DC
- 195 p — heterophyllum All
- 196 p — oleraceum Scop
- ~~197~~ p — spinosissimum Scop
- 198 a Coreopsis tinctoria Nutt
- 199 p Crepis aurea Cass
- 200 p — blattarioides Vill
- ~~201~~ p — praemorsa Tsch
- 202 a Crupina vulgaris Cass
- 203 b Cynara Scolymus L
- 204 a Dimorphoteca pluvialis Mönch
- 205 p Doronicum austriacum Jacq
- 206 p — caucasicum M. B.
- ~~207~~ p — Halleri Tsch
- 208 p Echinops Ritro L
- 209 p — sphaerocephalus L
- ~~210~~ p Erechites hieracifolia Raf
- ~~211~~ p Erigeron aurantiacus Rgl
- 212 a — canadensis L
- ~~213~~ p — uniflorus L
- 214 p Eupatorium cannabinum L
- ~~215~~ p Gaillardia aristata Pursh
- ~~216~~ p — — var grandiflora
- 217 a Galinsoga parviflora Cav
- 218 p Gnaphalium norvegicum Gu
- ~~219~~ a — silvaticum L
- 220 p Grindelia squarrosa Dunal
- 221 a Guizotia oleifera DC
- 222 a Helianthus annuus L
- 223 T p — tuberosus L
- 224 a Helichrysum angustifolium DC
- 225 a Helminthia echioides Gärt
- 226 p Hieracium alpinum L
- 227 p — aurantiacum L
- 228 p — intybaceum Jacq
- 229 p — magyricum N. P.
- 230 p — pilosella L
- 231 p — sabaudum L
- ~~232~~ p — staticifolium Vill
- 233 p — umbellatum L
- 234 p — villosum L
- 235 p Inula Helenium L
- 236 p — hirta L
- 237 p — salicina L
- ~~238~~ p Kentrophyllum lanatum DC
- 239 a Lactuca angustana All
- 240 p — perennis L
- 241 a — scariola L
- 242 b — virosa L
- 243 a Lampsana communis L
- ~~244~~ b Lappa tomentosa Lam
- 245 p Leontopodium alpinum Cass
- 246 p Ligularia sibirica Cass
- 247 a Madia sativa Mol
- 248 a Matricaria chamomilla L
- 249 p Mulgedium alpinum Cass

- 250 b Onopordon Acanthium L
- 251 b — illyricum L
- ~~252~~ p Petasites niveus Bmg.
- 253 p — officinalis Mönch
- ~~254~~ p Picris hieracioides L
- 255 p Podospermum Jacquinianum
- 256 p Prenanthes purpurea L [Koch
- 257 p Pulicaria dysenterica Gaert
- 258 p Pyrethrum caucasicum Willd
- 259 p — Parthenium Sm
- 260 p — roseum Bieb
- 261 p Rudbeckia laciniata L
- ~~262~~ p — purpurea L
- 263 a Sanvitalia procumbens L
- 264 a Scolymus hispanicus L
- 265 p Scorzonera hispanica L
- ~~266~~ p — humilis L
- ~~267~~ p — purpurea L
- 268 p Senecio abrotanifolius L
- 269 p — Fuchsii Gm
- ~~270~~ p — sudeticus DC
- 271 p Serratula tinctoria L
- 272 p Silphium laciniatum L
- ~~273~~ p — perfoliatum L
- 274 a Silybum Marianum Gärt.
- 275 p Solidago canadensis L
- 276 p — virga aurea L
- ~~277~~ a Spilanthes oleracea Jacq
- 278 a Tagetes patula L
- 279 p Tanacetum Balsamita L
- 280 p — corymbosum Schultz
- 281 p — vulgare L
- 282 b Tragopogon porrifolius L

- 283 b — pratensis v. orientalis L
- 284 a Xanthium italicum Mor
- 285 a — spinosum L
- 286 a — Strumarium L
- 287 a Xeranthemum annuum L
- 288 a Zinnia elegans Jacq

Convolvulaceae.

- 289 a Convolvulus Scammonia L
- ~~290~~ p — sepium L
- 291 a Cuscuta europaea L
- ~~292~~ p Exogonium purga Wend
- ~~293~~ p Ipomoea Batatas Lam
- 294 a — purpurea Lam
- 295 a Quamoclit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
- 297 p — reflexum L
- ~~298~~ p — villosum L
- 299 p Sempervivum arachnoideum L
- 300 — hirtum L
- 301 — montanum L
- 302 — tectorum L

Cruciferae.

- 303 a Alliaria officinalis L
- 304 p Alyssum montanum L
- 305 p — saxatile L
- 306 p — Wulfenianum Willd =
= transsilvanicum Schk
- 307 a Anastatica hierochuntica L
- 308 p Arabis alpina L
- 309 b — bellidifolia Jacq
- 310 b — hirsuta Scop
- 311 p — procurrens W. et K
- ~~312~~ b — Turrita L
- ~~313~~ p Aubrietia graeca Boiss
- 314 p Barbarea praecox R Br
- 315 p — vulgaris R Br
- 316 b Berteroa incana DC
- 317 p Biscutella laevigata L
- 318 a Brassica nigra Koch
- 319 a — Napus L oleifera annua
Koch

- 320 a — — L oleifera hie-
malis Doel
- 321 b — — rapifera Metzger
- 322 b — oleracea L acephala DC
- 323 b — — botrytis L
- 324 b — — capitata L
- 325 b — — gemmifera DC
- 326 b — — gongyloides L
- 327 b — — sabauda L
- 328 a — Rapa oleif. annua Koch
- 329 b — — — hiemalis Mart
- 330 b — — rapifera Metzger
- 331 a Bunias Erucago L
- 332 p — orientalis L
- 333 a Camelina sativa Crantz
- ~~334~~ p Cardamine amara L
- 335 a — impatiens L
- 336 p — resedifolia L
- ~~337~~ p — trifolia L
- 338 b Cheiranthus Cheiri L
- 339 Tp Cochlearia Armoracia L
- 340 b — officinalis L
- 341 p Crambe maritima L
- ~~342~~ p Dentaria bulbifera L
- ~~343~~ p — enneaphyllos L
- ~~344~~ p — glandulosa W et K
- 345 p Diolotaxis tenuifolia DC
- ~~346~~ p Draba aizoides L
- ~~347~~ p — stellata Jacq
- 348 a Eruca sativa Mill
- 349 p Erysimum canescens Roth
- 350 b — cheiranthoides L
- 351 b—p — odoratum Ehrh

- 352 b—p Hesperis matronalis L
- 353 b — tristis L
- 354 a Iberis amara L
- ~~355~~ a — umbellata L
- 356 b Isatis tinctoria L
- ~~357~~ p Kerneria saxatilis Rehb
- 358 b Lepidium campestre R. Br
- 359 a — ruderale L
- 360 a — sativum L
- 361 a Lunaria biennis Mönch
- 362 p — rediviva L
- 363 a Mathiola incana L
- ~~364~~ p Nasturtium officinale L
- 365 a Neslea paniculata Desv.
- ~~366~~ p Peltaria alliacea L
- 367 p Petrocallis pyrenaica R. Br
- 368 a Raphanus sativus L oleiferus
- ~~369~~ p Roripa amphibia Scop
- 370 a Sinapis alba L
- 371 a Sisymbrium officinale Scop
- 372 p — strictissimum L
- 373 a Thlaspi arvense L
- ~~374~~ p — rotundifolium L
- 375 b Turritis glabra L

Cucurbitaceae.

- 376 p Bryonia alba L
- 377 p — dioica L
- 378 a Citrullus vulgaris Schrad
- 379 a Cucumis Melo L
- 380 a — sativus L
- 381 a Cucurbita Melopepo L
- 382 a Cyclanthera explodens Naud
- 383 a — pedata Schrad
- 384 a Eeballium Elaterium Rich
- 385 a Lagenaria vulgaris Ser
- ~~386~~ a Luffa cylindrica Roem
- 387 a Momordica charantia L

Cyperaceae.

- ~~388~~ p Carex ampullacea Good
- 389 p — flava L
- ~~390~~ p — hirta L
- ~~391~~ p — humilis Leysser
- 392 p — muricata L
- 393 p — panicea L
- 394 p — paradoxa Willd
- 395 p — pulicaris L
- ~~396~~ p — rupestris All
- 397 Tp Cyperus esculentus L
- ~~398~~ a — flavescens L
- 399 p Eriophorum polystachyum L
- ~~400~~ p Rhynchospora alba Vahl

- 487 p *Gentiana germanica* Willd
- 488 p — *verna* L
- 439 p *Swertia perennis* L

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
- 402 b *Dipsacus fullonum* Mill
- 403 b — *laciniatus* L
- 404 b — *silvestris* Mill
- 405 p *Knautia arvensis* Coult
- 406 a *Scabiosa atropurpurea* L
- 407 p — *caucasica* M. B
- 408 p — *ochrolenca* L
- 409 p — *stellata* L
- 410 p — *suaveolens* Desf.
- 411 p *Succisa pratensis* Mönch

Euphorbiaceae.

- 412 p *Euphorbia amygdaloides* L
- 413 a — *chamaesyce* L
- 414 p — *dulcis* L
- 415 p — *epithymoides* L
- 416 p — *fragifera* Jan
- 417 b — *lathyris* L
- 418 p — *Myrsinites* L
- 419 p — *palustris* L
- 420 p — *Paralias* L
- 421 p — *verrucosa* Lam
- 422 p — *villosa* W. et K
- 423 p — *Wulfeni* Hoppe
- 424 p — *Mercurialis perennis* L
- 425 a — *Ricinus communis* L

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
- 427 p *Corydalis cava* Wahlb
- 428 p — *lutea* DC
- 429 T p *Dicentra spectabilis* Borkh.
- 430 a *Fumaria officinalis* L
- 431 a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
- 433 p *Gentiana acaulis* L
- 434 p — *asclepiadea* L
- 435 p — *bavarica* L
- 436 p — *cruciata* L

Geraniaceae.

- 440 a *Erodium gruinum* L
- 441 p *Geranium argenteum* L
- 442 p — *macrorhizum* L
- 443 p — *phaeum* L
- 444 p — *pratense* L
- 445 p — *sanguineum* L
- 446 p — *silvaticum* L

Globularieae.

- 447 p *Globularia cordifolia* L
- 448 p — *nudicaulis* L
- 449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
- 451 p — *canina* L
- 452 p *Aira caespitosa* L
- 453 a *Andropogon cernuus* Kth
- 454 p — *Gryllus* L
- 455 a — *halepensis* Brot
- 456 p — *Ischaemum* L
- 457 a — *Sorghum Brot niger*
Körn
- 458 a — *saccharatus* Kth
- 459 a *Apera spica venti* P. B.
- 460 p *Anthoxantum odoratum* L
- 461 p *Arrhenatherum elatius* P. B.
- 462 p *Avena pubescens* Huds
- 463 a — *sativa* L
- 464 a — *sterilis* L
- 465 p *Bouteloua oligostachya* Torr
- 466 p *Brachypodium pinnatum* P. B.
- 467 p *Briza media* L
- 468 a *Bromus briziformis* Fisch et Mey
- 469 p — *erectus* Huds
- 470 p — *inermis* Leyss
- 471 a — *sterilis* L
- 472 p *Calamagrostis lanceolata* Roth
- 473 p *Catabrosa aquatica* P. B.
- 474 a *Cenchrus tribuloides* L
- 475 a *Coix laeryma Jobi* L
- 476 a *Crypsis aculeata* Ait
- 477 p *Cynodon dactylon* Pers
- 478 p *Cynosurus cristatus* L
- 479 a *Eleusine coracana* Gärtn
- 480 a — *indica* Gärtn
- 481 p *Elymus arenarius* L
- 482 a *Eragrostis abessinica* Link
- 483 p *Festuca pratensis* L
- 484 p — *rubra* L
- 485 p — *scoparia Hackel v. crinum*
ursi Ram

- 486 p *Festuca sulcata* Hackel
- 487 p *Holcus lanatus* L
- 488 a *Hordeum distichum* L
- 489 a — *hexastichum* L
- 490 p — *jubatum* L
- 491 a — *zeocriton* L
- 492 a *Lagurus ovatus* L
- 493 p *Lolium multiflorum* Lam
- 494 p — *perenne* L
- 495 a — *temulentum* L
- 496 p *Melica altissima* L
- 497 a — *ciliata* L
- 498 p *Molinia coerulea* Moench
- 499 p *Nardus stricta* L
- 500 a *Panicum italicum v. german.*
- 501 a — *miliaceum* L [Lam
- 502 a — *sanguinale* L
- 503 a *Pennisetum villosum* R. Br
- 504 p *Phalaris arundinacea* L
- 505 a — *canariensis* L
- 506 p *Phleum pratense* L nodosum
- 507 p *Poa bulbosa* L vivipara
- 508 p — *sudetica* Hänke
- 509 p *Secale montanum* Guss
- 510 p *Sesleria coerulea* Scop
- 511 p — *auctumnalis* F. Schultz
- 512 p *Stipa calamagrostis* Link
- 513 p — *capillata* L
- 514 p — *pennata* L
- 515 p — *tenacissima* L
- 516 a — *tortilis* Desf.
- 517 a *Tragus racemosus* Desf.
- 518 p *Trisetum flavescens* Beauv

- 519 a *Triticum monococcum* L
- 520 a — (*Aegilops*) *ovatum* Gren
- 521 a — *ventricosum* Ces
- 522 a — *sativum* × *ovatum* A. G.
= *Aegilops triticoides* Req
- 523 a — *spelta* L
- 524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
- 526 p *Hydrocharis morsus ranae* L
- 527 p *Potamogeton acutifolius* Link
- 528 p — *crispus* L
- 529 p — *pusillus* L

Hydrophyllaceae.

530 a *Phacelia tanacetifolia* Benth

Hypericaceae.

531 p *Hypericum calycinum* L
~~532~~ p — *Coris* L
 533 p — *montanum* L
 534 p — *perforatum* L

Irideae.

~~535~~ Tp *Crocus sativus officinalis* L
 536 , *Jris germanica* L
 537 , — *graminea* L
~~538~~ , — *Pseudacorus* L
 539 , — *pumila* L
 540 , — *sibirica* L
~~541~~ , — *Xiphium* L

Juncaceae.

~~542~~ p *Juncus squarrosus* L
~~543~~ p *Luzula albida* DC
 544 p — *silvatica* Gaud

Labiatae.

~~545~~ h *Ainga chamaepitys* Schreb
 546 p — *genevensis* L
 547 p — *reptans* L
 548 p *Ballota nigra* L
 549 p *Betonica officinalis* L
 550 p *Brunella grandiflora* Jacq
~~551~~ p *Calamintha acinos* Clairv
 552 p — *alpina* Lam
 553 p — *nepetoides* Jord
~~554~~ p *Clinopodium vulgare* L
~~555~~ p *Dracocephalum altaianse* Lam
 556 p — *austriacum* L
 557 a — *Moldavica* L
 558 a *Galeopsis tetrahit* L
~~559~~ a — *ochroleuca* Lam
 560 a — *versicolor* Curt
 561 p *Herminum pyrenaicum* L
 562 p *Hyssopus officinalis* L
~~563~~ p *Lamium album* L
~~564~~ p — *Orvala* L
 565 a *Lallemantia iberica* Fisch. et
 566 p *Leonurus Cardiaca* L [Mey
 567 p *Lycopus europaeus* L
 568 p *Marrubium peregrinum* L
 569 p — *vulgare* L
 570 p *Melissa officinalis* L
 571 p *Melittis melissophyllum* L
~~572~~ p *Mentha aquatica* L
 573 p — *pulegium* L
~~574~~ p — *silvestris* L
 575 p *Monarda digyma* L
 576 p — *fistulosa* L
 577 p *Nepeta cataria* L
 578 p — *grandiflora* M. B

579 p *Nepeta macrantha* Fisch.
 580 a *Ocimum Basilicum* L
 581 a *Origanum Majorana* L
 582 p — *vulgare* L
 583 p *Phlomis tuberosa* L
 584 p *Physostegia virginiana* Benth
~~585~~ p *Prasium majus* L
 586 p *Salvia Aethiopsis* L
 587 b — *argentea* L
 588 p — *austriaca* Jacq
 589 p — *azurea* Lam
 590 p — *clandestina* L
 591 p — *cleistogama* de Bary
 592 p — *coccinea* L
 593 p — *glutinosa* L
~~594~~ p — *grandiflora* Etl
 595 p — *Horminum* L
 596 p? — *nilotica* Murr
 597 p — *officinalis* L
 598 p — *pratensis* L
 599 p — *silvestris* L
 600 p — *splendens* Sellow
 601 p — *verticillata* L
 602 a *Satureja hortensis* L
 603 a — *montana* L
 604 p *Scutellaria galericulata* L
 605 p — *macrantha* Fisch
 606 p *Sideritis montana* L
~~607~~ p *Stachys alpina* L
 608 p — *germanica* L
 609 p — *recta* L
 610 Tp — *Sieboldii* Miq = *affinis*
 Fres

611 p — *silvatica* L
 612 a *Teucrium Botrys* L
 613 p — *Chamaedrys* L
~~614~~ p — *Euganeum* Vis
~~615~~ p — *flavum* L
 616 p — *Scorodonia* L

Liliaceae.

617 T *Allium ampeloprasum* L
~~618~~ T — *ascalonicum* L
~~619~~ T — *fistulosum* L
~~620~~ — *flavum* L
 621 T — *Porrum* L
 622 — *sibiricum* L
~~623~~ — *Victoralis* L
 624 — *vineale* L
 625 *Asparagus officinalis* L
~~626~~ *Asphodelus albus* Mill
 627 — *luteus* L
~~628~~ T *Colchicum autumnale* L
 629 T *Convallaria majalis* L
 630 T *Galtonia candicans* Dec
 631 T *Lilium Martagon* L
 632 T — *pardalinum* Lindl
 633 T — *tigrinum* L
 634 T *Leucojum vernum* L

635 T *Ornithogalum umbellatum* L
 636 *Paradisialia Liliastrum* Bert
 637 *Paris quadrifolia* L
 638 *Polygonatum multiflorum* All
 639 — *officinale* All
~~640~~ *Streptopus amplexifolius* De
 641 *Veratrum nigrum* L

Lineae.

~~642~~ p *Linum alpinum* L
 643 p — *flavum* L
 644 p — *perenne* L
~~645~~ p — *tenuifolium* L
 646 a — *usitatissimum* L
~~647~~ p — *viscosum* L

Loasaceae, Datisceae.

648 a *Blumenbachia Hieronymi* Urb
~~649~~ a *Cajophora lateritia* Presl
 650 a *Datisca cannabina* L
 651 a *Loasa lateritia* Gill

Malvaceae.

652 a *Abutilon Avicennae* Gärtn
~~653~~ p *Althaea cannabina* L
 654 p — *officinalis* L
 655 b — *rosea* L atropurp.
 656 a *Hibiscus esculentus* L
~~657~~ a — *palustris* L
 658 a — *Trionum* L
 659 p *Kitaibelia vitifolia* Willd
~~660~~ p *Lavatera thuringiaca* L
 661 p *Malva Alcea* L
 662 a — *crispa* L
 663 p — *moschata* L
~~664~~ a — *rotundifolia* L
 665 b — *silvestris* L

Oenotherae, Lythraceae.

666 p *Circaea lutetiana* L
 667 a *Clarkia elegans* Dougl
 668 a *Cuphea viscosissima* Jacq
 669 p *Epilobium augustifolium* L
 670 p — *Dodonaei* Vill
 671 p — *hirsutum* L
~~672~~ p — *roseum* Schreb
 673 p *Lythrum Salicaria* L
 674 b *Oenothera biennis* L
 675 p — *fruticosa* L
 676 p — *missouriensis* Sims
~~677~~ p — *pumila* L
~~678~~ p — *taraxacifolia* Sweet

Oxalideae.

- 679 T p Oxalis Acetosella L
- ~~680~~ T p — caprina L
- 681 T p — corniculata
- 682 T p — tetraphylla Cav
- ~~683~~ T p — valdiviensis Barn.
- 684 T p — vesperilionis Zucc

Papaveraceae.

- 685 a Argemone grandiflora Sw
- 686 a — mexicana L
- 687 p Chelidonium majus L f. laciniata
- 688 a Eschscholtzia californica Cham
- 689 a Glaucium corniculatum Curt
- 690 a — flavum Crautz
- ~~691~~ a Hypecoum procumbens L
- ~~692~~ p Macleya cordata R. Br.
- 693 p Meconopsis cambrica L
- 694 p — nepalensis DC
- ~~695~~ p Papaver alpinum L fl. alb.
- 696 p — — nudicaule L
- 697 a — argemone L
- 698 p — caucasicum M. B
- 699 p — orientale L
- 700 a — Rhoas L
- 701 a — somniferum L
- ~~702~~ p Sanguinaria canadensis L

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
- 704 p — vulneraria L
- 705 p Astragalus baeticus L
- 706 p — Cicer L
- ~~707~~ p — danicus Retz
- 708 p — glycyphyllos L
- 709 a Biserrula Pelecinus L
- 710 p Colophaca wolgarica Fisch
- 711 p Caragana arborescens Lam
- 712 a Cicer arietinum L
- 713 p Colutea arborescens L
- ~~714~~ p Coronilla Emerus L
- ~~715~~ p — scorpioides Koch
- 716 p — varia L
- 717 p Cytisus Laburnum L
- ~~718~~ p — leucanthus W. K.
- ~~719~~ p — nigricans L
- ~~720~~ p — purpureus Scop
- 721 p — ratisbonensis Schaff
- 722 a Dolichos Lablab L
- 723 p Dorycnium suffruticosum Jord
- 724 p Galega officinalis L
- 725 p Genista germanica L
- ~~726~~ p — radiata Scop
- ~~727~~ p — sagittalis L
- 728 p — tinctoria L
- 729 p Glycyrrhiza echinata L
- ~~730~~ p — glabra L
- 731 p Hedysarum obscurum L
- ~~732~~ p Hippocrepis comosa L
- 733 p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
- 735 p — montanus Bernh
- 736 a — Nissolia L
- 737 a — odoratus L
- 738 p — silvester L
- 739 p — tuberosus L
- 740 p — vernus Bernh
- 741 a Le. s esculenta Moench
- 742 p Lotus corniculatus L
- 743 a Lupinus angustifolius L
- ~~744~~ a — luteus L
- 745 p — perennis L
- 746 p — polyphyllus Lindl
- ~~747~~ a Medicago Echinus DC
- ~~748~~ p — falcata L
- 749 p — falcata X sativa = media Pers
- 750 a — minima Desr
- 751 p — sativa L
- ~~752~~ a — turbinata Willd
- 753 b Melilotus officinalis Desr
- 754 p Onobrychis sativa Lam
- 755 p Ononis spinosa L
- 756 a Ornithopus sativus Brot
- 757 a Phaseolus multiflorus Willd
- 758 a Pisum arvense L
- 759 p Sarothamnus scoparius Koch
- ~~760~~ a Scorpiurus vermiculatus L
- 761 a Soja hispida Moench
- 762 p Spartium junceum L
- 763 p Tetragonolobus siliquosus L
- ~~764~~ a Trifolium arvense L
- ~~765~~ b — p Trifolium aureum Poll
- 766 p Trifolium badium Schreb.
- 767 p — fragiferum L
- 768 p — hybridum L
- 769 b — incarnatum L
- ~~770~~ p — medium L
- ~~771~~ a — minus Sm
- 772 p — montanum L
- 773 p — ochroleucum L
- 774 p — repens L
- 775 p — rubens L
- 776 b—p — spadiceum L
- 777 p — stellatum L
- 778 p — subterraneum L
- 779 a Trigonella coerulea Ser
- 780 a — foenum graecum L
- ~~781~~ p Ulex europaeus L
- 782 a Vicia Faba L
- ~~783~~ a — lutea L
- 784 a — narbonensis L
- ~~785~~ p — sepium L
- 786 a Vigna sinensis

Plantagineae.

- 787 p Plantago alpina L
- 788 p — lanceolata L
- ~~789~~ p — maritima L
- 790 a — Psyllium L

Plumbagineae.

- 791 p Armeria alpina Willd
- 792 p — vulgaris Willd
- 793 p Plumbago europaea L
- 794 p Statice Limonium L

Polemoniaceae.

- ~~795~~ a Cobaea scandens Cav
- ~~796~~ a Collomia coccinea Lehm
- ~~797~~ a — grandiflora Dougl
- ~~798~~ p Phlox paniculata L
- 799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
- ~~801~~ p Polygonum amphibium L
- ~~802~~ p — baldschuanicum Regl
- 803 p — Bistorta L
- 804 a — Convolvulus L
- ~~805~~ p — cuspidatum L. et Z.
- ~~806~~ a — hydropiper L
- ~~807~~ p — sachalinense Schmidt
- 808 a — tinctorium Ait
- ~~809~~ a — virginianum L
- 810 p — viviparum L
- 811 p Rheum officinale L
- ~~812~~ p — palmatum L
- 813 p — Rhaponticum L
- 814 p Rumex Acetosa L
- 815 p — alpinus L
- 816 p — crispus L
- 817 p — Hydrolapathum Huds
- 818 p — maximus Schreb
- 819 p — Patientia L
- 820 p — sanguineus L
- 821 p — scutatus L

Primulaceae.

- ~~822~~ a Anagallis arvensis L
- ~~823~~ a — coerulea Schreb.
- ~~824~~ p — grandiflora Andr
- ~~825~~ p Androsace lactea L
- 826 b — maxima L
- 827 p — sarmentosa Wall (stolones)
- ~~828~~ p Cortusa Matthioli L
- 829 p Lysimachia nummularia L
- 830 p — punctata L
- ~~831~~ p Naumburgia thyrsoflora Rehb

- 832 p *Primula acaulis* Jacq
- ~~833~~ p — *auricula* L
- 834 p — *cortusoides* L
- ~~835~~ p — *hirsuta* All
- ~~836~~ p — *minima* L
- 837 p — *officinalis* L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
- 839 p — *Napellus* L
- 840 p *Actaea spicata* L
- 841 a *Adonis aestivalis* L
- 842 p — *vernalis* L
- ~~843~~ p *Anemone alpina* L
- 844 p — *grandis* Wend
- ~~845~~ p — *japonica* Sieb
- 846 p — *narcissiflora* L
- 847 p — *nigricans* Fritsch
- 848 p — *pulsatilla* L
- 849 p — *ranunculoides* L
- 850 p — *silvestris* L
- ~~851~~ p — *vernalis* L
- 852 p *Aquilegia atrovioacea* Lall
- 853 p — *vulgaris* L
- 854 p *Atragene alpina* L
- 855 p *Caltha palustris* L
- ~~856~~ p *Clematis recta* L
- 857 p — *Viticella* L
- 858 p *Delphinium caucasicum* C. A. M.
- 859 a — *Consolida* L
- 860 p — *elatum* Willd
- 861 p — *Staphysagria* L
- 862 p *Eranthis hiemalis* L
- 863 p *Helleborus foetidus* L
- ~~864~~ p — *niger* L
- ~~865~~ p — *viridis* L
- ~~866~~ p *Isopyrum thalictroides* L
- 867 a *Myosurus minimus* L
- 868 p *Nigella damascena* L
- 869 p — *sativa* L
- 870 p *Paeonia peregrina* Mill
- 871 p *Ranunculus acer* L
- 872 a — *arvensis* L
- 873 p — *auricomus* L
- 874 p — *Ficaria* L
- 875 p — *gramineus* L
- 876 p — *lanuginosus* L
- ~~877~~ p — *lingua* L
- 878 p — *platanifolius* L
- ~~879~~ p — *polyanthemus* L
- ~~880~~ p — *sardous* Crantz
- 881 a — *sceleratus* L
- 882 p *Thalictrum angustifolium* L
- 883 p — *aquilegifolium* L
- 884 p — *flavum* L
- 885 p — *minus* L
- 886 p *Trollius europaeus* L
- 887 p — *Ledebouri* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
- 889 a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
- ~~891~~ p *Alchemilla alpina* L
- 892 p — *vulgaris* L
- 893 p *Amelanchier vulgaris* Mönch
- ~~894~~ p *Aruncus silvester* Kostel
- 895 p *Comarum palustre* L
- 896 p *Crataegus coccinea* L
- ~~897~~ p *Cydonia japonica* Pers
- 898 p *Dryas octopetala* L
- ~~899~~ p *Eriobotrya japonica* Lindl
- 900 p *Fragaria elatior* Ehrh
- ~~901~~ p *Geum album* Gm
- 902 p — *montanum* L
- 903 p — *intermedium* Ehrh
- 904 p — *rivale* L
- ~~905~~ p *Malva sylvestris* L
- 906 p *Pirus baccata* L
- 907 p *Potentilla alba* L
- 908 p — *anserina* L
- ~~909~~ p — *argentea* L
- 910 p — *atrosanguinea* Lodd
- 911 p — *aurea* L
- ~~912~~ p — *caulescens* L
- ~~913~~ p — *Clusiana* L
- 914 p — *pennsylvanica* L
- *sanguisorbifolia* A. G
- 915 p — *rupestris* L
- 916 p *Poterium Sanguisorba* L
- 917 p *Sanguisorba minor* Scop
- 918 p — *officinalis* L
- 919 p *Sorbus Aria* Ehrh
- 920 p — *Aucuparia v. dulcis* A. G.
- 921 p — *torminalis* Crantz
- 922 p *Spiraea Filipendula* L
- 923 p — *Ulmaria* L

Rubiaceae

- ~~924~~ p *Asperula cynanchica* L
- 925 p — *odorata* L
- 926 p — *tinctoria* L
- ~~927~~ a *Crucianella stylosa* Trin
- 928 a *Galium Aparine* L
- ~~929~~ p — *boreale* L
- 930 p — *cruciata* Scop
- 931 a — *tricornis* With
- 932 p — *verum* L
- 933 p *Rubia tinctorum* L
- ~~934~~ a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
- 936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
- 938 p *Mitella pentandra* Hook
- ~~939~~ p *Parnassia palustris* L
- ~~940~~ p *Ribes alpinum* L
- ~~941~~ p — *sanguineum* Pursh
- 942 p *Saxifraga aizoon* L
- 943 p — *Cotyledon* L
- 944 T p — *granulata* L
- 945 p — *rotundifolia* L

Scrophulariaceae, Bignon., Martyn., Pedaliaceae, Orobanchaeae.

- 946 a *Alonzoa Warscewiczii* Regl
- 947 a *Antirrhinum majus* L
- 948 p — *Orontium* L
- 949 a *Calceolaria scabiosaefolia* Sims
- 950 p *Celsia betonicifolia* Desf
- ~~951~~ a *Collinsia bicolor* Benth
- 952 p *Digitalis ambigua* Murr
- 953 p — *ferruginea* L
- 954 b-p — *lanata* Ehrh
- 955 b-p — *lutea* L
- 956 b — *purpurea* L
- 957 a *Hebenstreitia dentata*
- 958 p *Incarvillea Delavayi* Franch
- ~~959~~ a *Linaria alpina* Mill
- 960 p — *cymbalaria* Mill
- ~~961~~ p — *dalmatica* Mill
- 962 p — *genistifolia* Mill
- ~~963~~ a — *spuria* Mill
- ~~964~~ p — *vulgaris* Moench
- ~~965~~ p *Lophospermum scandens* Don
- 966 a *Martynia proboscidea* L
- ~~967~~ b-p *Maurandia Barclayana* Lindl
- 968 a *Mimulus luteus* L
- 969 a *Nycteria capensis* Benth
- 970 p *Pentstemon coeruleus* Nutt
- ~~971~~ p — *gentianoides* Lindl
- ~~972~~ p — *glaucus* Grah

- 973 a Salpiglossis sinuata R. P.
- 974 a Schizantus pinnatus R. P.
- 975 p Scrophularia nodosa L
- 976 a Torenia Fournieri Linden
- 977 b Verbascum Blattaria
- 978 p — nigrum L
- 979 b — Olympicum Boiss
- 980 b — phlomoides L
- 981 b — phoeniceum L
- 982 b — speciosum Schrad
- 983 p Veronica aphylla L
- 984 p — Beccabunga L
- 985 p — caucasica Bieb
- 986 p — chamaedrys L
- 987 p — crassifolia Wierzb
- 988 p — fruticulosa L
- 989 p — gentianoides Vahl
- 990 a — hederaefolia L
- 991 p — longifolia L
- 992 p — lutea Wettst.
- 993 p — maritima L
- 994 p — officinalis L
- 995 p — satureioides Vis
- 996 p — saxatilis Scop
- 997 p — Teucrium L
- 998 p — urticifolia L

Solaneae.

- 999 p Atropa Belladonna L
- 1000 a Capsicum annuum L
- 1001 a — baccatum L
- 1002 a Datura Metel L
- 1003 a — Stramonium L
- 1004 a — — var Tatula L
- 1005 a Hyoscyamus niger L
- 1006 a Nicandra physaloides Gaertn
- 1007 a Nicotiana affinis Moore
- 1008 a — rustica L
- 1009 a — silvestris Speg
- 1010 a — Tabacum L
- 1011 p Physalis Alkekengi L
- 1012 a — peruviana L
- 1013 p Solanum Dulcamara L
- 1014 a — guineense Lam
- 1015 a — Melongena L

E. Tuma
Obmann.

- 1016 a Solanum nigrum L
- 1017 a — rostratum Dunal

Thymeleae.

- 1018 p Daphne Laureola L
- 1019 p — Mezereum L
- 1020 p Hippophaë rhamnoides L
- 1021 a Passerina annua (L)

Umbelliferae.

- 1022 a Aethusa Cynapium L
- 1023 p Angelica silvestris L
- 1024 a Anthriscus Cerefolium Hoffm
- 1025 p Archangelica officinalis Hoffm
- 1026 p Astrantia major L
- 1027 p Athamanta cretensis L
- 1028 p Bupleurum falcatum L
- 1029 p — ranunculoides L
- 1030 a — rotundifolium L
- 1031 b Carum Bulbocastanum L
- 1032 b — carvi L
- 1033 p Chaerophyllum aromaticum L
- 1034 p — hirsutum Koch
- 1035 b — temulum L
- 1036 p Cicuta virosa
- 1037 b Conium maculatum L
- 1038 a Coriandrum sativum L
- 1039 p Eryngium alpinum

- 1040 p — Bourgaini Gouan
- 1041 p — campestre L
- 1042 p — giganteum M. B
- 1043 p — planum L
- 1044 b Falcaria vulgaris Bernh
- 1045 a Foeniculum officinale L
- 1046 Tp Hacquetia Epipactis De
- 1047 p Heracleum giganteum Hort
- 1048 p Imperatoria Ostruthium L
- 1049 p Laserpitium latifolium L
- 1050 p Levisticum officinale Koch
- 1051 p Libanotis montana Crantz
- 1052 p Meum alhamanticum Jacq
- 1053 p — Mutellina Gaertn
- 1054 a Orlaya grandiflora Hoffm
- 1055 p Peucedanum alsaticum L
- 1056 p — Cervaria Lap
- 1057 p — Oreoselinum Moench
- 1058 a Pimpinella Anisum L
- 1059 p — magna L
- 1060 p Pleurospermum austriacum Hoffm

- 1061 p Sanicula europaea L
- 1062 p Scandix pecten Veneris L
- 1063 p Selinum Carvifolia L
- 1064 p Silaus pratensis Bess
- 1065 p Siler trilobum Crantz
- 1066 p Sium Sisarum L
- 1067 b Torilis Anthriscus Gm
- 1068 b Trinia vulgaris DC

Urticaceae.

- 1069 a Cannabis sativa L
- 1070 Laportea canadensis Gaud
- 1071 p Parietaria officinalis L
- 1072 p Urtica cannabina L
- 1073 a — pilulifera L

Valerianeae.

- 1074 p Centranthus ruber DC
- 1075 p Valeriana officinalis L
- 1076 a Valerianella olitoria Moench

Verbenaceae.

- 1077 p Verbena officinalis L

Violaceae.

- 1078 p Viola biflora L
- 1079 p — lutea Sm sudetica Koch
- 1080 p — mirabilis L
- 1081 p — Riviniana Rehb

Zygophylleae.

- 1082 a Tribulus terrestris L

Prof. L. Frank
Prof. L. Frank
Gartendirektor.

Botanischer Garten Olmütz (Austria).

Index seminum horti botanici Olomucensis pro 1907—1912.

Generalliste

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Seminibus non praesentibus numerus deletus est. — Die gestrichenen Nummern bedeuten, daß die betreffenden Samen nicht abgegeben werden können.

Communicationem desideratorum ante Kalendas Febr. rogamus.

Wir bitten um Bekanntgabe der gewünschten Samen bis 1. März.

T = tubera, bulbi, etc. (Bulbs), a = plantae annuae, b = pl. biennes. p = pl. perennes vel lignosae.

Aizoac., Bisellac., Nyctag., Phytolacc., Portulac. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobanch. vide **Scrophul.** — Datiscaec. vide **Loasaceae** — Lythrac. vide **Oenother.**

- Amarantaceae, Aizoac.**
Nyctag., Phytol., Portulac.
- 1 a *Amarantus atropurpureus* Roxb.
2 a — *caudatus* L
3 a — *paniculatus* f. *sanguinea* L
- ~~4~~ a *Basella rubra* L
5 T ~~*Boussingaultia baselloides*~~ Kth.
6 a *Celosia cristata* L
7 a *Claytonia perfoliata* Donn
8 a *Euxolus oleraceus* Raf.
9. a *Mesembryanthemum cristallinum* L
- 10 p *Mirabilis Jalapa* L
11 p *Phytolacca decandra* L
12 p — *esculenta* v. Hout.
13 a *Portulaca oleracea* L
14 a — *grandiflora* Hook
15 a *Tetragonia expansa* Murr

- Aroideae.**
- 16 Tp *Amorphophallus Rivieri* Dur
~~17~~ Tp *Arum maculatum* L
18 Tp *Richardia albomaculata* Hook
19 Tp *Sauromatum guttatum* Schott

- Asclepiadeae.**
- 20 p *Asclepias syriaca* L
21 p *Cynanchum Vincetoxicum* R. Br.

- Balsamineae.**
- 22 a *Impatiens glanduligera* Lindl
23 a — *noli tangere* L
24 a — *parviflora* DC

- Boragineae.**
- 25 b *Alkanna tinctoria* Tsch.
26 b—p *Anchusa officinalis* L
~~27~~ p *Arnebia echioides* A. DC
~~28~~ a *Asperugo procumbens* L
29 a *Borago officinalis* L
~~30~~ p *Cerithe alpina* Kit.
31 a — *minor* L
32 b *Cynoglossum officinale* L
33 b *Echinosperrum lappula* Lehm
34 b *Echium vulgare* L
35 p *Lithospermum officinale* L
~~36~~ p — *purpureo coeruleum* L
37 b *Myosotis alpestris* Schmidt
38 p *Nonnea pulla* DC
~~39~~ p *Pulmonaria obscura* Dum
40 p — *virginica* L
~~41~~ p *Symphytum caucasicum* M. B.
42 p — *tuberosum* L

- Campanulaceae.**
- 43 p *Adenophora liliifolia* Ledeb
~~44~~ p *Campanula barbata* L
45 p — *carpatica* Jacq.
46 p — *cervicaria* L
47 p — *glomerata* L
48 p — *latifolia* L

- 49 p *Campanula persicifolia* L
50 p — *Portenschlagiana* R.S.
51 p — *pulla* L
52 p — *pusilla* Hânke
53 p — *pyramidalis* L
54 p — *rapunculoides* L
~~55~~ p — *sarmatica* Ker
56 p — *Scheuchzeri* Vill
57 p — *sibirica* L
58 p — *spicata* L
59 p — *thyrsoidea* L
60 p — *Trachelium* L
~~61~~ p — *turbinata* Schott
~~62~~ p *Edraianthus tenuifolius* DC fil.
~~63~~ b *Jasione montana* L
~~64~~ p — *perennis* Lam
65 b *Michauxia campanuloides* L'Her
~~66~~ p *Phyteuma hemisphaericum* L
~~67~~ p — *nigrum* Schmidt
68 p — *orbiculare* L
~~69~~ p — *spicatum* L
70 p *Platycodon grandiflorus* DC
Mariesii
71 a *Specularia speculum* DC

- p Caprifoliaceae.**
- 72 *Lonicera Caprifolium* L
73 — *Xylosteum* L
~~74~~ *Sambucus Ebulus* L
75 — *racemosa* L

Caryophylleae.

- 76 a *Agrostemma Githago* L
- 77 p *Alsine juniperina* Wahlenb.
- ~~78~~ p — *verna* Bartl
- ~~79~~ p *Arenaria ciliata* L
- 80 p — *grandiflora* All
- ~~81~~ a *Cerastium arvense* L
- ~~82~~ p *Cucubalus baccifer* L
- 83 p *Dianthus alpinus* L
- 84 p — *Armeria* L
- 85 p — *barbatus* L
- 86 p — *caesius* Sm.
- 87 p — *carthusianorum* L
- 88 p — *deltoides* L
- 89 p — *plumarius* L
- 90 p — *speciosus* Rehb.
- 91 p — *superbus* L
- 92 p *Drypis spinosa* L
- 93 a *Gypsophila muralis* L
- 94 p — *paniculata* L
- ~~95~~ p — *repens* L fl. alb.
et ros.
- 96 p *Heliosperma alpestre* (Jacq.)
- ~~97~~ p — *quadrifidum* (L)
- 98 p *Lychnis alpina* L
- 99 b — *coronaria* Lam
- 100 p — *flos cuculi* L
- 101 p — *flos Jovis* Lam
- ~~102~~ p *Malachium aquaticum* L
- 103 b *Melandrium album* Gareke
- 104 p — *rubrum* Gareke
- ~~105~~ p *Moehringia muscosa* L
- ~~106~~ p *Saponaria ocymoides* L
- 107 p — *officinalis* L
- ~~108~~ p *Silene acaulis* L
- 109 a — *gallica* L
- 110 p? — *nemoralis* W. et K.
- 111 p — *nutans* L
- 112 p — *Otites* Sm.
- ~~113~~ p — *pumilio*
- 114 p — *saxifraga* L
- 115 p — *vulgaris* Gareke
- 116 a *Spergula arvensis* L
- 117 p *Stellaria holostea* L
- 118 p *Tunica saxifraga* Scop.
- 119 a *Vaccaria parviflora* Mönch
- 120 p *Viscaria vulgaris* Röhl

Chenopodiaceae.

- 121 a *Atriplex hortensis* L
- 122 a — *nitens* Schk.
- 123 b *Beta maritima* L
- 124 b — *vulgaris* Cicla L
- 125 b — — *rapa altissima* L
- 126 b — — — *rubra* L
- 127 a *Chenopodium album* L
- 128 a — *ambrosioides* L
- 129 p — *Bonus Henricus* L
- 130 a — *capitatum* Asch
- 131 a — *ficifolium* Sm.
- 132 a — *foliosum* Mönch

- 133 a *Chenopodium Quinoa* Willd
- 134 a *Kochia scoparia* Schrad
- 135 b *Spinacia oleracea* L

Cistaceae.

- 136 p *Helianthemum polifolium* Koch
- 137 p — *vulgare* Gärtn

Compositae.

- 138 p *Achillea ageratifolia* Hook
- 139 p — *argentea* Vis
- 140 p — *Clavennae* L
- ~~141~~ p — *Clusiana* Tsch
- ~~142~~ p — *Millefolium* L f. sude-
tica Opiz
- 143 p — *nobilis* L
- ~~144~~ p — *pannonica* Scheele
- 145 p — *Ptarmica* L
- 146 p — *tanacetifolia* All.
- 147 p *Achyrophorus maculatus* Scop.
- 148 p — *uniflorus* Bl. et
Fing
- 149 p *Alfredia cernua* Cass.
- 150 a *Ambrosia trifida* L
- 151 a *Anacyclus officinarum* Hayne
- 152 p *Antennaria dioica* L
- ~~153~~ p *Artemisia nobilis* L
- 154 p — *tinctoria* L
- 155 p *Arnica montana* L
- ~~156~~ p *Aronicum scorpioides* Koch
- 157 p *Artemisia Absinthium* L
- 158 p — *Dracunculus* L
- ~~159~~ p — *maritima* L
- 160 p — *Mutellina* L
- ~~161~~ p — *spicata* Wulf
- 162 p *Aster alpinus* L
- 163 p — *Amellus* L
- 164 p — *Tripolium* L
- 165 a *Bidens andicola* hort
- ~~166~~ a — *bipinnata* L
- 167 a — *cernua* L
- 168 a — *leucantha* Willd
- 169 a — *tripartita* L
- 170 p *Bupthalmum salicifolium* L
- 171 p *Cacalia suaveolens* L
- 172 a *Calendula officinalis* L
- 173 b *Carduus nutans* L
- ~~174~~ p *Carlina acaulis* L
- 175 a *Carthamus tinctorius* L
- 176 b *Contaurea Calcitrapa* L
- 177 a — *cyanus* L
- 178 p — *macrocephala* M. B
- 179 p — *montana* L
- 180 p — *rhenana* Bor
- 181 p — *Scabiosa* L
- 182 a — *solstitialis* L
- 183 a — *suaveolens* Willd
- 184 p *Chamaepeuce diacantha* DC

- 185 p *Chondrilla juncea* L
- 186 p *Chrysanthemum cinerariifol.*
Bocc
- 187 a *Chrysanthemum segetum* L
- 188 a *Cichorium Endivia* L
- 189 p — *Intybus* L
- ~~190~~ p *Cirsium acaule* All
- 191 p — *canum* M. B.
- 192 p — *eriophorum* Scop
- 193 p — *erisithales* Scop
- 194 p — *ferox* DC
- 195 p — *heterophyllum* All
- 196 p — *oleraceum* Scop
- ~~197~~ p — *spinosissimum* Scop
- 198 a *Coreopsis tinctoria* Nutt
- ~~199~~ p *Crepis aurea* Cass
- ~~200~~ p — *blattarioides* Vill
- ~~201~~ p — *praemorsa* Tsch
- 202 a *Crupina vulgaris* Cass
- 203 b *Cynara Scolymus* L
- 204 a *Dimorphoteca pluvialis* Mönch
- 205 p *Doronicum austriacum* Jacq
- ~~206~~ p — *caucasicum* M. B.
- ~~207~~ p — *Halleri* Tsch
- 208 p *Echinops Ritro* L
- 209 p — *sphaerocephalus* L
- ~~210~~ p *Erechtites hieracifolia* Raf
- ~~211~~ p *Erigeron aurantiacus* Rgl
- 212 a — *canadensis* L
- 213 p — *uniflorus* L
- 214 p *Eupatorium cannabinum* L
- 215 p *Gaillardia aristata* Pursh
- ~~216~~ p — — *var grandiflora*
- 217 a *Galinsoga parviflora* Cav
- ~~218~~ p *Graphium norvegicum* Gunn
- ~~219~~ a — *silvaticum* L
- 220 p *Grindelia squarrosa* Dunal
- 221 a *Guizotia oleifera* DC
- 222 a *Helianthus annuus* L
- 223 T p — *tuberosus* L
- 224 a *Helichrysum angustifolium* DC
- 225 a *Helminthia echioides* Gärt
- ~~226~~ p *Hieracium alpinum* L
- 227 p — *aurantiacum* L
- 228 p — *intybaceum* Jacq
- 229 p — *magyaricum* N. P.
- 230 p — *pilosella* L
- 231 p — *sabaudum* L
- ~~232~~ p — *staticifolium* Vill
- 233 p — *umbellatum* L
- 234 p — *villosum* L
- 235 p *Inula Helenium* L
- ~~236~~ p — *hirta* L
- 237 p — *salicina* L
- 238 p *Kentrophyllum lanatum* DC
- 239 a *Lactuca angustana* All
- 240 p — *perennis* L
- 241 a — *scariola* L
- 242 b — *virosa* L
- 243 a *Lampsana communis* L
- ~~244~~ b *Lappa tomentosa* Lam
- 245 p *Leontopodium alpinum* Cass
- 246 p *Ligularia sibirica* Cass
- 247 a *Madia sativa* Mol
- 248 a *Matricaria chamomilla* L
- 249 p *Mulgedium alpinum* Cass

- 250 b Onopordon Acanthium L
- 251 b — illyricum L
- 252 p Petasites niveus Bmg.
- 253 p — officinalis Mönch
- 254 p Picris hieracioides L
- 255 p Podospermum Jacquianum
- 256 p Prenanthes purpurea L [Koch]
- 257 p Pulicaria dysenterica Gaert
- 258 p Pyrethrum caucasicum Willd
- 259 p — Parthenium Sm
- 260 p — roseum Bieb
- 261 p Rudbeckia laciniata L
- 262 p — purpurea L
- ~~263~~ a Sanvitalia procumbens L
- 264 a Scolymus hispanicus L
- 265 p Scorzonera hispanica L
- ~~266~~ p — humilis L
- ~~267~~ p — purpurea L
- 268 p Senecio abrotanifolius L
- 269 p — Fuchsii Gm
- ~~270~~ p — sudeticus DC
- 271 p Serratula tinctoria L
- 272 p Silphium laciniatum L
- ~~273~~ p — perfoliatum L
- 274 a Silybum Marianum Gärt.
- 275 p Solidago canadensis L
- 276 p — virga aurea L
- 277 a Spilanthus oleracea Jacq
- 278 a Tagetes patula L
- 279 p Tanacetum Balsamita L
- 280 p — corymbosum Schultz
- 281 p — vulgare L
- 282 b Tragopogon porrifolius L
- 283 b — pratensis v. orientalis L
- 284 a Xanthium italicum Mor
- 285 a — spinosum L
- ~~286~~ a — Strumarium L
- 287 a Xeranthemum annuum L
- 288 a Zinnia elegans Jacq

- Arnica longifolia
- Aster californicus
- Aster Nov/Belgii L.
- Hieracium racaltum Will.
- Hieracium silesiacum Krse.
- Inula coniza D.C.
- Lactodon hispidus L.
- Lappa major Gaertn.
- Senecio Jacobaea L.
- Tussilago Farfara L.

Convolvulaceae.

- ~~289~~ a Convolvulus Scammonia L
- ~~290~~ p — sepium L
- 291 a Cuscuta europaea L
- ~~292~~ p Exogonium purga Wend
- ~~293~~ p Ipomoea Batatas Lam
- 294 a — purpurea Lam
- 295 a Quamoclit coccinea Mönch

- Convolvulus sicalus

Crassulaceae.

- 296 p Sedum album L
- 297 p — reflexum L
- ~~298~~ p — villosum L
- 299 p Sempervivum arachnoideum L
- 300 — hirtum L
- 301 — montanum L
- 302 — tectorum L

~~303~~ p *Sedum album* L.

Cruciferae.

- 303 a Alliaria officinalis L
- 304 p Alyssum montanum L
- 305 p — saxatile L
- 306 p — Wulfenianum Willd =
= transsilvanicum Schk
- ~~307~~ a Anastatica hierochuntica L
- 308 p Arabis alpina L
- 309 b — bellidifolia Jacq
- 310 b — hirsuta Scop
- 311 p — procurrens W. et K
- ~~312~~ b — Turrita L
- ~~313~~ p Aubrietia graeca Boiss
- 314 p Barbarea praecox R Br
- 315 p — vulgaris R Br
- 316 b Berteroa incana DC
- 317 p Biscutella laevigata L
- 318 a Brassica nigra Koch
- 319 a — Napus L oleifera annua
Koch

- ~~320~~ a — — L oleifera hie-
malis Doel
- 321 b — — rapifera Metzger
- 322 b — oleracea L acephala DC
- 323 b — — botrytis L
- 324 b — — capitata L
- 325 b — — gemmifera DC
- 326 b — — gongylodes L
- 327 b — — sabauda L
- ~~328~~ a — Rapa oleif. annua Koch
- 329 b — — hiemalis Mart
- ~~330~~ b — — rapifera Metzger

- 331 a Bunias Erucago L
- 332 p — orientalis L
- 333 a Camelina sativa Crantz
- ~~334~~ p Cardamine amara L
- 335 a — impatiens L
- 336 p — resedifolia L
- ~~337~~ p — trifolia L
- 338 b Cheiranthus Cheiri L
- 339 Tp Cochlearia Armoracia L
- 340 b — officinalis L
- 341 p Crambe maritima L
- ~~342~~ p Dentaria bulbifera L.
- ~~343~~ p — enneaphyllos L
- ~~344~~ p — glandulosa W et K
- ~~345~~ p Diplotaxis tenuifolia DC
- 346 p Draba aizoides L
- ~~347~~ p — stellata Jacq
- 348 a Eruca sativa Mill
- 349 p Erysimum canescens Roth
- 350 b — cheiranthoides L
- 351 b—p — odoratum Ehrh

- 352 b—p Hesperis matronalis L
- 353 b — tristis L
- 354 a Iberis amara L
- 355 a — umbellata L
- 356 b Isatis tinctoria L
- 357 p Kerneria saxatilis Rehb
- 358 b Lepidium campestre R. Br
- 359 a — ruderales L
- 360 a — sativum L
- 361 a Lunaria biennis Mönch
- 362 p — rediviva L
- 363 a Mathiola incana L
- ~~364~~ p Nasturtium officinale L
- 365 a Neslea paniculata Desv.
- 366 p Peltaria alliacea L
- ~~367~~ p Petrocallis pyrenaica R. Br
- 368 a Raphanus sativus L oleiferus
- ~~369~~ p Roripa amphibia Scop
- 370 a Sinapis alba L
- 371 a Sisymbrium officinale Scop
- 372 p — strictissimum L
- 373 a Thlaspi arvense L
- 374 p — rotundifolium L
- 375 b Turritis glabra L

- Alyssum argenteum* All.
- Sinapis arvensis* L.
- Thlaspi montanum* L.
- Thlaspi praecox* Wulf.

Cucurbitaceae.

- 376 p Bryonia alba L
- 377 p — dioica L
- 378 a Citrullus vulgaris Schrad
- 379 a Cucumis Melo L
- 380 a — sativus L
- 381 a Cucurbita Melopepo L
- 382 a Cyclanthera explodens Naud
- 383 a — pedata Schrad
- 384 a Ecballium Elaterium Rich
- 385 a Lagenaria vulgaris Ser
- 386 a Luffa cylindrica Roem
- 387 a Momordica charantia L

- Momordica Balsamina* L.
- Sicyos edulis* Jacq.

Cyperaceae.

- ~~388~~ p Carex ampullacea Good
- 389 p — flava L
- ~~390~~ p — hirta L
- ~~391~~ p — humilis Leysser
- 392 p — muricata L
- 393 p — panicea L
- 394 p — paradoxa Willd
- 395 p — pulicaris L
- ~~396~~ p — rupestris All
- 397 Tp Cyperus esculentus L
- ~~398~~ a — flavescens L
- ~~399~~ p Eriophorum polystachyum L
- ~~400~~ p Rhynechospora alba Vahl

Carex curvula All.

Carex cyperoides L.

Carex ferruginea L.

Carex paniculata L.

Dipsaceae.

- 401 p Cephalaria alpina Schrad
- 402 b Dipsacus fullonum Mill
- 403 b — laciniatus L
- 404 b — silvestris Mill
- 405 p Knautia arvensis Coult
- 406 a Scabiosa atropurpurea L
- 407 p — caucasica M. B
- 408 p — ochroleuca L
- 409 p — stellata L
- 410 p — suaveolens Desf.
- 411 p Succisa pratensis Mönch

Scabiosa lucida Vill.

Euphorbiaceae.

- ~~412~~ p Euphorbia amygdaloides L
- 413 a — chamaesyce L
- 414 p — dulcis L
- ~~415~~ p — epithymoides L
- ~~416~~ p — fragifera Jan
- 417 b — lathyris L
- 418 p — Myrsinites L
- ~~419~~ p — palustris L
- ~~420~~ p — Paralias L
- ~~421~~ p — verrucosa Lam
- 422 p — villosa W. et K
- ~~423~~ p — Wulfeni Hoppe
- ~~424~~ p — Mercurialis perennis L
- 425 a — Ricinus communis L

Euphorbia Cyparissias L.

Euphorbia helioscopia L.

Fumariaceae.

- 426 p Adlumia cirrhosa Raf
- ~~427~~ p Corydalis cava Wahlb
- 428 p — lutea DC
- ~~429~~ T p Dicentra spectabilis Borkh.
- 430 a Fumaria officinalis L
- ~~431~~ a Hypecoum procumbens L

Gentianeae.

- ~~432~~ a Erythraea centaurium Pers
- 433 p Gentiana acaulis L
- 434 p — asclepiadea L
- ~~435~~ p — bavarica L
- 436 p — cruciata L

~~437~~ p Gentiana germanica Willd

~~438~~ p — verna L

439 p Swertia perennis L

Geraniaceae.

- 440 a Erodium gruinum L
- ~~441~~ p Geranium argenteum L
- 442 p — macrorhizum L
- 443 p — phaeum L
- 444 p — pratense L
- 445 p — sanguineum L
- 446 p — silvaticum L

Globularieae.

- ~~447~~ p Globularia cordifolia L
- ~~448~~ p — nudicaulis L
- 449 p — vulgaris L

Gramineae.

- ~~450~~ p Agrostis alba L
- ~~451~~ p — canina L
- 452 p Aira caespitosa L
- 453 a Andropogon cernuus Kth
- ~~454~~ p — Gryllus L
- ~~455~~ a — halepensis Brot
- 456 p — Ischaemum L
- 457 a — Sorghum Brot niger
Körn
- 458 a — saccharatus Kth
- 459 a Apera spica venti P. B.
- 460 p Anthoxantum odoratum L
- 461 p Arrhenatherum elatius P. B.
- 462 p Avena pubescens Huds
- 463 a — sativa L
- 464 a — sterilis L
- 465 p Bouteloua oligostachya Torr
- 466 p Brachypodium pinnatum P. B.
- 467 p Briza media L
- 468 a Bromus briziformis Fisch et Mey
- ~~469~~ p — erectus Huds
- 470 p — inermis Leyss
- 471 a — sterilis L
- ~~472~~ p Calamagrostis lanceolata Roth
- ~~473~~ p Catabrosa aquatica P. B.
- 474 a Cenehrus tribuloides L
- 475 a Coix lacryma Jobi L
- 476 a Crypsis aculeata Ait
- 477 p Cynodon dactylon Pers
- 478 p Cynosurus cristatus L
- 479 a Eleusine coracana Gärtn
- 480 a — indica Gärtn
- 481 p Elymus arenarius L
- 482 a Eragrostis abessinica Link
- ~~483~~ p Festuca pratensis L
- 484 p — rubra L
- 485 p — scoparia Hackel v. crinum
ursi Ram

486 p Festuca sulcata Hackel

487 p Holcus lanatus L

488 a Hordeum distichum L

489 a — hexastichum L

490 p — jubatum L

491 a — zeocriton L

492 a Lagurus ovatus L

493 p Lolium multiflorum Lam

~~494~~ p — perenne L

495 a — temulentum L

496 p Melica altissima L

497 a — ciliata L

~~498~~ p Molinia coerulea Moench

499 p Nardus stricta L

500 a Panicum italicum v. german.

501 a — miliaceum L [Lam

502 a — sanguinale L

503 a Pennisetum villosum R. Br

504 p Phalaris arundinacea L

505 a — canariensis L

506 p Phleum pratense L nodosum

507 p Poa bulbosa L vivipara

~~508~~ p — sudetica Hänke

509 p Secale montanum Guss

510 p Sesleria coerulea Scop

511 p — auctumnalis F. Schultz

~~512~~ p Stupa calamagrostis Link

513 p — capillata L

514 p — pennata L

~~515~~ p — tenacissima L

516 a — tortilis Desf.

517 a Tragus racemosus Desf.

518 p Trisetum flavescens Beauv

519 a Triticum monococcum L

520 a — (Aegilops) ovatum Gren

~~521~~ a — — ventricosum Ces.

522 a — sativum X ovatum A. G.

= Aegilops triticoides Req

523 a — spelta L

524 a Zea Mais L

Agrostis nebulosa Bois.

Avena pratensis L.

Avenastrum paniculmis Schrd.

Briza maxima L.

Bromus secalinus L.

Dactylis glomerata L.

Hordeum murinum L.

Oryza sativa Lin.

Panicum Crus galli L.

Setaria italica PB.

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p Elodea canadensis Rich
- 526 p Hydrocharis morsus ranae L
- ~~527~~ p Potamogeton acutifolius Link
- ~~528~~ p — crispus L
- ~~529~~ p — pusillus L

Alisma plantago L.

Hydrophyllaceae.

530 a Phacelia tanacetifolia Benth

Hypericaceae.

531 p Hypericum calycinum L
532 p — Coris L
533 p — montanum L
534 p — perforatum L

Hypericum hirsutum L.

Irideae.

~~535~~ Tp Crocus sativus officinalis L
536 " Iris germanica L
537 " — graminea L
538 " — Pseudacorus L
539 " — pumila L
540 " — sibirica L
~~541~~ " — Xiphium L

Iris lutea

Juncaceae.

~~542~~ p Juncus squarrosus L
543 p Luzula albida DC
544 p — silvatica Gaud

Luzula nivea DC.

Luzula pilosa Willd.

Labiatae.

~~545~~ b Ajuga chamaepitys Schreb
~~546~~ p — genevensis L
547 p — reptans L
548 p Ballota nigra L
549 p Betonica officinalis L
550 p Brunella grandiflora Jacq
551 p Calamintha acinos Clairv
552 p — alpina Lam
553 p — nepetoides Jord
554 p Clinopodium vulgare L
555 p Dracocephalum altaense Lam
556 p — austriacum L
557 a — Moldavica L
558 a Galeopsis tetrahit L
~~559~~ a — ochroleuca Lam
560 a — versicolor Curt
561 p Horminum pyrenaicum L
562 p Hyssopus officinalis L
563 p Lamium album L
~~564~~ p — Orvala L
565 a Lallelantia iberica Fisch. et
566 p Leonurus Cardiaca L [Mey
567 p Lycopus europaeus L
568 p Marrubium peregrinum L
569 p — vulgare L
570 p Melissa officinalis L
571 p Melittis melissophyllum L
~~572~~ p Mentha aquatica L
573 p — pulegium L
574 p — silvestris L
575 p Monarda digyma L
576 p — fistulosa L
577 p Nepeta cataria L
578 p — grandiflora M. B

579 p Nepeta macrantha Fisch.
580 a Ocimum Basilicum L
581 a Origanum Majorana L
582 p — vulgare L
583 p Phlomis tuberosa L
584 p Physostegia virginiana Benth
~~585~~ p Prasium majus L
586 p Salvia Aethiopsis L
587 b — argentea L
588 p — austriaca Jacq
589 p — azurea Lam
590 p — clandestina L
591 p — cleistogama de Bary
592 p — coccinea L
593 p — glutinosa L
~~594~~ p — grandiflora Etl
595 p — Horminum L
596 p? — nilotica Murr
597 p — officinalis L
598 p — pratensis L
599 p — silvestris L
600 p — splendens Sellow
601 p — verticillata L
602 a Satureja hortensis L
603 a — montana L
604 p Scutellaria galericulata L
605 p — macrantha Fisch
606 p Sideritis montana L
607 p Stachys alpina L
608 p — germanica L
609 p — recta L
610 Tp — Sieboldii Miq = affinis
Fres

611 p — silvatica L
612 a Teucrium Botrys L
613 p — Chamaedrys L
~~614~~ p — Euganeum Vis
~~615~~ p — flavum L
616 p — Scorodonia L

Glechoma hederacea L.

Mentha piperita L.

Phlomis cashmeriana Royle.

Salvia nemorosa L.

Thymus vulgaris L.

Liliaceae.

617 T Allium ampeloprasum L
618 T — ascalonicum L
619 T — fistulosum L
~~620~~ — flavum L
621 T — Porrum L
622 — sibiricum L
623 — Victoralis L
624 — vineale L
625 Asparagus officinalis L
~~626~~ Asphodelus albus Mill
627 — luteus L
628 T Colchicum autumnale L
629 T Convallaria majalis L
630 T Galtonia candicans Dec.
631 T Lilium Martagon L
632 T — pardalinum Lindl
~~633~~ T — tigrinum L
634 T Leucojum vernum L

635 T Ornithogalum umbellatum L
636 Paradisia Liliastrum Bert
637 Paris quadrifolia L
638 Polygonatum multiflorum All
639 — officinale All
640 Streptopus amplexifolius De
641 Veratrum nigrum L

Allium Schoenoprasum L.

Allium ursinum L.

Anthericum ramosum L.

Leucojum aestivum L.

Lineae.

642 p Linum alpinum L
643 p — flavum L
644 p — perenne L
~~645~~ p — tenuifolium L
646 a — usitatissimum L
~~647~~ p — viscosum L

Loasaceae, Datisceae.

648 a Blumenbachia Hieronymi Urb
~~649~~ a Cajophora lateritia Presl
650 a Datisca cannabina L
651 a Loasa lateritia Gill

Malvaceae.

~~652~~ a Abutilon Avicennae Gärtn
653 p Althaea cannabina L
654 p — officinalis L
655 b — rosea L atropurp.
656 a Hibiscus esculentus L
~~657~~ a — palustris L
658 a — Trionum L
659 p Kitaibelia vitifolia Willd
660 p Lavatera thuringiaca L
~~661~~ p Malva Alcea L
662 a — crispa L
663 p — moschata L
664 a — rotundifolia L
665 b — silvestris L

Oenotheraeae, Lythraceae.

~~666~~ p Circaea lutetiana L
~~667~~ a Clarkia elegans Dougl
~~668~~ a Cuphea viscosissima Jacq
669 p Epilobium augustifolium L
670 p — Dodonaei Vill
671 p — hirsutum L
672 p — roseum Schreb
673 p Lythrum Salicaria L
674 b Oenothera biennis L
675 p — fruticosa L
~~676~~ p — missouriensis Sims
677 p — pumila L
~~678~~ p — taraxacifolia Sweet

Chamaenerion Fleischeri Fritsch.

Oxalideae.

- 679 T p Oxalis Acetosella L
- ~~680~~ T p — caprina L
- 681 T p — corniculata
- 682 T p — tetraphylla Cav
- ~~683~~ T p — valdiviensis Barn.
- 684 T p — vespertilionis Zucc

Papaveraceae.

- 685 a Argemone grandiflora Sw
- 686 a — mexicana L
- 687 p Chelidonium majus L f. laciniata
- 688 a Eschscholtzia californica Cham
- 689 a Glaucium corniculatum Curt
- 690 a — flavum Crautz
- ~~691 a Hypecoum procumbens L~~
- ~~692~~ p Macleya cordata R. Br.
- 693 p Meconopsis cambrica L
- ~~694~~ p — nepalensis DC
- ~~695~~ p Papaver alpinum L fl. alb.
- 696 p — — nudicaule L
- 697 a — argemone L
- 698 p — caucasicum M. B
- 699 p — orientale L
- 700 a — Rhoëas L
- 701 a — somniferum L
- ~~702~~ p Sanguinaria canadensis L

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
- 704 p — vulneraria L
- 705 p Astragalus baeticus L
- 706 p — Cicer L
- 707 p — danicus Retz
- 708 p — glycyphyllos L
- 709 a Biserrula Pelecinus L
- 710 p Colophaca wolgarica Fisch
- 711 p Caragana arborescens Lam
- 712 a Cicer arietinum L
- 713 p Colutea arborescens L
- ~~714~~ p Coronilla Emerus L
- ~~715~~ p — scorpioides Koch
- 716 p — varia L
- 717 p Cytisus Laburnum L
- ~~718~~ p — leucanthus W. K.
- ~~719~~ p — nigricans L
- ~~720~~ p — purpureus Scop
- 721 p — ratisbonensis Schaff
- ~~722~~ a Dolichos Lablab L
- 723 p Doryenium suffruticosum Jord
- 724 p Galega officinalis L
- 725 p Genista germanica L
- ~~726~~ p — radiata Scop
- ~~727~~ p — sagittalis L
- ~~728~~ p — tinctoria L
- 729 p Glycyrrhiza echinata L
- ~~730~~ p — glabra L
- 731 p Hedysarum obscurum L
- 732 p Hippocrepis comosa L
- 733 p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
- 735 p — montanus Bernh
- 736 a — Nissolia L
- 737 a — odoratus L
- 738 p — silvester L
- 739 p — tuberosus L
- 740 p — vernus Bernh
- 741 a Le. s esculenta Moench
- 742 p Lotus corniculatus L
- 743 a Lupinus angustifolius L
- 744 a — luteus L
- 745 p — perennis L
- 746 p — polyphyllus Lindl
- ~~747~~ a Medicago Echinus DC
- ~~748~~ p — falcata L
- 749 p — falcata X sativa = media Pers
- 750 a — minima Desr
- 751 p — sativa L
- 752 a — turbinata Willd
- 753 b Melilotus officinalis Desr
- 754 p Onobrychis sativa Lam
- 755 p Ononis spinosa L
- 756 a Ornithopus sativus Brot
- 757 a Phaseolus multiflorus Willd
- 758 a Pisum arvense L
- 759 p Sarothamnus scoparius Koch
- 760 a Scorpiurus vermiculatus L
- ~~761~~ a Soja hispida Moench
- 762 p Spartium junceum L
- 763 p Tetragonolobus siliquosus L
- ~~764~~ a Trifolium arvense L
- ~~765~~ b — p Trifolium aureum Poll
- 766 p Trifolium badium Schreb.
- 767 p — fragiferum L
- ~~768~~ p — hybridum L
- 769 b — incarnatum L
- ~~770~~ p — medium L
- ~~771~~ a — minus Sm
- 772 p — montanum L
- 773 p — ochroleucum L
- 774 p — repens L
- 775 p — rubens L
- 776 b—p — spadiceum L
- 777 p — stellatum L
- 778 p — subterraneum L
- ~~779~~ a Trigonella coerulea Ser
- 780 a — foenum graecum L
- 781 p Ulex europaeus L
- 782 a Vicia Faba L
- ~~783~~ a — lutea L
- 784 a — narbonensis L
- ~~785~~ p — sepium L
- 786 a Vigna sinensis

- Ervm silvaticum Ptm.
- Hedysarum multijugum Max.
- Lupinus mutabilis Sweet.
- Onobrychis caput galli
- Scorpiurus sulcatus L.
- Vicia sativa L.

Plantagineae.

- 787 p Plantago alpina L
- 788 p — lanceolata L
- ~~789~~ p — maritima L
- 790 a — Psyllium L

Plantago media L.

Plumbagineae.

- 791 p Armeria alpina Willd
- 792 p — vulgaris Willd
- 793 p Plumbago europaea L
- 794 p Statice Limonium L

Armeria maritima Willd.

Polemoniaceae.

- 795 a Cobaea scandens Cav
- 796 a Collomia coccinea Lehm
- 797 a — grandiflora Dougl
- ~~798~~ p Phlox paniculata L
- 799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
- ~~801~~ p Polygonum amphibium L
- ~~802~~ p — baldschuanicum Regl
- 803 p — Bistorta L
- 804 a — Convolvulus L
- 805 p — cuspidatum L. et Z.
- ~~806~~ a — hydropiper L
- ~~807~~ p — sachalinense Schmidt
- 808 a — tinctorium Ait
- ~~809~~ a — virginianum L
- 810 p — viviparum L
- 811 p Rheum officinale L
- 812 p — palmatum L
- 813 p — Rhaponticum L
- 814 p Rumex Acetosa L
- 815 p — alpinus L
- 816 p — crispus L
- 817 p — Hydrolapathum Huds
- 818 p — maximus Schreb
- 819 p — Patientia L
- 820 p — sanguineus L
- 821 p — scutatus L

Rumex flexuosus Soland.

Primulaceae.

- 822 a Anagallis arvensis L
- ~~823~~ a — coerulea Schreb
- 824 p — grandiflora Andr
- 825 p Androsace lactea L
- 826 b — maxima L
- 827 p — sarmentosa Wall (stolones)
- ~~828~~ p Cortusa Matthioli L
- ~~829~~ p Lysimachia nummularia L
- 830 p — punctata L
- 831 p Naumburgia thyrsoflora Rehb

- 832 p *Primula acaulis* Jacq
 833 p — *auricula* L
 834 p — *cortusoides* L
~~835~~ p — *hirsuta* All
~~836~~ p — *minima* L
 837 p — *officinalis* L

Lysimachia vulgaris L.

Primula farinosa L.

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
~~839~~ p — *Napellus* L
 840 p *Actaea spicata* L
 841 a *Adonis aestivalis* L
 842 p — *vernalis* L
~~843~~ p *Anemone alpina* L
 844 p — *grandis* Wend
~~845~~ p — *japonica* Sieb
 846 p — *narcissiflora* L
 847 p — *nigricans* Fritsch
 848 p — *pulsatilla* L
 849 p — *ranunculoides* L
 850 p — *silvestris* L
~~851~~ p — *vernalis* L
 852 p *Aquilegia atroviolacea* Lall
 853 p — *vulgaris* L
 854 p *Atragene alpina* L
~~855~~ p *Caltha palustris* L
 856 p *Clematis recta* L
~~857~~ p — *Viticella* L
 858 p *Delphinium caucasicum* C. A. M.
~~859~~ a — *Consolida* L
 860 p — *elatum* Willd
 861 p — *Staphysagria* L
 862 p *Eranthis hiemalis* L
 863 p *Helleborus foetidus* L
 864 p — *niger* L
 865 p — *viridis* L
 866 p *Isopyrum thalictroides* L
 867 a *Myosurus minimus* L
 868 p *Nigella damascena* L
 869 p — *sativa* L
 870 p *Paeonia peregrina* Mill
 871 p *Ranunculus acer* L
 872 a — *arvensis* L
 873 p — *auricomus* L
 874 p — *Ficaria* L
 875 p — *gramineus* L
 876 p — *lanuginosus* L
~~877~~ p — *lingua* L
~~878~~ p — *platanifolius* L
~~879~~ p — *polyanthemus* L
 880 p — *sardous* Crantz
 881 a — *sceleratus* L
 882 p *Thalictrum angustifolium* L
 883 p — *aquilegifolium* L
 884 p — *flavum* L
 885 p — *minus* L
 886 p *Trollius europaeus* L
 887 p — *Ledebouri* Rehb.

Aconitum Anthora L.

Adonis auctumnalis L.

Anemone nemorosa L.

Aquilegia alpina L.

Delphinium nudicaule Gray.

Hepatica triloba DC.

Trollius pumilus D. Don.

Resedaceae.

888 b *Reseda luteola* L

889 a — *odorata* L

Reseda lutea L.

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
 891 p *Alchemilla alpina* L
 892 p — *vulgaris* L
 893 p *Amelanchier vulgaris* Mönch
 894 p *Aruncus silvester* Kostel
~~895~~ p *Comarum palustre* L
 896 p *Crataegus coccinea* L
~~897~~ p *Cydonia japonica* Pers
 898 p *Dryas octopetala* L
~~899~~ p *Eriobotrya japonica* Lindl
~~900~~ p *Fragaria elatior* Ehrh
 901 p *Geum album* Gm
 902 p — *montanum* L
 903 p — *intermedium* Ehrh
 904 p — *rivale* L
 905 p — *urbanum* L
 906 p *Pirus baccata* L
 907 p *Potentilla alba* L
 908 p — *anserina* L
~~909~~ p — *argentea* L
 910 p — *atrosanguinea* Lodd
~~911~~ p — *aurea* L
~~912~~ p — *caulescens* L
 913 p — *Clusiana* L
 914 p — *pennsylvanica* L
 sanguisorbifolia A. G.
 915 p — *rupestris* L
~~916~~ p *Poterium Sanguisorba* L
 917 p *Sanguisorba minor* Scop
 918 p — *officinalis* L
 919 p *Sorbus Aria* Ehrh
~~920~~ p — *Aucuparia v. dulcis* A. G.
 921 p — *torminalis* Crantz
 922 p *Spiraea Filipendula* L
 923 p — *Ulmaria* L

Potentilla aurea L.

~~*Potentilla alpestris* Hal.~~

Potentilla grandiflora L.

Potentilla multifida L.

Potentilla Nevadensis L.

Potentilla recta L.

Rhodotypos kerrioides S. et Z.

Rubiaceae

- 924 p *Asperula cynanchica* L
 925 p — *odorata* L
 926 p — *tinctoria* L
 927 a *Crucianella stylosa* Trin
 928 a *Galium Aparine* L
~~929~~ p — *boreale* L
~~930~~ p — *cruciata* Scop
 931 a — *tricornis* With
 932 p — *verum* L
 933 p *Rubia tinctorum* L
 934 a *Sherardia arvensis* L

Galium Mollugo L.

Rutaceae.

- 935 p *Dictamnus albus* L
 936 p *Ruta graveolens* L

Saxifrageae.

- ~~937~~ p *Chrysosplenum alternifolium* L
~~938~~ p *Mitella pentandra* Hook
~~939~~ p *Parnassia palustris* L
~~940~~ p *Ribes alpinum* L
~~941~~ p — *sanguineum* Pursh
 942 p *Saxifraga aizoon* L
 943 p — *Cotyledon* L
 944 T p — *granulata* L
 945 p — *rotundifolia* L

Saxifraga longifolia Lp.

Saxifraga trifida Suend.

Scrophulariaceae, Bignon., Martyn.,
 Pedaliaceae, Orobanchaeae.

- 946 a *Alonzoa Warscewiczii* Regl
 947 a *Antirrhinum majus* L
 948 p — *Orontium* L
 949 a *Calceolaria scabiosaefolia* Sims
~~950~~ p *Celsia betonicifolia* Desf
~~951~~ a *Collinsia bicolor* Benth
 952 p *Digitalis ambigua* Murr
 953 p — *ferruginea* L
 954 b-p — *lanata* Ehrh
 955 b-p — *lutea* L
 956 b — *purpurea* L
 957 a *Hebenstreitia dentata*
~~958~~ p *Incarvillea Delavayi* Franch
 959 a *Linaria alpina* Mill
 960 p — *cymbalaria* Mill
~~961~~ p — *dalmatica* Mill
 962 p — *genistifolia* Mill
 963 a — *spuria* Mill
~~964~~ p — *vulgaris* Moench
 965 p *Lophospermum scandens* Don
 966 a *Martynia proboscidea* L
 967 b-p *Maurandia Barclayana* Lindl
 968 a *Mimulus luteus* L
 969 a *Nycteria capensis* Benth
 970 p *Pentstemon coeruleus* Nutt
~~971~~ p — *gentianoides* Lindl
~~972~~ p — *glaucus* Grah

Supplementum seminum pro

1913

Ergänzungs-Liste für

<p>Acanthaceae. Thunbergia alata Bojer</p> <p>Amarantaceae. Gomphrena globosa L</p> <p>Amaryllideae. Amaryllis formosissima L</p> <p>Bignoniaceae. Eccremocarpus scaber R. et. P. Incarvillea grandiflora Spr.</p> <p>Campanulaceae. Campanula alliariifolia Willd. " medium L " rotundifolia Phyteuma Scheuchzeri All Symphyandra Hofmanni Pant.</p> <p>Caryophylleae. Cerastium lanatum Lam. Lychnis coeli rosa Desv. Silene armeria L " muscipula L " noctiflora L " viscosa Pers</p> <p>Chenopodiaceae. Atriplex tartaricum L Chenopodium botrys L Kochia arenaria Roth Salsola Kali L</p> <p>Compositae. Achillea macrophylla L " setacea W. et. K. Anacyclus pyrethrum DC Bellidiastrum Michellii Cass Crepis paludosa Mönch " Jacquini Tsch " grandiflora Tsch " biennis L Carduus defloratus L Catananche coerulea L Centaurea jacea L " pseudophrygia Mey Cnicus benedictus L Cosmos bipinatus Cav Eupatorium aromaticum L Filago arvensis L Helichrysum arenarium DC Hieracium bupleuroides Gmel " glaucum All " glabratum</p>	<p>Hieracium humile Jacq " murorum L " saxatile Jacq " setigerum Fsch</p> <p>Crassulaceae. Sedum dasyphyllum L</p> <p>Cruciferae. Aethionema saxatile R. Br. Camelina microcarpa Andr. Draba affinis Host Lepidium Draba L Malcolmia maritima R. Br. Rhaphanus Rhaphanistrum L Sisymbrium Sophia L Thlaspi ceratocarpum Murr</p> <p>Cucurbitaceae. Cucurbita Pepo L " verrucosa L Luffa acutangula Ser</p> <p>Cuscutaceae. Cuscuta epilinum Weih</p>	<p>Irideae. Gladiolus communis L " imbricatus L Iris spuria L Sisyrinchium Bermudianum Tournef.</p> <p>Juncaceae. Luzula campestris DC. " multiflora Dsf.</p> <p>Labiatae. Molucella laevis L Thymus angustifolius Pers</p> <p>Liliaceae. Anthericum Liliago L Allium montanum Schmidt Bowiea volubilis Harvey Eremurus robustus Rgl " turkestanicus Rgl Fritillaria Meleagris L Muscari comosum Mill Ornithogalum nutans L Polygonatum verticillatum All Veratrum album L.</p>
	<p>Cyperaceae. Carex atrata L " hordeistichos Vill Scirpus maritimus L</p> <p>Dipsaceae. Cephalaria pilosa Gren Scabiosa graminifolia L</p> <p>Gentianeae. Gentiana Pneumonanthe L</p> <p>Geraniaceae. Erodium cicutarium L'Herit Geranium dissectum L</p> <p>Gramineae. Avena versicolor Vill Bromus mollis L " patulus M. u. K. " tectorum L Festuca vaginata W. u. K. Corynephorus canescens P. B. Eragrostis major Host Koeleria cristata Pers Phleum alpinum L Poa alpina L " pratensis L Zizania aquatica L</p>	<p>Lineae. Linum austriacum L " grandiflorum Desf.</p> <p>Malvaceae. Anoda hastata Cav Lavatera trimestris L</p> <p>Oenotheraeae. Lythrum virgatum L Lopezia coronata Andr</p> <p>Papilionaceae. Astragalus echinatus " falcatus Lam Medicago hispida macrocarpa " scorpioides</p> <p>Plantagineae. Plantago arenaria W. u. K " argentea Chaix " coronopus L</p> <p>Plumbagineae. Acantholimon glumaceum Bois Statice serbica Nym</p>

Polemoniaceae.

Phlox Drummondii Hook

Primulaceae.

~~Androsace Laggeri Huet~~
" ~~chamaejasme Hst~~
Primula elatior Jacq
" ~~pannonica Korn~~
" ~~rosea Royle~~
Samolus Valerandi L.

Ranunculaceae.

Anemone hortensis L
Ranunculus Steveni Andr

Rosaceae.

Dryas Drummondii Rich
~~Potentilla minima Schleich~~
" nivea L

Potentilla pulcherrima Lehm.
" villosa Pall
Sibbaldia cuneata Hornem

Saxifragineae.

Bergenia cordifolia A. Br.
" crassifolia Engl
Saxifraga crustata Vest
" cuneifolia L
" moschata Wulf
" Rocheliana Sternb
" sancta Grsb
" umbrosa L

Scrophularineae.

Erinus alpinus L
Gratiola officinalis L
Linaria macrocana hort
" minor Desf
Scrophularia vernalis L

Veronica latifolia L
" spicata L

Solaneae.

Scopolia carniolica Jaquin
Solanum Lycopersicum L

Tropaeolaceae.

Tropaeolum majus L
" peregrinum

Umbelliferae.

Anethum graveolens L
Bupleurum longifolium L
Daucus Carota L
Seseli annuum L
" glaucum Mneh

Valerianeae.

Valeriana montana L

Botanischer Garten Olmütz (Austria).

Index seminum horti botanici Olomucensis pro 1907—1912.



pro 1915

Generalliste

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Seminibus non praesentibus numerus deletus est. — Die gestrichenen Nummern bedeuten, daß die betreffenden Samen nicht abgegeben werden können.

Communicationem desideratorum ante Kalendas Febr. rogamus.

Wir bitten um Bekanntgabe der gewünschten Samen bis 1. März.

T = tubera, bulbi, etc. (Bulbs), a = plantae annuae, b = pl. biennes, p = pl. perennes vel lignosae.

Aizoac., Basellac., Nyctag., Phytolacc., Portulac. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobanch. vide **Scrophul.** — Datisac. vide **Loasaceae** — Lythrac. vide **Oenother.**

- Amarantaceae, Aizoac.**
Nyctag., Phytol., Portulac.
- 1 a *Amarantus atropurpureus* Roxb.
 - 2 a — *caudatus* L
 - 3 a — *paniculatus* f. *sanguinea* L
 - ~~4~~ a *Basella rubra* L
 - 5 T *Boussingaultia baselloides* Kth.
 - 6 a *Celosia cristata* L
 - ~~7~~ a *Claytonia perfoliata* Donn
 - 8 a *Euxolus oleraceus* Raf.
 - 9. a *Mesembryanthemum cristallinum* L
 - 10 p *Mirabilis Jalapa* L
 - 11 p *Phytolacca decandra* L
 - 12 p — *esculenta* v. Hout.
 - 13 a *Portulaca oleracea* L
 - 14 a — *grandiflora* Hook
 - 15 a *Tetragonia expansa* Murr

- Aroideae.**
- 16 Tp *Amorphophallus Rivieri* Dur
 - 17 Tp *Arum maculatum* L
 - 18 Tp *Richardia albomaculata* Hook
 - 19 Tp *Sauromatum guttatum* Schott

- Asclepiadeae.**
- 20 p *Asclepias syriaca* L
 - 21 p *Cynanchum Vincetoxicum* R. Br.

- Balsamineae.**
- 22 a *Impatiens glanduligera* Lindl
 - 23 a — *noli tangere* L
 - 24 a — *parviflora* DC

- Boragiaceae.**
- 25 b *Alkanna tinctoria* Tsch.
 - ~~26~~ b—p *Anchusa officinalis* L
 - ~~27~~ p *Arnebia echioides* A. DC
 - 28 a *Asperugo procumbens* L
 - 29 a *Borago officinalis* L
 - ~~30~~ p *Cerithe alpina* Kit.
 - 31 a — *minor* L
 - 32 b *Cynoglossum officinale* L
 - 33 b *Echinosperrum lappula* Lehm
 - 34 b *Echium vulgare* L
 - ~~35~~ p *Lithospermum officinale* L
 - ~~36~~ p — *purpureo coeruleum* L
 - 37 b *Myosotis alpestris* Schmidt
 - 38 p *Nonnea pulla* DC
 - ~~39~~ p *Pulmonaria obscura* Dum
 - 40 p — *virginica* L
 - ~~41~~ p *Symphytum caucasicum* M. B.
 - ~~42~~ p — *tuberosum* L

Pulmonaria angustifolia L

- Campanulaceae.**
- 43 p *Adenophora liliifolia* Ledeb
 - ~~44~~ p *Campanula barbata* L
 - 45 p — *carpatica* Jacq.
 - 46 p — *cervicaria* L
 - 47 p — *glomerata* L
 - 48 p — *latifolia* L

- 49 p *Campanula persicifolia* L
- ~~50~~ p — *Portenschlagiana* R.S.
- ~~51~~ p — *pulla* L
- 52 p — *pusilla* Hânke
- 53 p — *pyramidalis* L
- 54 p — *rapunculoides* L
- 55 p — *sarmatica* Ker
- 56 p — *Schenohzeri* Vill
- 57 p — *sibirica* L
- 58 p — *spicata* L
- 59 p — *thyrsoides* L
- 60 p — *Trachelium* L
- 61 p — *turbinata* Schott
- ~~62~~ p *Edraianthus tenuifolius* DC fil.
- ~~63~~ b *Jasione montana* L
- ~~64~~ p — *perennis* Lam
- 65 b *Michauxia campanuloides* L'Her
- ~~66~~ p *Phyteuma hemisphaericum* L
- 67 p — *nigrum* Schmidt
- 68 p — *orbiculare* L
- 69 p — *spicatum* L
- 70 p *Platycodon grandiflorus* DC
Mariesii
- 71 a *Specularia speculum* DC

Campanula medium L

Camp. patula L

Camp. ranunculifolia L

p **Caprifoliaceae.**

- 72 *Lonicera Caprifolium* L
- 73 — *Xylosteum* L
- 74 *Sambucus Ebulus* L
- 75 — *racemosa* L

80

Caryophylleae.

- 76 a Agrostemma Githago L
- 77 p Alsine juniperina Wahlenb.
- 78 p — verna Bartl
- ~~79~~ p Arenaria ciliata L
- 80 p — grandiflora All
- 81 a Cerastium arvense L
- 82 p Cucubalus baccifer L
- ~~83~~ p Dianthus alpinus L
- 84 p — Armeria L
- 85 p — barbatus L
- 86 p — caesius Sm.
- 87 p — carthusianorum L
- 88 p — deltoides L
- 89 p — plumarius L
- 90 p — speciosus Rehb.
- 91 p — superbus L
- 92 p Drypis spinosa L
- ~~93~~ a Gypsophila muralis L
- 94 p — paniculata L
- 95 p — repens L fl. alb.
et ros.
- 96 p Heliosperma alpestre (Jacq.)
- ~~97~~ p — quadrifidum (L)
- 98 p Lychnis alpina L
- 99 b — coronaria Lam
- ~~100~~ p — flos cuculi L
- 101 p — flos Jovis Lam
- ~~102~~ p Malachium aquaticum L
- 103 b Melandrium album Gareke
- 104 p — rubrum Gareke
- ~~105~~ p Moehringia muscosa L
- 106 p Saponaria ocymoides L
- 107 p — officinalis L
- 108 p Silene acaulis L
- 109 a — gallica L
- ~~110~~ p? — nemoralis W. et K.
- 111 p — nutans L
- ~~112~~ p — Otites Sm.
- ~~113~~ p — pumilio
- 114 p — saxifraga L
- 115 p — vulgaris Gareke
- 116 a Spergula arvensis L
- 117 p Stellaria holostea L
- 118 p Tunica saxifraga Scop.
- 119 a Vaccaria parviflora Mönch
- 120 p Viscaria vulgaris Röhl

Agrostemma celi rosa L

Cerastium tomentosum L

Cerastium lanatum L

Chenopodiaceae.

- 121 a Atriplex hortensis L
- 122 a — nitens Schk.
- 123 b Beta maritima L
- 124 b — vulgaris Cicla L
- 125 b — — rapa altissima L
- 126 b — — — rubra L
- 127 a Chenopodium album L
- 128 a — ambrosioides L
- 129 p — Bonus Henricus L
- 130 a — capitatum Asch
- 131 a — ficifolium Sm.
- 132 a — foliosum Mönch

- 133 a Chenopodium Quinoa Willd
- 134 a Kochia scoparia Schrad
- 135 b Spinacia oleracea L

Cistaceae.

- 136 p Helianthemum polifolium Koch
- 137 p — vulgare Gärtn

Compositae.

- ~~138~~ p Achillea ageratifolia Hook
- ~~139~~ p — argentea Vis
- 140 p — Clavennae L
- ~~141~~ p — Clusiana Tsch
- ~~142~~ p — Millefolium L f. sude-
tica Opiz
- ~~143~~ p — nobilis L
- ~~144~~ p — pannonica Scheele
- 145 p — Ptarmica L
- 146 p — tanacetifolia All.
- ~~147~~ p Achyrophorus maculatus Scop.
- 148 p — uniflorus Bl. et
Fing
- 149 p Alfredia cernua Cass.
- 150 a Ambrosia trifida L
- 151 a Anacyclus officinarum Hayne
- ~~152~~ p Antennaria dioica L
- 153 p Anthemis nobilis L
- 154 p — tinctoria L
- ~~155~~ p Arnica montana L
- 156 p Aronicum scorpioides Koch
- 157 p Artemisia Absinthium L
- ~~158~~ p — Draunculus L
- ~~159~~ p — maritima L
- 160 p — Mutellina L
- ~~161~~ p — spicata Wulf
- 162 p Aster alpinus L
- 163 p — Amellus L
- 164 p — Tripolium L
- ~~165~~ a Bidens andicola hort
- ~~166~~ a — bipinnata L
- 167 a — cernua L
- 168 a — leucantha Willd
- 169 a — tripartita L
- 170 p Bupthalmum salicifolium L
- ~~171~~ p Cacalia suaveolens L
- 172 a Calendula officinalis L
- 173 b Carduus nutans L
- ~~174~~ p Carlina acaulis L
- 175 a Carthamus tinctorius L
- 176 b Contaurea Calcitrapa L
- 177 a — cyanus L
- 178 p — macrocephala M. B
- 179 p — montana L
- 180 p — rhenana Bor
- 181 p — Scabiosa L
- 182 a — solstitialis L
- 183 a — suaveolens Willd
- 184 p Chamaepeuce diacantha DC

- 185 p Chondrilla juncea L
- 186 p Chrysanthemum cinerariifol.
Bocc
- 187 a Chrysanthemum segetum L
- 188 a Cichorium Endivia L
- 189 p — Intybus L
- ~~190~~ p Cirsium acaule All
- 191 p — canum M. B.
- 192 p — eriophorum Scop
- 193 p — erisithales Scop
- 194 p — ferox DC
- 195 p — heterophyllum All
- 196 p — oleraceum Scop
- ~~197~~ p — spinosissimum Scop
- 198 a Coreopsis tinctoria Nutt
- 199 p Crepis aurea Cass
- 200 p — blattarioides Vill
- ~~201~~ p — praemorsa Tsch
- 202 a Crupina vulgaris Cass
- 203 b Cynara Scolymus L
- 204 a Dimorphoteca pluvialis Mönch
- 205 p Doronicum austriacum Jacq
- 206 p — caucasicum M. B.
- ~~207~~ p — Halleri Tsch
- 208 p Echinops Ritro L
- 209 p — sphaerocephalus L
- ~~210~~ p Erechites hieracifolia Raf
- 211 p Erigeron aurantiacus Rgl
- 212 a — canadensis L
- ~~213~~ p — uniflorus L
- 214 p Eupatorium cannabinum L
- ~~215~~ p Gaillardia aristata Pursh
- 216 p — — var grandiflora
- 217 a Galinsoga parviflora Cav
- ~~218~~ p Gnaphalium norvegicum Gunn
- ~~219~~ a — silvaticum L
- 220 p Grindelia squarrosa Dunal
- 221 a Guizotia oleifera DC
- 222 a Helianthus annuus L
- 223 T p — tuberosus L
- 224 a Helichrysum angustifolium DC
- ~~225~~ a Helminthia echioides Gärt
- ~~226~~ p Hieracium alpinum L
- ~~227~~ p — aurantiacum L
- 228 p — intybaceum Jacq
- ~~229~~ p — magyricum N. P.
- 230 p — pilosella L
- 231 p — sabaudum L
- 232 p — staticifolium Vill
- ~~233~~ p — umbellatum L
- ~~234~~ p — villosum L
- 235 p Inula Helenium L
- 236 p — hirta L
- 237 p — salicina L
- ~~238~~ p Kentrophyllum lanatum DC
- 239 a Lactuca angustana All
- 240 p — perennis L
- 241 a — scariola L
- 242 b — virosa L
- 243 a Lampsana communis L
- 244 b Lappa tomentosa Lam
- 245 p Leontopodium alpinum Cass
- 246 p Ligularia sibirica Cass
- 247 a Madia sativa Mol
- 248 a Matricaria chamomilla L
- 249 p Mulgedium alpinum Cass

- 250 b Onopordon Acanthium L
 251 b — illyricum L
 252 p Petasites niveus Bmg.
 253 p — officinalis Mönch
 254 p Picris hieracioides L
 255 p Podospermum Jacquinianum
 256 p Prenanthes purpurea L [Koch
 257 p Pulicaria dysenterica Gaert
 258 p Pyrethrum caucasicum Willd
 259 p — Parthenium Sm
 260 p — roseum Bieb
 261 p Rudbeckia laciniata L
 262 p — purpurea L
 263 a Sanvitalia procumbens L
 264 a Scolymus hispanicus L
 265 p Scorzonera hispanica L
 266 p — humilis L
 267 p — purpurea L
 268 p Senecio abrotanifolius L
 269 p — Fuchsii Gm
 270 p — sudeticus DC
 271 p Serratula tinctoria L
 272 p Silphium laciniatum L
 273 p — perfoliatum L
 274 a Silybum Marianum Gärt.
 275 p Solidago canadensis L
 276 p — virga aurea L
 277 a Spilanthes oleracea Jacq
 278 a Tagetes patula L
 279 p Tanacetum Balsamita L
 280 p — corymbosum Schultz
 281 p — vulgare L
 282 b Tragopogon porrifolius L
 283 b — pratensis v. orientalis L
 284 a Xanthium italicum Mor
 285 a — spinosum L
 286 a — Strumarium L
 287 a Xeranthemum annuum L
 288 a Zinnia elegans Jacq

Convolvulaceae.

- 289 a Convolvulus Scammonia L
 290 p — sepium L
 291 a Cuscuta europaea L
 292 p Exogonium purga Wend
 293 p Ipomoea Batatas Lam
 294 a — purpurea Lam
 295 a Quamoclit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
 297 p — reflexum L
 298 p — villosum L
 299 p Sempervivum arachnoideum L
 300 — hirtum L
 301 — montanum L
 302 — tectorum L

Cruciferae.

- 303 a Alliaria officinalis L
 304 p Alyssum montanum L
 305 p — saxatile L
 306 p — Wulfenianum Willd =
 = transsilvanicum Schk
 307 a Anastatica hierochuntica L
 308 p Arabis alpina L
 309 b — bellidifolia Jacq
 310 b — hirsuta Scop
 311 p — procurrens W. et K
 312 b — Turrita L
 313 p Aubrietia graeca Boiss
 314 p Barbarea praecox R Br
 315 p — vulgaris R Br
 316 b Berteroa incana DC
 317 p Biscutella laevigata L
 318 a Brassica nigra Koch
 319 a — Napus L oleifera annua

Koch

- 320 a — — L oleifera hie-
 malis Doel
 321 b — — rapifera Metzger
 322 b — oleracea L acephala DC
 323 b — — botrytis L
 324 b — — capitata L
 325 b — — gemmifera DC
 326 b — — gongyloides L
 327 b — — sabauda L
 328 a — Rapa oleif. annua Koch
 329 b — — hiemalis Mart
 330 b — — rapifera Metzger

- 331 a Bunias Erucago L
 332 p — orientalis L
 333 a Camelina sativa Crantz
 334 p Cardamine amara L
 335 a — impatiens L
 336 p — resedifolia L
 337 p — trifolia L
 338 b Cheiranthus Cheiri L
 339 Tp Cochlearia Armoracia L
 340 b — officinalis L
 341 p Crambe maritima L
 342 p Dentaria bulbifera L
 343 p — enneaphyllos L
 344 p — glandulosa W et K
 345 p Diplotaxis tenuifolia DC
 346 p Draba aizoides L
 347 p — stellata Jacq
 348 a Eruca sativa Mill
 349 p Erysimum canescens Roth
 350 b — cheiranthoides L
 351 b—p — odoratum Ehrh

- 352 b—p Hesperis matronalis L
 353 b — tristis L
 354 a Iberis amara L
 355 a — umbellata L
 356 b Isatis tinctoria L
 357 p Kerneria saxatilis Rchb
 358 b Lepidium campestre R. Br
 359 a — ruderale L
 360 a — sativum L
 361 a Lunaria biennis Mönch
 362 p — rediviva L
 363 a Mathiola incana L
 364 p Nasturtium officinale L
 365 a Neslea paniculata Desv.
 366 p Peltaria alliacea L
 367 p Petrocallis pyrenaica R. Br
 368 a Raphanus sativus L oleiferus
 369 p Roripa amphibia Scop
 370 a Sinapis alba L
 371 a Sisymbrium officinale Scop
 372 p — strictissimum L
 373 a Thlaspi arvense L
 374 p — rotundifolium L
 375 b Turritis glabra L

Cucurbitaceae.

- 376 p Bryonia alba L
 377 p — dioica L
 378 a Citrullus vulgaris Schrad
 379 a Cucumis Melo L
 380 a — sativus L
 381 a Cucurbita Melopepo L
 382 a Cyclanthera explodens Naud
 383 a — pedata Schrad
 384 a Ecballium Elaterium Rich
 385 a Lagenaria vulgaris Ser
 386 a Luffa cylindrica Roem
 387 a Momordica charantia L

Cyperaceae.

- 388 p Carex ampullacea Good
 389 p — flava L
 390 p — hirta L
 391 p — humilis Leysser
 392 p — muricata L
 393 p — panicea L
 394 p — paradoxa Willd
 395 p — pulicaris L
 396 p — rupestris All
 397 Tp Cyperus esculentus L
 398 a — flavescens L
 399 p Eriophorum polystachyum L
 400 p Rhynchospora alba Vahl

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
- 402 b *Dipsacus fullonum* Mill
- 403 b — *laciniatus* L
- 404 b — *silvestris* Mill
- 405 p *Knautia arvensis* Coult
- 406 a *Scabiosa atropurpurea* L
- 407 p — *caucasica* M. B
- 408 p — *ochroleuca* L
- 409 p — *stellata* L
- 410 p — *suaveolens* Desf.
- 411 p *Succisa pratensis* Mönch

Euphorbiaceae.

- 412 p *Euphorbia amygdaloides* L
- 413 a — *chamaesyce* L
- 414 p — *dulcis* L
- 415 p — *epithymoides* L
- 416 p — *fragifera* Jan
- 417 b — *lathyris* L
- 418 p — *Myrsinites* L
- 419 p — *palustris* L
- 420 p — *Paralias* L
- 421 p — *verrucosa* Lam
- 422 p — *villosa* W. et K
- 423 p — *Wulfeni* Hoppe
- 424 p — *Mercurialis perennis* L
- 425 a — *Ricinus communis* L

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
- 427 p *Corydalis cava* Wahlb
- 428 p — *lutea* DC
- 429 T p *Dicentra spectabilis* Borkh.
- 430 a *Fumaria officinalis* L
- 431 a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
- 433 p *Gentiana acaulis* L
- 434 p — *asclepiadea* L
- 435 p — *bavarica* L
- 436 p — *cruciata* L

- 437 p *Gentiana germanica* Willd
- 438 p — *verna* L
- 439 p *Swertia perennis* L

Geraniaceae.

- 440 a *Erodium gruinum* L
- 441 p *Geranium argenteum* L
- 442 p — *macrorhizum* L
- 443 p — *phaeum* L
- 444 p — *pratense* L
- 445 p — *sanguineum* L
- 446 p — *silvaticum* L

Globularieae.

- 447 p *Globularia cordifolia* L
- 448 p — *nudicaulis* L
- 449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
- 451 p — *canina* L
- 452 p *Aira caespitosa* L
- 453 a *Andropogon cernuus* Kth
- 454 p — *Gryllus* L
- 455 a — *halepensis* Brot
- 456 p — *Ischaemum* L
- 457 a — *Sorghum Brot niger*
Körn
- 458 a — *saccharatus* Kth
- 459 a *Apera spica venti* P. B.
- 460 p *Anthoxantum odoratum* L
- 461 p *Arrhenatherum elatius* P. B.
- 462 p *Avena pubescens* Huds
- 463 a — *sativa* L
- 464 a — *sterilis* L
- 465 p *Bouteloua oligostachya* Torr
- 466 p *Brachypodium pinnatum* P. B.
- 467 p *Briza media* L
- 468 a *Bromus briziformis* Fisch et Mey
- 469 p — *erectus* Huds
- 470 p — *inermis* Leyss
- 471 a — *sterilis* L
- 472 p *Calamagrostis lanceolata* Roth
- 473 p *Catabrosa aquatica* P. B.
- 474 a *Cenchrus tribuloides* L
- 475 a *Coix lacryma Jobi* L
- 476 a *Crypsis aculeata* Ait
- 477 p *Cynodon dactylon* Pers
- 478 p *Cynosurus cristatus* L
- 479 a *Eleusine coracana* Gärtn
- 480 a — *indica* Gärtn
- 481 p *Elymus arenarius* L
- 482 a *Eragrostis abessinica* Link
- 483 p *Festuca pratensis* L
- 484 p — *rubra* L
- 485 p — *scoparia* Hackel v. *crinum*
ursi Ram

- 486 p *Festuca sulcata* Hackel
- 487 p *Holcus lanatus* L
- 488 a *Hordeum distichum* L
- 489 a — *hexastichum* L
- 490 p — *jubatum* L
- 491 a — *zeocriton* L
- 492 a *Lagurus ovatus* L
- 493 p *Lolium multiflorum* Lam
- 494 p — *perenne* L
- 495 a — *temulentum* L
- 496 p *Melica altissima* L
- 497 a — *ciliata* L
- 498 p *Molinia coerulea* Moench
- 499 p *Nardus stricta* L
- 500 a *Panicum italicum* v. *german.*
- 501 a — *miliaceum* L [Lam
- 502 a — *sanguinale* L
- 503 a *Pennisetum villosum* R. Br
- 504 p *Phalaris arundinacea* L
- 505 a — *canariensis* L
- 506 p *Phleum pratense* L *nodosum*
- 507 p *Poa bulbosa* L *vivipara*
- 508 p — *sudetica* Hänke
- 509 p *Secale montanum* Guss
- 510 p *Sesleria coerulea* Scop
- 511 p — *auctumnalis* F. Schultz
- 512 p *Stipa calamagrostis* Link
- 513 p — *capillata* L
- 514 p — *pennata* L
- 515 p — *tenacissima* L
- 516 a — *tortilis* Desf.
- 517 a *Tragus racemosus* Desf.
- 518 p *Trisetum flavescens* Beauv
- 519 a *Triticum monococcum* L
- 520 a — (*Aegilops*) *ovatum* Gren
- 521 a — *ventricosum* Ces
- 522 a — *sativum* × *ovatum* A. G.
= *Aegilops triticoides* Req
- 523 a — *spelta* L
- 524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)
Potamogetoneae.

- 525 p *Elodea canadensis* Rich
- 526 p *Hydrocharis morsus ranae* L
- 527 p *Potamogeton acutifolius* Link
- 528 p — *crispus* L
- 529 p — *pusillus* L

Hydrophyllaceae.

530 a Phacelia tanacetifolia Benth

Hypericaceae.

531 p Hypericum calycinum L
532 p — Coris L
533 p — montanum L
534 p — perforatum L

Irideae.

535 Tp Crocus sativus officinalis L
536 " Iris germanica L
537 " — graminea L
538 " — Pseudacorus L
539 " — pumila L
540 " — sibirica L
541 " — Xiphium L

Juncaceae.

542 p Juncus squarrosus L
543 p Luzula albida DC
544 p — silvatica Gaud

Labiatae.

545 b Ajuga chamaepitys Schreb
546 p — genevensis L
547 p — reptans L
548 p Ballota nigra L
549 p Betonica officinalis L
550 p Brunella grandiflora Jacq
551 p Calamintha acinos Clairv
552 p — alpina Lam
553 p — nepetoides Jord
554 p Clinopodium vulgare L
555 p Dracocephalum altaianse Lam
556 p — austriacum L
557 a — Moldavica L
558 a Galeopsis tetrahit L
559 a — ochroleuca Lam
560 a — versicolor Curt
561 p Horminum pyrenaicum L
562 p Hyssopus officinalis L
563 p Lamium album L
564 p — Orvala L
565 a Lallelantia iberica Fisch. et
566 p Leonurus Cardiaca L [Mey
567 p Lycopus europaeus L
568 p Marrubium peregrinum L
569 p — vulgare L
570 p Melissa officinalis L
571 p Melittis melissophyllum L
572 p Mentha aquatica L
573 p — pulegium L
574 p — silvestris L
575 p Monarda digyma L
576 p — fistulosa L
577 p Nepeta cataria L
578 p — grandiflora M. B

579 p Nepeta macrantha Fisch.
580 a Ocimum Basilicum L
581 a Origanum Majorana L
582 p — vulgare L
583 p Phlomis tuberosa L
584 p Physostegia virginiana Benth
585 p Prasium majus L
586 p Salvia Aethiopsis L
587 b — argentea L
588 p — austriaca Jacq
589 p — azurea Lam
590 p — clandestina L
591 p — cleistogama de Bary
592 p — coccinea L
593 p — glutinosa L
594 p — grandiflora Etl
595 p — Horminum L
596 p? — nilotica Murr
597 p — officinalis L
598 p — pratensis L
599 p — silvestris L
600 p — splendens Sellow
601 p — verticillata L
602 a Satureja hortensis L
603 a — montana L
604 p Scutellaria galericulata L
605 p — macrantha Fisch
606 p Sideritis montana L
607 p Stachys alpina L
608 p — germanica L
609 p — recta L
610 Tp — Sieboldii Miq = affinis
Fres
611 p — silvatica L
612 a Teucrium Botrys L
613 p — Chamaedrys L
614 p — Euganeum Vis
615 p — flavum L
616 p — Scorodonia L

Liliaceae.

617 T Allium ampeloprasum L
618 T — ascalonicum L
619 T — fistulosum L
620 — flavum L
621 T — Porrum L
622 — sibiricum L
623 — Victoralis L
624 — vineale L
625 Asparagus officinalis L
626 Asphodelus albus Mill
627 — luteus L
628 T Colchicum autumnale L
629 T Convallaria majalis L
630 T Galtonia candicans Dec
631 T Lilium Martagon L
632 T — pardalinum Lindl
633 T — tigrinum L
634 T Leucojum vernum L

635 T Ornithogalum umbellatum L
636 Paradisia Liliastrum Bert
637 Paris quadrifolia L
638 Polygonatum multiflorum All
639 — officinale All
640 Streptopus amplexifolius De
641 Veratrum nigrum L

Lineae.

642 p Linum alpinum L
643 p — flavum L
644 p — perenne L
645 p — tenuifolium L
646 a — usitatissimum L
647 p — viscosum L

Loasaceae, Datisceae.

648 a Blumenbachia Hieronymi Urb
649 a Cajophora lateritia Presl
650 a Datisca cannabina L
651 a Loasa lateritia Gill

Malvaceae.

652 a Abutilon Avicennae Gärtn
653 p Althaea cannabina L
654 p — officinalis L
655 b — rosea L atropurp.
656 a Hibiscus esculentus L
657 a — palustris L
658 a — Trionum L
659 p Kitaibelia vitifolia Willd
660 p Lavatera thuringiaca L
661 p Malva Alcea L
662 a — crispa L
663 p — moschata L
664 a — rotundifolia L
665 b — silvestris L

Oenotheraeae, Lythraceae.

666 p Circaea lutetiana L
667 a Clarkia elegans Dougl
668 a Cuphea viscosissima Jacq
669 p Epilobium augustifolium L
670 p — Dodonaei Vill
671 p — hirsutum L
672 p — roseum Schreb
673 p Lythrum Salicaria L
674 b Oenothera biennis L
675 p — fruticosa L
676 p — missouriensis Sims
677 p — pumila L
678 p — taraxacifolia Sweet

Oxalideae.

- 679 T p Oxalis Acetosella L
- 680 T p — caprina L
- 681 T p — corniculata
- 682 T p — tetraphylla Cav
- 683 T p — valdiviensis Barn.
- 684 T p — vespertilionis Zucc

Papaveraceae.

- ~~685~~ a Argemone grandiflora Sw
- 686 a — mexicana L
- 687 p Chelidonium majus L f. laciniata
- 688 a Eschscholtzia californica Cham
- 689 a Glaucium corniculatum Curt
- 690 a — flavum Crautz
- 691 a Hypecoum procumbens L
- 692 p Macleya cordata R. Br.
- 693 p Meconopsis cambrica L
- 694 p — nepalensis DC
- 695 p Papaver alpinum L fl. alb.
- 696 p — — nudicaule L
- 697 a — argemone L
- 698 p — caucasicum M. B
- 699 p — orientale L
- 700 a — Rhoeas L
- 701 a — somniferum L
- ~~702~~ p Sanguinaria canadensis L

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
- 704 p — vulneraria L
- 705 p Astragalus baeticus L
- 706 p — Cicer L
- 707 p — danicus Retz
- 708 p — glycyphyllos L
- 709 a Biserrula Pelecinus L
- 710 p Colophaca wolgarica Fisch
- 711 p Caragana arborescens Lam
- 712 a Cicer arietinum L
- 713 p Colutea arborescens L
- 714 p Coronilla Emerus L
- 715 p — scorpioides Koch
- 716 p — varia L
- 717 p Cytisus Laburnum L
- 718 p — leucanthus W. K.
- 719 p — nigricans L
- 720 p — purpureus Scop
- 721 p — ratisbonensis Schaff
- 722 a Dolichos Lablab L
- 723 p Dorycnium suffruticosum Jord
- 724 p Galega officinalis L
- 725 p Genista germanica L
- 726 p — radiata Scop
- 727 p — sagittalis L
- 728 p — tinctoria L
- 729 p Glycyrrhiza echinata L
- 730 p — glabra L
- 731 p Hedysarum obscurum L
- 732 p Hippocrepis comosa L
- 733 p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
- 735 p — montanus Bernh
- 736 a — Nissolia L
- 737 a — odoratus L
- 738 p — silvester L
- ~~739~~ p — tuberosus L
- 740 p — vernus Bernh
- 741 a Le. s esculenta Moench
- 742 p Lotus corniculatus L
- 743 a Lupinus angustifolius L
- 744 a — luteus L
- 745 p — perennis L
- 746 p — polyphyllus Lindl
- ~~747~~ a Medicago Echinus DC
- ~~748~~ p — falcata L
- 749 p — falcata X sativa =
media Pers
- 750 a — minima Desr
- 751 p — sativa L
- ~~752~~ a — turbinata Willd
- 753 b Melilotus officinalis Desr
- 754 p Onobrychis sativa Lam
- ~~755~~ p Ononis spinosa L
- ~~756~~ a Ornithopus sativus Brot
- 757 a Phaseolus multiflorus Willd
- 758 a Pisum arvense L
- 759 p Sarothamnus scoparius Koch
- 760 a Scorpiurus vermiculatus L
- 761 a Soja hispida Moench
- 762 p Spartium junceum L
- 763 p Tetragonolobus siliquosus L
- ~~764~~ a Trifolium arvense L
- ~~765~~ b — p Trifolium aureum Poll
- 766 p Trifolium badium Schreb.
- 767 p — fragiferum L
- ~~768~~ p — hybridum L
- ~~769~~ b — incarnatum L
- 770 p — medium L
- ~~771~~ a — minus Sm
- ~~772~~ p — montanum L
- 773 p — ochroleucum L
- 774 p — repens L
- 775 p — rubens L
- 776 b — p — spadiceum L
- ~~777~~ p — stellatum L
- ~~778~~ p — subterraneum L
- 779 a Trigonella coerulea Ser
- ~~780~~ a — foenum graecum L
- 781 p Ulex europaeus L
- 782 a Vicia Faba L
- 783 a — lutea L
- 784 a — narbonensis L
- 785 p — sepium L
- ~~786~~ a Vigna sinensis

Plantagineae.

- 787 p Plantago alpina L
- 788 p — lanceolata L
- 789 p — maritima L
- 790 a — Psyllium L

Plumbagineae.

- 791 p Armeria alpina Willd
- 792 p — vulgaris Willd
- ~~793~~ p Plumbago europaea L
- 794 p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
- 796 a Collomia coccinea Lehm
- 797 a — grandiflora Dougl
- 798 p Phlox paniculata L
- 799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
- ~~801~~ p Polygonum amphibium L
- ~~802~~ p — baldschuanicum Regl
- 803 p — Bistorta L
- 804 a — Convolvulus L
- 805 p — cuspidatum L. et Z.
- 806 a — hydropiper L
- ~~807~~ p — sachalinense Schmidt
- 808 a — tinctorium Ait
- ~~809~~ a — virginianum L
- 810 p — viviparum L
- 811 p Rheum officinale L
- ~~812~~ p — palmatum L
- 813 p — Rhaponticum L
- 814 p Rumex Acetosa L
- 815 p — alpinus L
- 816 p — crispus L
- 817 p — Hydrolapathum Huds
- 818 p — maximus Schreb
- 819 p — Patientia L
- 820 p — sanguineus L
- ~~821~~ p — scutatus L

Primulaceae.

- 822 a Anagallis arvensis L
- ~~823~~ a — coerulea Schreb
- ~~824~~ p — grandiflora Andr
- ~~825~~ p Androsace lactea L
- 826 b — maxima L
- 827 p — sarmentosa Wall
(stolones)
- ~~828~~ p Cortusa Matthioli L
- 829 p Lysimachia nummularia L
- 830 p — punctata L
- 831 p Naumburgia thyrsoflora Rehb

- 832 p *Primula acaulis* Jacq
- 833 p — *auricula* L
- 834 p — *cortusoides* L
- 835 p — *hirsuta* All
- 836 p — *minima* L
- 837 p — *officinalis* L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
- 839 p — *Napellus* L
- 840 p *Actaea spicata* L
- 841 a *Adonis aestivalis* L
- 842 p — *vernalis* L
- 843 p *Anemone alpina* L
- 844 p — *grandis* Wend
- 845 p — *japonica* Sieb
- 846 p — *narcissiflora* L
- 847 p — *nigricans* Fritsch
- 848 p — *pulsatilla* L
- 849 p — *ranunculoides* L
- 850 p — *silvestris* L
- 851 p — *vernalis* L
- 852 p *Aquilegia atrovioleacea* Lall
- 853 p — *vulgaris* L
- 854 p *Atragene alpina* L
- 855 p *Caltha palustris* L
- 856 p *Clematis recta* L
- 857 p — *Viticella* L
- 858 p *Delphinium caucasicum* C. A. M.
- 859 a — *Consolida* L
- 860 p — *elatum* Willd
- 861 p — *Staphysagria* L
- 862 p *Eranthis hiemalis* L
- 863 p *Helleborus foetidus* L
- 864 p — *niger* L
- 865 p — *viridis* L
- 866 p *Isopyrum thalictroides* L
- 867 a *Myosurus minimus* L
- 868 p *Nigella damascena* L
- 869 p — *sativa* L
- 870 p *Paeonia peregrina* Mill
- 871 p *Ranunculus acer* L
- 872 a — *arvensis* L
- 873 p — *auricomus* L
- 874 p — *Ficaria* L
- 875 p — *gramineus* L
- 876 p — *lanuginosus* L
- 877 p — *lingua* L
- 878 p — *platanifolius* L
- 879 p — *polyanthemus* L
- 880 p — *sardous* Crantz
- 881 a — *sceleratus* L
- 882 p *Thalictrum angustifolium* L
- 883 p — *aquilegifolium* L
- 884 p — *flavum* L
- 885 p — *minus* L
- 886 p *Trollius europaeus* L
- 887 p — *Ledebouri* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
- 889 a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
- 891 p *Alchemilla alpina* L
- 892 p — *vulgaris* L
- 893 p *Amelanchier vulgaris* Mönch
- 894 p *Aruncus silvester* Kostel
- 895 p *Comarum palustre* L
- 896 p *Crataegus coccinea* L
- 897 p *Cydonia japonica* Pers
- 898 p *Dryas octopetala* L
- 899 p *Eriobotrya japonica* Lindl
- 900 p *Fragaria elatior* Ehrh
- 901 p *Geum album* Gm
- 902 p — *montanum* L
- 903 p — *intermedium* Ehrh
- 904 p — *rivale* L
- 905 p — *urbanum* L
- 906 p *Pirus baccata* L
- 907 p *Potentilla alba* L
- 908 p — *anserina* L
- 909 p — *argentea* L
- 910 p — *atrosanguinea* Lodd
- 911 p — *aurea* L
- 912 p — *caulescens* L
- 913 p — *Clusiana* L
- 914 p — *pennsylvanica* L
- sanguisorbifolia* A. G.
- 915 p — *rupestris* L
- 916 p *Poterium Sanguisorba* L
- 917 p *Sanguisorba minor* Scop
- 918 p — *officinalis* L
- 919 p *Sorbus Aria* Ehrh
- 920 p — *Aucuparia v. dulcis* A. G.
- 921 p — *torminalis* Crantz
- 922 p *Spiraea Filipendula* L
- 923 p — *Ulmaria* L

Rubiaceae

- 924 p *Asperula cynanchica* L
- 925 p — *odorata* L
- 926 p — *tinctoria* L
- 927 a *Crucianella stylosa* Trin
- 928 a *Galium Aparine* L
- 929 p — *boreale* L
- 930 p — *cruciata* Scop
- 931 a — *tricornis* With
- 932 p — *verum* L
- 933 p *Rubia tinctorum* L
- 934 a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
- 936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
- 938 p *Mitella pentandra* Hook
- 939 p *Parnassia palustris* L
- 940 p *Ribes alpinum* L
- 941 p — *sanguineum* Pursh
- 942 p *Saxifraga aizoon* L
- 943 p — *Cotyledon* L
- 944 T p — *granulata* L
- 945 p — *rotundifolia* L

Scrophularieae, Bignon., Martyn.,
Pedaliaceae, Orobanchaeae.

- 946 a *Alonzoa Warscewiczii* Regl
- 947 a *Antirrhinum majus* L
- 948 p — *Orontium* L
- 949 a *Calceolaria scabiosaefolia* Sims
- 950 p *Celsia betonicifolia* Desf
- 951 a *Collinsia bicolor* Benth
- 952 p *Digitalis ambigua* Murr
- 953 p — *ferruginea* L
- 954 b-p — *lanata* Ehrh
- 955 b-p — *lutea* L
- 956 b — *purpurea* L
- 957 a *Hebenstreitia dentata*
- 958 p *Incarvillea Delavayi* Franch
- 959 a *Linaria alpina* Mill
- 960 p — *cymbalaria* Mill
- 961 p — *dalmatica* Mill
- 962 p — *genistifolia* Mill
- 963 a — *spuria* Mill
- 964 p — *vulgaris* Moench
- 965 p *Lophospermum scandens* Don
- 966 a *Martynia proboscidea* L
- 967 b-p *Maurandia Barclayana* Lindl
- 968 a *Mimulus luteus* L
- 969 a *Nycteria capensis* Benth
- 970 p *Pentstemon coeruleus* Nutt
- 971 p — *gentianoides* Lindl
- 972 p — *glaucus* Grah

- ~~973~~ a Salpiglossis sinuata R. P.
- 974 a Schizantus pinnatus R. P.
- 975 p Scrophularia nodosa L
- 976 a Torenia Fournieri Linden
- 977 b Verbascum Blattaria
- 978 p — nigrum L
- 979 b — Olympicum Boiss
- 980 b — phlomoides L
- 981 b — phoeniceum L
- 982 b — speciosum Schrad
- 983 p Veronica aphylla L
- ~~984~~ p — Beccabunga L
- 985 p — caucasica Bieb
- 986 p — chamaedrys L
- 987 p — crassifolia Wierzb
- 988 p — fruticulosa L
- 989 p — gentianoides Vahl
- 990 a — hедераefolia L
- 991 p — longifolia L
- ~~992~~ p — lutea Wettst.
- ~~993~~ p — maritima L
- 994 p — officinalis L
- ~~995~~ p — satureioides Vis
- 996 p — saxatilis Scop
- 997 p — Teucrium L
- 998 p — urticifolia L

Solaneae.

- 999 p Atropa Belladonna L
- 1000 a Capsicum annum L
- 1001 a — baccatum L
- 1002 a Datura Metel L
- 1003 a — Stramonium L
- 1004 a — — var Tatula L
- 1005 a Hyoseyamus niger L
- 1006 a Nicandra physaloides Gaertn
- 1007 a Nicotiana affinis Moore
- 1008 a — rustica L
- ~~1009~~ a — silvestris Speg
- 1010 a — Tabacum L
- 1011 p Physalis Alkekengi L
- 1012 a — peruviana L
- 1013 p Solanum Dulcamara L
- 1014 a — guineense Lam
- 1015 a — Melongena L

- 1016 a Solanum nigrum L
- 1017 a — rostratum Dunal

Thymeleae.

- ~~1018~~ p Daphne Laureola L
- ~~1019~~ p — Mezereum L
- ~~1020~~ p Hippophaë rhamnoides L
- ~~1021~~ a Passerina annua (L)

Umbelliferae.

- 1022 a Aethusa Cynapium L
- ~~1023~~ p Angelica silvestris L
- 1024 a Anthriscus Cerefolium Hoffm
- 1025 p Archangelica officinalis Hoffm
- 1026 p Astrantia major L
- 1027 p Athamanta cretensis L
- 1028 p Bupleurum falcatum L
- ~~1029~~ p — ranunculoides L
- 1030 a — rotundifolium L
- ~~1031~~ b Carum Bulbocastanum L
- 1032 b — carvi L
- 1033 p Chaerophyllum aromaticum L
- ~~1034~~ p — hirsutum Koch
- ~~1035~~ b — temulum L
- 1036 p Cicuta virosa
- 1037 b Conium maculatum L
- 1038 a Coriandrum sativum L
- 1039 p Eryngium alpinum
- 1040 p — Bourgati Gouan
- ~~1041~~ p — campestre L
- 1042 p — giganteum M. B
- 1043 p — planum L
- 1044 b Falcaria vulgaris Bernh
- 1045 a Foeniculum officinale L
- ~~1046~~ Tp Hacquetia Epipactis De
- ~~1047~~ p Heracleum giganteum Hort
- 1048 p Imperatoria Ostruthium L
- 1049 p Laserpitium latifolium L
- 1050 p Levisticum officinale Koch
- 1051 p Libanotis montana Crantz
- 1052 p Meum alhamanticum Jacq
- 1053 p — Mutellina Gaertn
- ~~1054~~ a Orlaya grandiflora Hoffm
- 1055 p Peucedanum alsaticum L
- 1056 p — Cervaria Lap
- ~~1057~~ p — Oreoselinum Moench
- 1058 a Pimpinella Anisum L
- 1059 p — magna L
- ~~1060~~ p Pleurospermum austriacum Hoffm

- 1061 p Sanicula europaea L
- 1062 p Scandix pecten Veneris L
- 1063 p Selinum Carvifolia L
- 1064 p Silaus pratensis Bess
- ~~1065~~ p Siler trilobum Crantz
- 1066 p Sium Sisarum L
- ~~1067~~ b Torilis Anthriscus Gm
- ~~1068~~ b Trinia vulgaris DC

Urticaceae.

- 1069 a Cannabis sativa L
- 1070 Laportea canadensis Gaud
- 1071 p Parietaria officinalis L
- 1072 p Urtica cannabina L
- 1073 a — pilulifera L

Valerianeae.

- 1074 p Centranthus ruber DC
- 1075 p Valeriana officinalis L
- 1076 a Valerianella olitoria Moench

Verbenaceae.

- 1077 p Verbena officinalis L

Violaceae.

- 1078 p Viola biflora L
- ~~1079~~ p — lutea Sm sudetica Koch
- ~~1080~~ p — mirabilis L
- ~~1081~~ p — Riviniana Rehb

Zygophylleae.

- 1082 a Tribulus terrestris L

E. Tuma

Obmann.

JOSEF PAUER

Obergärtner

PROF. K. ZELENKA

~~Prof. L. Frank~~

Gartendirektor.